



Catálogo de Cocina Elaboracion Varios



Certification



**Focus on
customer's
core
demand**

**Specialize in
product's pleasant
quality**



Notice

Gas products:

- ▶ All gas products are set for 2800pa liquefied petroleum gas (L.P.G)
- ▶ Same products can be customized to natural gas or pipeline gas.
- ▶ All gas products must use the low-pressure valve.

Electric products:

- ▶ The frequency of all electric products are 50HZ
- ▶ Most of 50HZ can be available at 60HZ
- ▶ General voltage is: 220V/380V, some products can be customized into 110V and 60HZ



CONTENTS

001-012 Gas/Electric Luxury Furnace Series

013-014 Counter Top Combination Oven

015-031 Fryer/Giddle

032-040 Pasta Cooker/Food Warmer
Food Dehydrator/Infrared Lamp

041-044 Popcorn Machine/Candy Floss Machine

045-048 Bain Marie

049-052 Barbecue Oven/Shawarma/Rotisserie

053-064 Pizza Oven/Baking Oven/Convection Oven
Electric Prover/Combi Oven

065-069 Salamander/Char Grill/Gas Stove/Hot-dog Grill

070-071 Toaster/Crepe Maker

072-079 Waffle Baker/Pancake Maker/Contact Grill

080-084 Vegetable Cutter/Fast Food Equipment/FishBall Grill

085-089 Induction Cooker/Rice Cooker/Dish Washer

090-102 Immersion Blender/Food Mixer/Spiral Mixer
Noodle Machine/Dough Series

103-108 Meat Mincer/Meat Slicer/Bone Saw/Sausage Filler

109-111 Food Cut Up Machine/Potato Peeler

112-117 Ice Cream Machine/Fried Ice Cream Machine
Ice Maker

118-126 Sauce Warmer/Sauce Pump/Juice Dispenser
Slush Machine/Ice Crusher/Milk Shaker

127-131 Juicer/ Commercial Blender/Water Boiler

132-135 Chocolate Fountain/Electric Soup Kettle/Chafing Dish

136-138 Cup Sealing Machine/Impulse Sealer
Vacuum Packing Machine

139-148 Smoke Hood Serin/Sink/Working Table/Trolley/GN Pan



COOKING RANGE

- All Stainless Steel Body, Strong And Durable
- Electronic Direct Spark Ignition, Flame Failure Safety Device For Each Control
- Heavy Duty Gas Burner With Individual Switch And Thermostat
- Adjustable Legs
- Devices Are Preset To City Gas, Natural Gas Or Lpg
- Key-component From Famous International Suppliers



Gas Luxury Furnace Series



4-Burner Gas Range with Gas/Electric Oven

Model: **HGR-905/905A**
 Dimension: 800x900x920mm
 Oven Dimensions: 550x680x270mm
 LPG2800-3700Pa: 2.62Kg/h
 NG2000-2500Pa: 3.70m³/h
 Power Supply: 7.5x4+5.8KW



4-Burner Gas Range with Gas/Electric Oven

Model: **HGR-705/705A**
 Dimension: 700x700x920mm
 Oven Dimensions: 550x550x270mm
 LPG2800-3700Pa: 2.06Kg/h
 NG2000-2500Pa: 3.07m³/h
 Power Supply: 7.5x4+5.8KW



4-Burner Gas Range With Cabinet

Model: **HGR-905B**
 Dimension: 800x900x920mm
 LPG2800-3700Pa: 2.06Kg/h
 NG2000-2500Pa: 3.07m³/h
 Power Supply: 7.5x4KW

Model: **HGR-705B**
 Dimension: 700x700x920mm
 Power Supply: 7.5x4KW



4-Burner Gas Range With Gas/Electric Oven

Model: **HGR-905Z/905ZA**
 Dimension: 800x900x920mm
 Oven Dimensions: 550x680x270mm
 LPG2800-3700Pa: 2.10Kg/h
 NG2000-2500Pa: 2.81m³/h
 Power Supply: 7.5x2+4.5x2+5.8KW

Gas Luxury Furnace Series

Gas Luxury Furnace Series



4-Burner Gas Range With Cabinet

Model: **HGR-905ZB**
 Dimension: 800x900x920mm
 LPG2800-3700Pa: 1.73Kg/h
 NG2000-2500Pa: 2.33m³/h
 Power Supply: 7.5x2+4.5x2KW



6-Burner Gas Range With Gas Oven

Model: **HGR-996**
 Dimension: 1200x900x920mm
 Oven Dimensions: 550x680x270mm
 LPG2800-3700Pa: 3.55Kg/h
 NG2000-2500Pa: 5.26m³/h
 Power Supply: 7.5x6+5.8KW

Model: **HGR-776**
 Dimension: 1050x700x920mm
 Oven Dimensions: 560x600x270mm
 LPG2800-3700Pa: 3.55Kg/h
 NG2000-2500Pa: 5.26m³/h
 Power Supply: 7.5x6+5.8KW



6-Burner Gas Range With Electric Oven

Model: **HGR-996A**
 Dimension: 1200x900x920mm
 Oven Dimensions: 550x680x270mm
 LPG2800-3700Pa: 3.34Kg/h
 NG2000-2500Pa: 4.85m³/h
 Power Supply: 7.5x6+4.8KW
 Voltage: 380V

Model: **HGR-776A**
 Dimension: 1050x700x920mm
 Oven Dimensions: 550x550x270mm
 Power Supply: 7.5x6+4.8KW
 Voltage: 380V



6-Burner Gas Range With Cabinet

Model: **HGR-996B/996ZB**
 Dimension: 1200x900x920mm
 LPG2800-3700Pa: 3.34/2.40Kg/h
 NG2000-2500Pa: 4.66/3.49m³/h
 Power Supply: 7.5x3+4.5x3KW

Model: **HGR-776B**
 Dimension: 1050x700x920mm
 LPG2800-3700Pa: 3.34Kg/h
 NG2000-2500Pa: 4.66m³/h
 Power Supply: 7.5x6KW



6-Burner Gas Range With Gas/Electric Oven

Model: **HGR-996Z/996ZA**
 Dimension: 1200x900x920mm
 Oven Dimensions: 550x680x270mm
 LPG2800-3700Pa: 2.96Kg/h
 NG2000-2500Pa: 3.98m³/h
 Power Supply: 7.5x3+4.5x3+5.8KW



4-Burner Gas Stove & Griddle & Electric Oven

Model: **HGR-998A**
 Dimension: 1200x900x920mm
 Oven Dimensions: 550x680x270mm
 Power Supply: 7.5x4+5.8+4.8KW
 Voltage: 380V



4-Burner Gas Stove & Griddle & Oven

Model: **HGR-998**
 Dimension: 1200x900x920mm
 Oven Dimensions: 550x680x270mm
 Power Supply: 7.5x4+5.8+5.8KW



Gas Griddle (2/3 Flat&1/3 Grooved) with Cabinet

Model: **HGR-906**
 Dimension: 800x900x920mm
 Griddle Size: 702x612x16mm
 LPG2800-3700Pa: 0.86Kg/h
 NG2000-2500Pa: 1.28m³/h
 Power Supply: 11.8KW

Model: **HGR-706**
 Dimension: 700x700x920mm
 Griddle Size: 600x475x16mm
 LPG2800-3700Pa: 0.86Kg/h
 NG2000-2500Pa: 1.28m³/h
 Power Supply: 9.2KW

Gas Luxury Furnace Series



Gas Griddle (2/3Flat, 1/3Grooved) With Gas/Electric Oven

Model: **HGR-913/913B**
 Dimension: 800x900x920mm
 Griddle Size: 702x612x16mm
 Oven Dimensions: 550x680x270mm
 LPG2800-3700Pa: 1.25Kg/h
 NG2000-2500Pa: 1.77m³/h
 Power Supply: 11.8+5.8KW



Model: **HGR-713A**
 Dimension: 700x750x920mm
 Griddle Size: 625x496x20mm
 Oven Dimensions: 560x600x270mm
 LPG2800-3700Pa: 1.22Kg/h
 NG2000-2500Pa: 1.86m³/h
 Power Supply: 11.8+5.8KW



1-Tank Gas Fryer With Cabinet

Model: **HGF-968**
 Dimension: 400x900x920mm
 LPG2800-3700Pa: 1.23Kg/h
 NG2000-2500Pa: 1.56m³/h
 Power Supply: 15.5KW
 Capacity: 20± 2L



Model: **HGF-768**
 Dimension: 350x700x920mm
 LPG2800-3700Pa: 0.9Kg/h
 NG2000-2500Pa: 1.2m³/h
 Power Supply: 12KW
 Capacity: 15± 2L



2-Tank Gas Fryer With Cabinet

Model: **HGF-908**
 Dimension: 800x900x920mm
 LPG2800-3700Pa: 2.46Kg/h
 NG2000-2500Pa: 3.12m³/h
 Power Supply: 32KW
 Capacity: (20± 2)x2L



Model: **HGF-708**
 Dimension: 700x700x920mm
 LPG2800-3700Pa: 1.9Kg/h
 NG2000-2500Pa: 2.4m³/h
 Power Supply: 24KW
 Capacity: (15± 2)x2L



Gas Lava Rock Grill with Cabinet

Model: **HGL-907**
 Dimension: 800x900x920mm
 LPG2800-3700Pa: 1.20Kg/h
 NG2000-2500Pa: 1.75m³/h
 Power Supply: 18KW



Model: **HGL-707**
 Dimension: 700x700x920mm
 LPG2800-3700Pa: 1.07Kg/h
 NG2000-2500Pa: 1.48m³/h
 Power Supply: 14.4KW



Gas Luxury Furnace Series



Gas Pasta Cooker With Cabinet

Model: **HGF-910**
 Dimension: 800x900x920mm
 LPG2800-3700Pa: 1.58Kg/h
 NG2000-2500Pa: 2.28m³/h
 Power Supply: 25KW



Model: **HGF-710**
 Dimension: 700x700x920mm
 LPG2800-3700Pa: 1.58Kg/h
 NG2000-2500Pa: 2.28m³/h
 Power Supply: 22KW



Gas Pasta Cooker With Cabinet

Model: **HGN-915**
 Dimension: 800x900x920mm
 LPG2800-3700Pa: 1.58Kg/h
 NG2000-2500Pa: 2.28m³/h
 Power Supply: 25KW

Model: **HGN-715**
 Dimension: 700x700x920mm
 LPG2800-3700Pa: 1.68Kg/h
 NG2000-2500Pa: 2.29m³/h
 Power Supply: 22KW



Gas Bain Marie With Cabinet

Model: **HGR-909**
 Dimension: 800x900x920mm
 LPG2800-3700Pa: 0.43Kg/h
 NG2000-2500Pa: 0.63m³/h
 Power Supply: 6KW

Model: **HGR-709**
 Dimension: 700x700x920mm
 LPG2800-3700Pa: 0.43Kg/h
 NG2000-2500Pa: 0.63m³/h
 Power Supply: 5KW



Gas Solid Top With Gas Oven

Model: **HRQ-911B**
 Dimension: 800x900x920mm
 Oven Dimensions: 550x680x270mm
 LPG2800-3700Pa: 1.30Kg/h
 NG2000-2500Pa: 1.87m³/h
 Power Supply: 10+5.8KW

Gas / Electric Luxury Furnace Series



Gas Solid Top With Cabinet

Model: **HGZ-911**
 Dimension: 400x900x920mm
 LPG2800-3700Pa: 0.71Kg/h
 NG2000-2500Pa: 1.0m³/h
 Power Supply: 10KW



Gas Tilting Braising Pan

Model: **ZH-RS80**
 Dimension: 800x900x920mm
 LPG2800-3700Pa: 1.51Kg/h
 NG2000-2500Pa: 2.19m³/h
 Pressure: 21kpa
 Capacity: 80L
 Power Supply: 25KW



Gas Indirect Jacketed Boiling Pan

Model: **HGK-100**
 Dimension: 800x900x920mm
 LPG2800-3700Pa: 1.78Kg/h
 NG2000-2500Pa: 2.58m³/h
 Pressure: 25kpa
 Capacity: 100L
 Power Supply: 61000BTU



Electric Griddle (2/3Flat&1/3Grooved) With Cabinet

Model: **HER-906A**
 Dimension: 800x900x920mm
 Griddle Size: 702x612x16mm
 Volts: 380V
 Power Supply: 12KW

Model: **HER-706A**
 Dimension: 700x700x920mm
 Griddle Size: 600x475x16mm
 Volts: 380V
 Power Supply: 9KW



Electric Luxury Furnace Series



2-Tank Electric Fryer With Cabinet

Model: **HEF-908A**
 Dimension: 800x900x920mm
 Volts: 380V
 Power Supply: 24KW
 Capacity: (28± 2)x2L

Model: **HEF-708A**
 Dimension: 700x700x920mm
 Volts: 380V
 Power Supply: 24KW
 Capacity: (23± 2)x2L



Electric Griddle (1/3Grooved) With Electric Oven

Model: **HER-913A**
 Dimension: 800x900x920mm
 Griddle Size: 702x612x16mm
 Oven Dimensions: 550x680x270mm
 Volts: 380V
 Power Supply: 12+4.8KW

Model: **HER-713A**
 Dimension: 700x750x920mm
 Griddle Size: 600x475x16mm
 Oven Dimensions: 550x550x270mm
 Volts: 380V
 Power Supply: 9+4.8KW



1-Tank Electric Fryer With Cabinet

Model: **HEF-968A**
 Dimension: 400x900x920mm
 Volts: 380V
 Power Supply: 12KW
 Capacity: 28± 2L

Model: **HEF-768A**
 Dimension: 350x700x920mm
 Volts: 380V
 Power Supply: 12KW
 Capacity: 23± 2L



Electric Lava Rock Grill With Cabinet

Model: **HEL-907A**
 Dimension: 800x900x920mm
 Volts: 380V
 Power Supply: 12KW

Model: **HEL-707A**
 Dimension: 700x700x920mm
 Power Supply: 9KW
 Volts: 380V

Electric Luxury Furnace Series

Electric Luxury Furnace Series



4-Plate Electric Cooker With Oven

Model: **HRQ-912A**
 Dimension: 800x900x920mm
 Oven Dimensions: 550x680x270mm
 Volts: 380V
 Power: 2x2+2.6x2+4.8KW



Model: **HRQ-712A**
 Dimension: 700x700x920mm
 Oven Dimensions: 550x550x270mm
 Power: 2x4+4.8KW
 Volts: 380V



4-Plate Electric Cooker With Cabinet

Model: **HRQ-912**
 Dimension: 800x900x920mm
 Volts: 380V
 Power: 2x2+2.6x2KW



Model: **HRQ-712**
 Dimension: 700x700x920mm
 Volts: 380V
 Power: 2x4KW



6-Plate Electric Cooker With Oven

Model: **HRQ-962A**
 Dimension: 1200x900x920mm
 Oven Dimension: 550x680x270mm
 Voltage: 380V
 Power Supply: 2x3+2.6x3+4.8KW



Model: **HRQ-762A**
 Dimension: 1050x700x920mm
 Oven Dimension: 550x550x270mm
 Voltage: 380V
 Power Supply: 2x6+4.8KW



6-Plate Electric Cooker With Cabinet

Model: **HRQ-962**
 Dimension: 1200x900x920mm
 Power Supply: 2x2+2.6x2KW
 Voltage: 380V



Model: **HRQ-762**
 Dimension: 1050x700x920mm
 Power Supply: 2x6KW
 Voltage: 380V



Electric Pasta Cooker With Cabinet

Model: **HEN-910A**
 Dimension: 800x900x920mm
 Volts: 380V
 Power Supply: 18KW

Model: **HEN-710A**
 Dimension: 700x700x920mm
 Volts: 380V
 Power Supply: 12KW



Electric Bain Marie With Cabinet

Model: **HEB-909A**
 Dimension: 700x700x920mm
 Volts: 380V
 Power Supply: 6KW

Model: **HEB-709**
 Dimension: 700x750x920mm
 Volts: 380V
 Power Supply: 6KW



Electric Pasta Cooker With Cabinet

Model: **HEN-915A**
 Dimension: 800x900x920mm
 Volts: 380V
 Power Supply: 18KW

Model: **HEN-715A**
 Dimension: 700x700x920mm
 Volts: 380V
 Power Supply: 12KW



Electric Tilting Braising Pan

Model: **ZH-TS80**
 Dimension: 800x900x920mm
 Pan Size: 595x528mm
 Volts: 380V
 Power Supply: 12KW
 Capacity: 80L
 Net Weight: 140Kg

Electric Luxury Furnace Series



Electric Indirect Jacketed Boiling Pan

Model: **HEK-150**
Dimension: 800x900x920mm
Pressure: ≤ 50 kpa
Volts: 380V
Power Supply: 24KW
Capacity: 150L

Model: **HEK-100**
Dimension: 800x900x920mm
Pressure: ≤ 50 kpa
Volts: 380V
Power Supply: 18KW
Capacity: 100L



6-Plate Electric Cooker With Oven(Square)

Model: **HSQ-962B**
Dimension: 1200x900x920mm
Oven Dimensions 550x680x270mm
Volts: 380V
Power Supply: 4x6+4.8KW



4-Plate Electric Cooker With Oven(Square)

Model: **HSQ-912B**
Dimension: 800x900x920mm
Oven Dimensions 550x680x270mm
Volts: 380V
Power Supply: 4x4+4.8KW



4-Plate Electric Cooker With Cabinet(Square)

Model: **HSQ-912C**
Dimension: 800x900x920mm
Volts: 380V
Power Supply: 4x4KW



2-Tank 2-Basket Gas Fryer with Cabinet

Model: **HGF-668**
Dimension: 600x650x490mm
Power: 5.6KW+5.6KW



2-Burner Gas Range with Cabinet

Model: **HGR-665**
Dimension: 600x650x490mm
Power: 4.5KW+3.5KW



Gas Pasta Cooker with Cabinet

Model: **HGN-660**
Dimension: 600x650x490mm
Power: 11.2KW



Gas Lava Rock Grill with Cabinet

Model: **HGL-667**
Dimension: 600x650x490mm
Power: 14.4KW



Gas Griddle with Cabinet

Model: **HGR-663**
Dimension: 600x650x490mm
Power: 10KW



Electric French Fries Warmer with Cabinet

Model: **HCW-660**
Dimension: 400x650x730mm
Power: 1.2KW

Counter Top Gas Combination Oven



HGR-605
Counter Top 4-Burner Gas Range



Capacity: 8L+8L
HGF-608
Counter Top 2-Tank 2-Basket Gas Fryer



HGL-609
Counter Top Gas Bain Marie

Model	Dimension	Hp	Valve Type	Butners	N/W
HGR-605	600x680x485mm	92MJ	Low-pressure Valve	4	44Kg
HGF-608	600x612x485mm	40.4MJ	Low-pressure Valve	2	29Kg
HGL-609	700x612x485mm	27.7MJ	Low-pressure Valve	1	29Kg



HGL-610
Counter Top Gas Pasta Cooker



HGR-606
Counter Top Gas Griddle



HGL-607
Counter Top Gas Griddle

Model	Dimension	Hp	Valve Type	Butners	N/W
HGL-610	600x612x485mm	26MJ	Low-pressure Valve	1	25Kg
HGR-606	600x612x485mm	28.8MJ	Low-pressure Valve	2	46Kg
HGL-607	600x612x485mm	57.6MJ	Low-pressure Valve	2	49Kg

Counter Top Electric Combination Oven



HRQ-605E
Counter Top 4-Burner Electric Cooker



HEG-606
Counter Top Electric Griddle (All Flat)



HEF-608
Counter Top 2-Tank 2-Basket Electric Fryer

Model	Dimension	Volts	Hp	N/W	Capacity
HRQ-605E	600x600x380mm	220-240V/50-60Hz	8KW	20Kg	-
HEG-606	600x600x380mm	220-240V/50-60Hz	5KW	43Kg	-
HEF-608	600x600x460mm	220-240V/50-60Hz	3.25+3.25KW	25Kg	8L+8L



HEL-607
Counter Top Electric Lava Rock Grill



HEB-609
Counter Top Electric Bain Marie



HEN-610
Counter Top Electric Pasta Cooker

Model	Dimension	Volts	Power	Weight
HEL-607	650x600X380mm	220-240V/50-60Hz	4.8KW	43Kg
HEB-609	700x600x380mm	220-240V/50-60Hz	1.5KW	24Kg
HEN-610	600x600x380mm	220-240V	6KW	22.6Kg

Fryer

- High efficiency stainless steel heating element, automatic control temperature, timer installation.
- Anti-high temperature oil valve.
- Folded and dismantle basket handle.
- Used gas: liquefied petroleum gas (LPG), customized to natural gas (1800-2500pa).
- Over temperature protection.
- Movable heating element to make cleaning easier.



1-Tank 1-Basket Electric Fryer

Model: HEF-81
Dimension: 285x450x310mm
Packing Size: 480x315x325mm
Capacity: 6L
Volts: 220-240V/50-60Hz
Power: 2.5KW
N/W: 4.6Kg



Model: HEF-88
Dimension: 285x450x360mm
Packing Size: 480x315x325mm
Capacity: 8L
Volts: 220-240V/50-60Hz
Power: 2.8KW
N/W: 5.6Kg



1-Tank 1-Basket Electric Fryer

Model: HEF-81A
Dimension: 275x460x300mm
Packing Size: 460x295x305mm
Capacity: 6L
Volts: 220V-240V/50-60Hz
Power: 2.5KW
N/W: 4.5Kg



2-Tank 2-Basket Electric Fryer

Model: HEF-82 (2-Tank 2-Basket)
Dimension: 570x450x310mm
Packing Size: 620x470x325mm
Capacity: 6L+6L
Volts: 220-240V/50-60Hz
Power: 2.5+2.5KW N/W: 8.6Kg



Model: HEF-83 (1-Tank 2-Basket)
Dimension: 540x450x310mm
Packing Size: 620x470x325mm
Capacity: 12L
Volts: 220-240V/50-60Hz
Power: 2.5+2.5KW N/W: 8.4Kg



Model: HEF-89 (2-Tank 2-Basket)
Dimension: 570x450x360mm
Capacity: 8L+8L
Volts: 220-240V/50-60Hz
Power: 2.8+2.8KW N/W: 10Kg



2-Tank 2-Basket Electric Fryer

Model: HEF-82A (2-Tank 2-Basket)
Dimension: 550x460x300mm
Packing Size: 570x455x315mm
Capacity: 6L+6L
Volts: 220V-240V/50-60Hz
Power: 2.5+2.5KW N/W: 9Kg



Model: HEF-83A (1-Tank 2-Basket)
Packing Size: 570x460x300mm
Dimension: 550x430x290mm
Capacity: 12L Volts: 220V-240V/50-60Hz
Power: 2.5+2.5KW N/W: 9Kg



Fryer



1-Tank 1-Basket Electric Fryer

Model: HEF-4L
Dimension: 270x380x305mm
Packing Size: 250x415x335mm
Volts: 220V-240V/50-60Hz
Power: 2KW
N/W: 5Kg



2-Tank 2-Basket Electric Fryer

Model: HEF-4L-2
Dimension: 490x380x320mm
Packing Size: 470x410x335mm
Volts: 220V-240V/50-60Hz
Power: 2x2KW
N/W: 9.2Kg



1-Tank 1-Basket Electric Fryer

Model: HEF-6L
Dimension: 324x410x295mm
Packing Size: 300x450x310mm
Volts: 220V-240V/50-60Hz
Power: 2.5KW
N/W: 5.6Kg



2-Tank 2-Basket Electric Fryer

Model: HEF-6L-2
Dimension: 600x410x295mm
Packing Size: 580x445x325mm
Volts: 220V-240V/50-60Hz
Power: 2x2.5KW
N/W: 10.2Kg





1-Tank 1-Basket Electric Fryer

Model: **HEF-8L**
 Dimension: 324x410x345mm
 Packing Size: 300x450x380mm
 Volts: 220V-240V/50-60Hz
 Power: 3.25KW
 N/W: 6.2Kg



2-Tank 2-Basket Electric Fryer

Model: **HEF-8L-2**
 Dimension: 538x415x345mm
 Packing Size: 575x450x380mm
 Volts: 220V-240V/50-60Hz
 Power: 3.25KW
 N/W: 11Kg



1-Tank 1-Basket Electric Fryer

Model: **HEF-11L**
 Dimension: 381x445x345mm
 Packing Size: 355x475x380mm
 Volts: 220V-240V/50-60Hz
 Power: 3.5KW
 N/W: 11.4Kg



2-Tank 2-Basket Electric Fryer

Model: **HEF-11L-2**
 Dimension: 730x445x345mm
 Packing Size: 705x480x380mm
 Volts: 220V-240V/50-60Hz
 Power: 2x3.5KW
 N/W: 15Kg



1-Tank 1-Basket Electric Fryer

Model: **HEF-12L**
 Dimension: 290x485x450mm
 Packing Size: 325x515x470mm
 Volts: 220V-240V/50-60Hz
 Power: 3.25KW
 N/W: 9.8Kg



2-Tank 2-Basket Electric Fryer

Model: **HEF-12L-2**
 Dimension: 580x485x450mm
 Packing Size: 610x515x470mm
 Volts: 220V-240V/50-60Hz
 Power: 2x3.25KW
 N/W: 17.6Kg



1-Tank 1-Basket Electric Fryer

Model: **HEF-101V**
 Dimension: 290x530x340mm
 Capacity: 10L
 Volts: 220V-240V/50-60Hz
 Power: 3KW

Model: **HEF-131V**
 Dimension: 320x530x350mm
 Capacity: 13L
 Volts: 220V-240V/50-60Hz
 Power: 5KW N/W: 8Kg

Model: **HEF-161V**
 Dimension: 345x560x360mm
 Capacity: 16L
 Volts: 220V-240V/50-60Hz
 Power: 5KW N/W: 10Kg



2-Tank 2-Basket Electric Fryer

Model: **HEF-102V**
 Dimension: 580x530x340mm
 Capacity: 10L+10L
 Volts: 220V-240V/50-60Hz
 Power: 3+3KW

Model: **HEF-132V**
 Dimension: 635x530x350mm
 Capacity: 13L+13L
 Volts: 220V-240V/50-60Hz
 Power: 5+5KW N/W: 18Kg

Model: **HEF-162V**
 Dimension: 695x560x360mm
 Capacity: 16L+16L
 Volts: 220V-240V/50-60Hz
 Power: 5+5KW N/W: 20Kg



Fryer

Fryer ELECTRIC FRYER



All stainless steel body, unique exterior design, thermostat, thick plate, heat more evenly, thermostat assembly 360°C temperature control, energy efficient, safe and practical.

2-Tank 2-Basket Electric Fryer

Model: **HEF-912**
Dimension: 850x515x1140mm
Capacity: 21+21L
Volts: 220V-240V
Power: 4.5+4.5KW
N/W: 34Kg



2-Tank 2-Basket Gas Fryer
Model: **HGF-912**
Dimension: 850x515x1140mm
Capacity: 21L+21L
Gas: LPG



1-Tank 1-Basket Gas Fryer

Model: **HGF-779**
Dimension: 340x615x630mm
Capacity: 18L
Gas: LPG
Power: 5KW/Hr
N/W: 22Kg



2-Tank 2-Basket Gas Fryer

Model: **HGF-780**
Dimension: 680x615x630mm
Capacity: 18L+18L
Gas: LPG
Power: 10KW/Hr
N/W: 38Kg



2-Tank 2-Basket Gas Fryer

Model: **HGF-907C**
Dimension: 850x515x650mm
Capacity: 21L+21L
Gas: LPG
N/W: 32Kg



1-Tank 1-Basket Electric Fryer

Model: **HEF-779**
Dimension: 340x615x630mm
Capacity: 18L
Volts: 220V-240V/50-60Hz
Power: 4.5KW
N/W: 22Kg



2-Tank 2-Basket Electric Fryer

Model: **HEF-780**
Dimension: 680x615x630mm
Capacity: 18L+18L
Volts: 220V-240V/50-60Hz
Power: 4.5KW+4.5KW
N/W: 38Kg



2-Tank 2-Basket Electric Fryer

Model: **HEF-906C**
Dimension: 850x515x650mm
Capacity: 21L+21L
Volts: 220V-240V/50-60Hz
Power: 3.5+3.5KW
N/W: 32Kg



1-Tank 1-Basket Electric Fryer

Model: **HEF-901**
Dimension: 300x570x450mm
Packing Size: 370x640x520mm
Capacity: 8L
Volts: 220V-240V/50-60Hz
Power: 2.8KW
N/W: 10Kg



2-Tank 2-Basket Electric Fryer

Model: **HEF-902**
Dimension: 600x570x450mm
Packing Size: 670x540x520mm
Capacity: 16L
Volts: 220V-240V/50-60Hz
Power: 2.8+2.8KW
N/W: 18Kg



1-Tank 1-Basket Electric Fryer

Model: **HEF-903**
Dimension: 330x600x440mm
Packing Size: 670x410x545mm
Capacity: 12.5L
Volts: 220V-240V/50-60Hz
Power: 3KW
N/W: 13Kg



2-Tank 2-Basket Electric Fryer

Model: **HEF-904**
Dimension: 660x600x440mm
Packing Size: 720x670x545mm
Capacity: 25L
Volts: 220V-240V/50-60Hz
Power: 3KW+3KW
N/W: 23.2Kg



Fryer



1-Tank 1-Basket Gas Fryer

Model: **HGF-71A**
 Dimension: 330x650x480mm
 Capacity: 15L
 Gas: LPG or LNG
 Power: 4.5KW
 Pressure: 2800-3200Pa
 Temperature: 160-220°C
 Basket Size: 300x210x135mm



2-Tank 2-Basket Gas Fryer

Model: **HGF-72A**
 Dimension: 660x650x480mm
 Capacity: 2x15L
 Gas: LP or LNG
 Power: 4.5KW+4.5KW
 Pressure: 2800-3200Pa
 Temperature: 160-220°C
 Basket Size: 300x210x135mm



Gas Fryer

Model: **HGF-74** (1-Tank 2-Basket)
 Dimension: 590x470x1070mm
 Capacity: 14L+14L
 Power: 36TU/hr
 N/W: 32.8Kg



Model: **HGF-75** (2-Tank 2-Basket)
 Dimension: 590x470x1070mm
 Capacity: 14L+14L
 Power: 36TU/hr
 N/W: 32.8Kg



Electric Fryer

Model: **HEF-84** (1-Tank 2-Basket)
 Dimension: 590x470x1000mm
 Capacity: 28L
 Volts: 220V-240V/50-60Hz
 Power: 4KW+4KW
 N/W: 24Kg



Model: **HEF-85** (2-Tank 2-Basket)
 Dimension: 590x470x1000mm
 Capacity: 14L+14L
 Volts: 220V-240V/50-60Hz
 Power: 4KW+4KW
 N/W: 24Kg

Fryer



1-Tank 1-Basket Gas Fryer

Model: **HGF-971**
 Dimension: 300x600x560mm
 Capacity: 8L
 Power: 4KW/Hour
 N/W: 22Kg



1-Tank 1-Basket Gas Fryer

Model: **HGF-71**
 Dimension: 290x500x460mm
 Capacity: 6L
 Power: 18.9TU/hr
 N/W: 10.8Kg



2-Tank 2-Basket Gas Fryer

Model: **HGF-972**
 Dimension: 600x600x560mm
 Capacity: 8L+8L
 Power: 8KW/Hour
 N/W: 35Kg



2-Tank 2-Basket Gas Fryer

Model: **HGF-772**
 Dimension: 600x650x550mm
 Capacity: 12.5L+12.5L
 Power: 9KW/Hour
 N/W: 40Kg



2-Tank 2-Basket Gas Fryer

Model: **HGF-72** (2-Tank 2-Basket)
 Dimension: 570x500x460mm
 Capacity: 6L+6L
 Power: 37.8TU/hr
 N/W: 18.4Kg



Model: **HGF-73** (1-Tank 2-Basket)
 Dimension: 550x500x460mm
 Capacity: 12L
 Power: 37.8TU/hr
 N/W: 14.8Kg



1-Tank 2-Basket Electric Fryer

Model: **HEF-26**
 Dimension: 420x830x1080mm
 Capacity: 30L
 Volts: 380V
 Power: 10KW
 N/W: 38Kg



2-Tank 4-Basket Electric Fryer

Model: **HEF-26-2**
 Dimension: 800x830x1080mm
 Capacity: 30L+30L
 Volts: 380V
 Power: 20KW
 N/W: 58Kg



1-Tank 2-Basket Computer Fryer

Model: **HEF-871**
 Dimension: 400x800x1100mm
 Capacity: 28L
 Volts: 3N~380V
 Hp: 18KW
 N/W: 40Kg



2-Tank 4-Basket Computer Fryer

Model: **HEF-872**
 Dimension: 800x800x1100mm
 Capacity: 28L+28L
 Volts: 3N~380V
 Hp: 18+18KW
 N/W: 80Kg



1-Tank 2-Basket Gas Fryer

Model: **HGF-778(2-burner)**
 Dimension: 400x700x1100mm
 Capacity: 25L
 Gas: LPG or Natural Gas
 Power: 12KW/Hr
 N/W: 41Kg

Model: **HGF-778S(3-burner)**
 Dimension: 400x700x1100mm
 Capacity: 25L
 Gas: LPG or Natural Gas
 Power: 15.5KW/Hr
 N/W: 41Kg



1-Tank 1-Basket Electric Fryer

Model: **HEF-161C**
 Dimension: 340X530X940mm
 Capacity: 16L
 Volts: 220-240V
 Power: 5KW
 N/W: 20.6Kg



2-Tank 2-Basket Electric Fryer

Model: **HEF-162C**
 Dimension: 690x530x940mm
 Capacity: 16Lx2
 Volts: 220-240V
 Power: 5KWx2
 N/W: 33.5Kg



1-Tank 1-Basket Gas Fryer

Model: **HGF-181C**
 Dimension: 345x585x1025mm
 Capacity: 18L
 Gas: LPG or Natural Gas
 N/W: 25Kg



2-Tank 2-Basket Gas Fryer

Model: **HGF-182C**
 Dimension: 690x585x1025mm
 Capacity: 18x2L
 Gas: LPG or Natural Gas
 N/W: 50Kg

Fryer



Electric Pressure Fryer

Model: **MDXZ-24**
Dimension: 460x960x1230mm
Capacity: 25L
Volts: 3N-380V/50HZ
Power: 12KW
N/W: 95kgs
For 4-6Chickens



Electric Pressure Fryer

Model: **MDXZ-24A**
Dimension: 460x960x1230mm
Capacity: 25L
Volts: 3N-380V/50HZ
Power: 13.5KW
N/W: 135kgs
For 4-6Chickens



Gas Pressure Fryer

Model: **MDXZ-25**
Dimension: 470x1030x1180mm
Capacity: 25L
Volts: 220V/50HZ
Power: 0.1KW
Gas Consumption: 0.48kg/h
N/W: 125kgs



Gas Pressure Fryer

Model: **MDXZ-25A**
Dimension: 470x1030x1180mm
Capacity: 25L
Volts: 220V/50HZ
Power: 0.65KW
Gas Consumption: 0.48kg/h
N/W: 160kgs



Electric Pressure Fryer

Model: **MDXZ-24D**
Dimension: 460x960x1230mm
Capacity: 25 L
Volts: 3N-380V/50HZ
Power: 13.5KW
N/W: 135kgs
For 4-6Chickens



Gas Pressure Fryer

Model: **MDXZ-25D**
Dimension: 470x1030x1180mm
Capacity: 25L
Volts: 220V/50HZ
Power: 0.65KW
Gas Consumption: 0.48kg/h
N/W: 160kgs



Electric Pressure Fryer

Model: **MDXZ-16**
Dimensions: 350x400x500mm
Packing Size: 430x500x540mm
Capacity: 16L
Volts: 220V/50Hz
Power: 3KW N/W: 18Kg
For 2-3 Chickens

- Strong stainless steel body with splash guard.
- Large output capacity.
- Thick steel plate for heat retention, heat uniform.
- Fat drainage drawer for convenience.
- Thermostat controller.
- Energy saving and safety.
- Easy to use and clean-up.

Griddle



Electric Griddle

Model: **HEG-818**
Dimension: 550x430x240mm
Volts: 220V-240V/50-60Hz
Power: 3KW
N/W: 25Kg



Electric Griddle

Model: **HEG-820**
Dimension: 730x470x240mm
Volts: 220V-240V/50-60Hz
Power: 4.4KW
N/W: 34Kg



Electric Griddle

Model: **HEG-818A**
Dimension: 540x400x220mm
Volts: 220V-240V/50-60Hz
Power: 2.6KW
N/W: 23Kg



Electric Griddle

Model: **HEG-822**
Dimension: 730x470x240mm
Volts: 220V-240V/50-60Hz
Power: 4.4KW
N/W: 32Kg



Electric Griddle

Model: **HEG-821**
Dimension: 550x450x230mm
Volts: 220V-240V/50-60Hz
Power: 3KW
N/W: 23Kg





Electric Griddle

Model: **HEG-920**
Dimension: 760x600x350mm
Volts: 220V-240V/50-60Hz
Power: 3+3KW
N/W: 65Kg



Electric Griddle

Model: **HEG-922**
Dimension: 760x600x350mm
Volts: 220V-240V/50-60Hz
Power: 3+3KW
N/W: 65Kg



Electric Griddle With Gas/Electric Fryer

Model: **HEG-908**
Dimension: 760x630x460mm
Volts: 220~240V/50Hz~60Hz
Power: 3+2.8KW
N/W: 48Kg



Electric Griddle

Model: **HEG-824**
Dimension: 610x620x360mm
Volts: 220~240V/50Hz~60Hz
Power: 8KW
N/W: 70Kg



Model: **HEG-836**
Dimension: 915x620x360mm
Volts: 220~240V/50Hz~60Hz
Power: 12KW
N/W: 100Kg

Model: **HEG-848**
Dimension: 1215x620x360mm
Volts: 220~240V/50Hz~60Hz
Power: 16KW
N/W: 130Kg



Electric Griddle With Gas/Electric Fryer

Model: **HGG-751**
Dimension: 760x650x550mm
Gas: LPG
Power: 12KW/Hour
N/W: 48Kg



Electric Griddle

Model: **HEG-350**
Dimension: 350x520x320mm
Volts: 220V-240V/50-60Hz
Power: 2KW
N/W: 40Kg



Electric Griddle

Model: **HEG-500**
Dimension: 500x520x320mm
Volts: 220V-240V/50-60Hz
Power: 3KW
N/W: 50Kg



Model: **HEG-700**
Dimension: 700x520x320mm
Volts: 220V-240V/50-60Hz
Power: 4.4KW
N/W: 65Kg



Electric Griddle & Salamander

Model: **HEG-580**
Dimensions: 580x455x332mm
Volts: 220-240V/50-60Hz
Power: 2.4KW
N/W: 34Kg



Gas Griddle

Model: **HGG-350**
Dimension: 350x520x320mm
Power: 4KW/Hour
N/W: 40Kg



Gas Griddle

Model: **HGG-700**
Dimension: 700x520x320mm
Power: 12KW/Hour
N/W: 65Kg



Gas Griddle (1/3 Grooved)

Model: **HGG-530-2**
Dimension: 530x600x475mm
Gas: LPG or Natural Gas
Power: 10.7KW



Model: **HGG-600-2**
Dimension: 600x600x475mm
Gas: LPG or Natural Gas
Power: 11.7KW

Model: **HGG-750-2**
Dimension: 750x600x475mm
Gas: LPG or Natural Gas
Power: 11.7KW

Griddle

Griddle



Gas Griddle

Model: **HGG-718**
Dimension: 550x480x420mm
Packing Size: 615x555x445mm
Power: 36.7Tu/hr
N/W: 30Kg



Gas Griddle

Model: **HGG-720**
Dimension: 730x520x420mm
Packing Size: 790x615x500mm
Power: 37.8Tu/hr
N/W: 43Kg



Gas Griddle

Model: **HGG-721**
Dimension: 550x480x420mm
Packing Size: 615x555x445mm
Power: 36.7Tu/hr
N/W: 30Kg



Gas Griddle

Model: **HGG-722**
Dimension: 730x520x420mm
Packing Size: 790x615x500mm
Power: 37.8Tu/hr
N/W: 43Kg



Gas Griddle (1/3 Grooved)

Model: **HGG-752**
Dimension: 760x650x550mm
Gas: LPG or Natural Gas
Power: 16KW/Hour
N/W: 70Kg



Gas Griddle (All Flat)

Model: **HGG-753**
Dimension: 760x650x550mm
Gas: LPG or Natural Gas
Power: 16KW/Hour
N/W: 70Kg



Beef Griddle

Model: **HX-NPL-3**
Material: SUS 201
Layer: 8Layers
Dimension: 235x557x355mm
Packing Size: 350x520x455mm
Power: 9000BTU
Gas : LPG/NG
Push-button electronic ignition
Temperature Range: 200-500°C
External accessories include flat screen, slag basin, drawer type pallet, 2 silicone oven gloves
G/W: 10Kgs



Beef Griddle

Model: **HX-NPL-4**
Material: SUS 201
Layer: 8Layers
Dimension: 235x47x23mm
Packing Size: 350x47x23mm
Power: 9000BTU
Gas : LPG/NG
Push-button electronic ignition
Temperature Range: 200-500°C
External accessories include flat net, slag basin, movable door front foldable hanging plate, 2 silicone oven gloves
G/W: 10 Kgs



Griddle



Gas Griddle

Model: **HGG-24**
Dimension: 610x620x440mm
Gas: LPG or Natural Gas
Power: 9KW
N/W: 51Kg



Gas Griddle

Model: **HGG-36**
Dimension: 915x620x440mm
Gas: LPG or Natural Gas
Power: 13.5KW
N/W: 76Kg



Gas Griddle

Model: **HGG-48**
Dimension: 1215x620x440mm
Gas: LPG or Natural Gas
Power: 18KW
N/W: 105Kg



Pasta Cooker



Counter Top Electric Pasta Cooker

Model: **HEN-4A**
Dimension: 410x570x280mm
Volts: 220~240V/50~60Hz
Power: 4KW
N/W: 13Kg



Counter Top Electric Pasta Cooker

Model: **HEN-6A**
Dimension: 590x550x280mm
Volts: 220~240V/50~60Hz
Power: 6KW
N/W: 17Kg



Electric Pasta Cooker

Model: **HEN-4HX**
Dimension: 430x610x920mm
Volts: 220~240V/50~60Hz
Power: 4KW
N/W: 17Kg



Gas Pasta Cooker

Model: **HGN-4HX**
Dimension: 430x610x920mm
Gas: LPG or Natural Gas
Power: 56500BTU/Hour
N/W: 20Kg



Gas Pasta Cooker

Model: **HGN-6HX**
Dimension: 600x610x920mm
Gas: LPG or Natural Gas
Power: 84750BTU/Hour
N/W: 31Kg



Electric Pasta Cooker

Model: **HEN-6HX**
Dimension: 600x610x920mm
Volts: 220~240V/50~60Hz
Power: 6KW
N/W: 22Kg

Food Warmer

- The designs with different shapes and colors.
- Different models with different functions, like to keep dry,
- Keep wet, keep warm or keep cold.
- Removable crumb tray.
- Humidity pan prevents dryness.
- Thermostatically controlled temperature.
- Temperature indicating gauge for monitoring internal temperature.
- Convenient sliding doors provide quick, easy access.
- Interior light.



Food Display Warmer

Model: **HW-2x2**
Dimension: 700x655x740mm
Volts: 220~240V/50~60Hz
Power: 0.7KW
N/W: 27Kg



Food Display Warmer

Model: **HW-2x3**
Dimension: 1100x655x740mm
Volts: 220~240V/50~60Hz
Power: 1.4KW
N/W: 35Kg

Model: **HW-2x4**
Dimension: 1200x655x740mm
Volts: 220~240V/50~60Hz
Power: 1.4KW
N/W: 43Kg




Food Display Warmer

Model: **HW-6P-B**
Dimension: 1200x760x860mm
Volts: 220~240V/50~60Hz
Power: 2.15KW
N/W: 94Kg

Model: **HW-6P**
Dimension: 1500x760x860mm
Volts: 220~240V/50~60Hz
Power: 2.2KW
N/W: 112Kg

Model: **HW-6P-A**
Dimension: 1800x760x860mm
Volts: 220~240V/50~60Hz
Power: 3.8KW
N/W: 152Kg

Model: **HW-6P-C**
Dimension: 2200x760x860mm
Volts: 220~240V/50~60Hz
Power: 4.8KW
N/W: 180Kg



Food Warmer

Food Display Warmer



HW-861



HW-862



HW-863

Model	Dimensions(mm)	Volts	Power	Weight
HW-861	350x455x580	220~240V/50~60Hz	1.2KW	21Kg
HW-862	650x455x580	220~240V/50~60Hz	1.3KW	33Kg
HW-863	900x455x580	220~240V/50~60Hz	1.75KW	41Kg



HW-1PA



HW-2P



HW-2PS / HW-3PS

Model	Dimensions(mm)	Volts	Power	Weight
HW-1PA	380x480x610	220V/50HZ	0.5KW	-
HW-2P	660x495x615	220~240V/50~60Hz	0.8KW	21Kg
HW-3P	950x495x615	220~240V/50~60Hz	1.2KW	30Kg
HW-2PS	660x495x615	220~240V/50~60Hz	0.8KW	21Kg
HW-3PS	950x495x615	220~240V/50~60Hz	1.2KW	30Kg

Food Warmer



HW-60-1 / HW-60-2 / HW-60-3



HW-580 / HW-805



HW-9002 / HW-9003 / HW-9004

Model	Dimensions(mm)	Volts	Power	Weight
HW-60-1	660x480x610	220~240V/50~60Hz	1.84KW	33Kg
HW-60-2	900x480x610	220~240V/50~60Hz	1.84KW	50Kg
HW-60-3	1200x480x610	220~240V/50~60Hz	2.2KW	72Kg
HW-580	642x350x535	220~240V/50~60Hz	1.5KW	45Kg
HW-805	865x360x625	220~240V/50~60Hz	1.5KW	60Kg
HW-9002	620x530x560	220~240V/50~60Hz	1.5KW	32Kg
HW-9003	900x530x560	220~240V/50~60Hz	1.8KW	46Kg
HW-9004	1200x530x560	220~240V/50~60Hz	2.0KW	52Kg



HW-2D / HW-3D / HW-4D



HW-660 / HW-900 / HW-1200



HW-1002 / HW-1003 / HW-1004

Model	Dimensions(mm)	Volts	Power	Weight
HW-2D	630x485x550	220~240V/50~60Hz	1.5KW	33Kg
HW-3D	890x485x550	220~240V/50~60Hz	1.8KW	42Kg
HW-4D	1110x485x550	220~240V/50~60Hz	2.0KW	53Kg
HW-660	660x505x420	220~240V/50~60Hz	1.5KW	30Kg
HW-900	900x505x420	220~240V/50~60Hz	1.8KW	38Kg
HW-1200	1200x505x420	220~240V/50~60Hz	2.0KW	45Kg
HW-1002	610x440x700	220~240V/50~60Hz	1.5KW	30Kg
HW-1003	880x440x700	220~240V/50~60Hz	1.8KW	39Kg
HW-1004	1200x440x700	220~240V/50~60Hz	2.0KW	46Kg

Food Warmer



Pie Warmer

Model: HW-1P
Dimension: 350x430x500mm
Volts: 220~240V/50~60Hz
Power: 0.75KW
N/W: 18Kg



Egg Tart Warmer Display Cabinet

Model: HW-501
Material: SUS 201 & Acrylic
Dimension: 500x400x378mm
Packing Size: 550x450x430mm
Preservative Temperature Range: 30-85°C
Volts: 220V/50Hz Power: 750W
G/W: 8Kgs



Food Display Warmer

Model: HW-500H
Dimension: 380x420x760mm
Volts: 220~240V/50~60Hz
Power: 1.2KW
N/W: 24Kg



Food Display Warmer (Touch Screen)

Model: HW-500HA
Dimension: 380x420x760mm
Volts: 220~240V/50~60Hz
Power: 1.2KW
N/W: 24Kg



Food Display Warmer

Model: HW-600H
Dimension: 480x540x840mm
Volts: 220~240V/50~60Hz
Power: 1.6KW
N/W: 36Kg



Food Warmer



Pizza Display Warmer

Model: HW-815
Dimension: 490x490x810mm
Volts: 220-240V/50-60Hz
Power: 0.6KW
Weight: 15Kg



Pizza Display Warmer

Model: HW-816
Dimension: 490x490x810mm
Volts: 220-240V/50-60Hz
Power: 0.6KW
Weight: 15Kg



Infared Warm lamp

Model: HW-819B (2-Lamp)
Dimension: 335x560x465mm
Volts: 220-240V/50-60Hz
Power: 0.05KW



Model: HW-819C (3-Lamp)
Dimension: 810x350x440mm
Volts: 220-240V/50-60Hz
Power: 0.75KW



Electric Warming Tray

Model: HTC-2F
Dimension: 730x580x550mm
Volts: 220-240V/50-60Hz
Power: 0.5KW
Weight: 14Kg



1- Head Electric Plate Warmer Cart

Model: HPW-1
Dimension: 455x555x925mm
Volts: 220-240V/50-60Hz
Power: 0.4KW



2- Head Electric Plate Warmer Cart

Model: HPW-2
Dimension: 455x950x925mm
Volts: 220-240V/50-60Hz
Power: 0.8KW



Food Warmer



Food Warmer Cart

Model: HW-11-5F
Dimension: 780x960x1325mm
Inner Size: 540x680x940mm
Volts: 220-240V
Power: 1.26KW
Layer Distance: 160mm
Layer Number: 5-layer



Food Warmer Cart

Model: HW-11-21
Dimension: 780x960x1790mm
Inner Size: 540x680x1380mm
Volts: 220-240V
Power: 2.52KW
Layer Distance: 115mm
Layer Number: 11-layer



Food Warmer Cart

Model: HW-11-22
Dimension: 1580x960x1790mm
Inner Size: 1350x680x1380mm
Volts: 220-240V
Power: 2.52KW
Layer Distance: 115mm
Layer Number: 22-layer



Sushi Display Cooler

Model: HSD-1200
Dimension: 1200x350x340mm
Volts: 220-240V/50-60Hz
Power: 0.23KW

Sushi Display Cooler

Model: HSD-1200-2
Dimension: 1200x350x500mm
Volts: 220-240V/50-60Hz
Power: 0.35KW



Model: HSD-1500
Dimension: 1500x350x340mm
Volts: 220-240V/50-60Hz
Power: 0.32KW

Model: HSD-1500-2
Dimension: 1500x350x500mm
Volts: 220-240V/50-60Hz
Power: 0.39KW

Model: HSD-1800
Dimension: 1800x350x340mm
Volts: 220-240V/50-60Hz
Power: 0.34KW

Model: HSD-1800-2
Dimension: 1800x350x500mm
Volts: 220-240V/50-60Hz
Power: 0.41KW

Food Dehydrator



Food Dehydrator

Model: HFD-6
Size: 557x300x355mm
Volts: 220-240V/50-60Hz
Power: 400W
Temperature: 30-90°C
Size of Rack: 285x200mm
Distance between Racks: 46mm



Food Dehydrator

Model: HFD-10
Size: 464x402x440mm
Volts: 220-240V/50-60Hz
Power: 1000W
Temperature: 30-90°C
Size of Rack: 385x285mm
Distance between Racks: 35mm



Food Dehydrator

Model: HFD-12
Size: 464x402x440mm
Volts: 220-240V/50-60Hz
Power: 1000W
Temperature: 30-90°C
Size of Rack: 385x283mm
Distance between Racks: 30mm



Food Dehydrator

Model: HFD-16
Size: 570x470x690mm
Volts: 220-240V/50-60Hz
Power: 1500W
Temperature: 30-90°C
Size of Rack: 380x400mm
Distance between Racks: 35mm



Food Dehydrator

Model: HFD-20
Size: 470x570x880mm
Volts: 220-240V/50-60Hz
Power: 1500W
Temperature: 30-90°C
Size of Rack: 380x400mm
Distance between Racks: 35mm



Food Dehydrator

Model: HFD-30
Size: 530x438x1380mm
Volts: 220-240V/50-60Hz
Power: 2400W
Temperature: 30-90°C
Size of Rack: 400x380mm
Distance between Racks: 35mm

Infrared Lamps



Bronze



Black



Silver

Infrared Lamps

Model: A031
Power: 220V/250W
Diameter: 175mm
Adjustable Height: 0.6~1.8m



Bronze



Black



Silver

Infrared Lamps

Model: A032
Power: 220V/250W
Diameter: 175mm
Adjustable Height: 0.6~1.8m



Bronze



Black



Silver

Infrared Lamps

Model: A033
Power: 220V/250W
Diameter: 270mm
Adjustable height: 0.6~1.8m

- Charming designs and excellent product display make these units a winner.
- Different designs and dimensions are available. Ideal for cafes, canteens, outdoor events, restaurants, etc.
- Non-Stick kettle.
- High efficiency stainless steel heating element.
- Hinge down feature for easy loading popcorn.
- Bottom element ensures that popcorn stays warm.
- Hygienic and easy to clean.

Popcorn Machine



Popcorn Machine

Model: **HP-6A**
 Dimension: 500x370x680mm
 Volts: 220-240V/50-60Hz
 Power: 1.44KW



Popcorn Machine

Model: **HP-6B**
 Dimension: 560x420x760mm
 Volts: 220-240V/50-60Hz
 Power: 1.44KW



Popcorn Machine

Model: **HP-6C**
 Dimension: 560x420x760mm
 Volts: 220-240V/50-60Hz
 Power: 1.44KW



Popcorn Machine & Warming Showcase

Model: **HW-P8**
 Dimension: 905x420x755mm
 Volts: 220-240V/50-60Hz
 Power: 1.9KW

Model: **HW-P16**
 Dimension: 1350x570x1020mm
 Volts: 220-240V/50-60Hz
 Power: 3.5KW



Popcorn Machine

Model: **HP-800**
 Dimension: 520x450x650mm
 Volts: 220-240V/50-60Hz
 Power: 1.44KW

Popcorn Machine

- Charming designs and excellent product display make these units a winner.
- Different designs and dimensions are available. Ideal for cafes, canteens, outdoor events, restaurants, etc.
- Non-Stick kettle.
- High efficiency stainless steel heating element.
- Hinge down feature for easy loading popcorn.
- Bottom element ensures that popcorn stays warm.
- Hygienic and easy to clean.



Popcorn Machine

Model: **HP-2488**
 Dimension: 505x350x680mm
 Volts: 220-240V
 Power: 1.2KW
 N/W: 22Kg



Popcorn Machine Cart

Model: **HPC-6A**
 Dimension: 940x500x815mm



Popcorn Machine Cart

Model: **HPC-6**
 Dimension: 940x500x825mm



Popcorn Machine Cart

Model: **HP-LC**
 Dimension: 2070x760x2070mm
 Packing Size: 2080x660x680mm

Candy Floss Machine

Our high output Candy Floss Machines are used by professional operators all over the world, very popular among stadiums, carnivals, arenas, department stores, festivals, amusement parks or other large venues. When you need to have high quantities of cotton candy in a short period of time, these workhorses are the machines to use.

Pink color and orange color are available.
Speed controller is optional.
All Candy Floss Machines come with a dedicated sugar spoon.
Over-temperature protection device.



Electric Candy Floss Machine

Model: **HEC-01**
Dimension: 520x520x490mm
Volts: 220-240V/50-60Hz
Power: 0.93KW
Pan Diameter: 520mm
Remark: With Regulator or without Regulator



Plastic Cover

Model: **PC-C3/PC-C4**



Electric Candy Floss Machine

Model: **HEC-03**
Dimension: 520x520x490mm
Volts: 220-240V/50-60Hz
Power: 0.93KW
Remark: With Regulator or without Regulator



Electric Candy Floss Machine

Model: **HEC-02**
Dimension: 730x730x490mm
Volts: 220-240V/50-60Hz
Power: 0.93KW
Pan Diameter: 720mm
Remark: With Regulator or without Regulator



Electric Candy Floss Machine

Model: **HEC-03N**
Dimension: 520x520x390mm
Packing Size: 53x53x32mm
Volts: 220-240V/50-60Hz
Power: 0.93 KW
Pan Diameter: 520mm
Remark: With Regulator or without Regulator



Electric Candy Floss Machine

Model: **HEC-04**
Dimension: 730x730x490mm
Volts: 220-240V/50-60Hz
Power: 0.93KW
Pan Diameter: 720mm
Remark: With Regulator or without Regulator



Electric Candy Floss Machine With Cart

Model: **HEC-03C**
Dimension: 945x520x895mm
Volts: 220-240V/50-60Hz
Power: 0.9KW
Pan Diameter: 520mm



Gas Candy Floss Machine With Cart

Model: **HGC-03C**
Dimension: 945x520x895mm
Volts: 220-240V/50-60Hz
Power: 1KW/Hour + 0.3KW
Pan Diameter: 520mm

Model: **HEC-04C**
Dimension: 945x730x895mm
Volts: 220-240V/50-60Hz
Power: 0.9KW
Pan Diameter: 720mm

Model: **HGC-04C**
Dimension: 945x730x895mm
Volts: 220-240V/50-60Hz
Power: 1KW/Hour + 0.3KW
Pan Diameter: 720mm



Gas Candy Floss Machine

Model: **HGC-03**
Dimension: 520x520x490mm
Volts: 220-240V/50-60Hz
Power: 1KW/h+0.08KW
Pan Diameter: 520mm
Remark: With Regulator or without Regulator



Gas Candy Floss Machine

Model: **HGC-04**
Dimension: 730x730x490mm
Volts: 220-240V/50-60Hz
Power: 1KW/h+0.08KW
Pan Diameter: 720mm
Remark: With Regulator or without Regulator



Bain Marie

Bain Marie

- All stainless steel body.
- With stainless steel G/N pans.
- High efficiency heating elements.
- Variable heat control.
- Tap for easy drainage.
- Great for buffets, serving lines, restaurants,
- Outside caterers, completely portable.



Chocolate Stove

Model: **HW-22 (2-Pan)**
Dimension: 220x480x160mm
Volts: 220-240V/50-60Hz
Power: 1KW N/W: 7Kg

Model: **HW-23 (3-Pan)**
Dimension: 220x660x160mm
Volts: 220-240V/50-60Hz
Power: 2KW N/W: 9Kg

Model: **HW-24 (4-Pan)**
Dimension: 380x480x160mm
Volts: 220-240V/50-60Hz
Power: 3KW N/W: 10Kg



Electric Bain Marie

Model: **HB-750**
Dimension: 750x750x280mm
Volts: 220-240V/50-60Hz
Power: 3KW
N/W: 18Kg



Electric Bain Marie

Model: **HB-4**
Dimension: 705x580x280mm
Volts: 220-240V/50-60Hz
Power: 1.5KW
N/W: 14.3Kg

Model: **HB-4V**
Dimension: 700x600x280mm
Volts: 220-240V/50-60Hz
Power: 1.5KW
N/W: 16.5Kg



Electric Bain Marie

Model: **HB-1080**
Dimension: 1080x750x280mm
Volts: 220-240V/50-60Hz
Power: 3KW
Weight: 28.2Kg



Electric Bain Marie

Model: **HB-3**
Dimension: 570x390x275mm
Volts: 220-240V/50-60Hz
Power: 1.5KW
N/W: 12Kg

Model: **HB-3V**
Dimension: 570x390x225mm
Volts: 220-240V/50-60Hz
Power: 1.5KW
N/W: 10Kg



Electric Bain Marie

Model: **HB-6V**
Dimension: 700x590x275mm
Volts: 220-240V/50-60Hz
Power: 1.5KW
N/W: 19Kg



Table Top Bain Marie

Model: **HB-M2**
Dimensions: 405x600x360mm
Volts: 220-240V/50-60Hz
Power: 1.5KW
N/W: 12Kg



Electric Bain Marie

Model: **HB-2T**
Dimension: 430x680x280mm
Volts: 220-240V/50-60Hz
Power: 1.6KW
N/W: 12Kg



Electric Bain Marie

Model: **HB-904**
Dimension: 715x560x380mm
Volts: 220-240V/50-60Hz
Power: 1.6KW
N/W: 27Kg

Model: **HB-906**
Dimension: 615x560x380mm
Volts: 220-240V/50-60Hz
Power: 1.6KW
N/W: 25Kg



Electric Bain Marie

Model: **HB-4TA**
Dimension: 750x680x290mm
Volts: 220-240V/50-60Hz
Power: 1.6KW N/W: 26Kg

Model: **HB-4T**
Dimension: 750x680x290mm
Volts: 220-240V/50-60Hz
Power: 1.6KW N/W: 18Kg

Model: **HB-6T**
Dimension: 1100x680x290mm
Volts: 220-240V/50-60Hz
Power: 1.6KW N/W: 27Kg

Bain Marie



Electric Bain Marie

Model: HBM-100
Dimension: 1165x370x400mm
Volts: 220-240V/50-60Hz
Power: 1.5KW
Capacity: 1/2x4"x1 + 1/3x4"x4

Model: HBM-150
Dimension: 1530x370x400mm
Volts: 220-240V/50-60Hz
Power: 1.8KW
Capacity: 1/2x4"x1 + 1/3x4"x6

Electric Bain Marie

Model: HBM-143
Dimension: 855x370x410mm
Packing Size: 885x400x425mm
Volts: 220-240V/50-60Hz
Power: 1.5KW
Capacity: 1/3x100x4

Model: HBM-163
Dimension: 1210x370x410mm
Packing Size: 1230x400x425mm
Volts: 220-240V/50-60Hz
Power: 1.5KW
Capacity: 1/3x100x6

Model: HBM-183
Dimension: 1560x370x410mm
Packing Size: 1590x400x425mm
Volts: 220-240V/50-60Hz
Power: 1.8KW
Capacity: 1/3x100x8

Electric Bain Marie

Model: HBM-23
Dimension: 935x375x355mm
Volts: 220-240V/50-60Hz
Power: 0.8KW
Capacity: 3x(1/2x100)Pan

Model: HBM-24
Dimension: 1205x355x375mm
Volts: 220-240V/50-60Hz
Power: 1.2KW
Capacity: 4x(1/2x100)Pan

Model: HBM-25
Dimension: 1465x375x355mm
Volts: 220-240V/50-60Hz
Power: 1.5KW
Capacity: 5x(1/2x100)Pan

Model: HBM-26
Dimension: 1730x375x355mm
Volts: 220-240V/50-60Hz
Power: 1.8KW
Capacity: 6x(1/2x100)Pan



Bain Marie

Tabletop Bain Marie

Model: HBM-20-1
Dimension: 1175x460x700mm
Volts: 220-240V/50-60Hz
Power: 1.3KW
Capacity: 4x(1/2x150)Pan

Model: HBM-20-2
Dimension: 1450x460x700mm
Volts: 220-240V/50-60Hz
Power: 1.8KW
Capacity: 5x(1/2x150)Pan

Model: HBM-20-3
Dimension: 1725x460x700mm
Volts: 220-240V/50-60Hz
Power: 1.8KW
Capacity: 6x(1/2x150)Pan



Tabletop Bain Marie

Model: HBM-21-1
Dimension: 1080x660x700mm
Volts: 220-240V/50-60Hz
Power: 1.5KW
Capacity: 3x(1/1x150)Pan

Model: HBM-21-2
Dimension: 1415x660x700mm
Volts: 220-240V/50-60Hz
Power: 1.5KW
Capacity: 4x(1/1x150)Pan

Model: HBM-21-3
Dimension: 1750x660x700mm
Volts: 220-240V/50-60Hz
Power: 1.8KW
Capacity: 5x(1/1x150)Pan

Model: HBM-21-4
Dimension: 2085x660x700mm
Volts: 220-240V/50-60Hz
Power: 1.8KW
Capacity: 6x(1/1x150)Pan



Barbecue Oven

- Vertical broilling function,high efficient heating element.
- The process of rotating can be seen at a glance. the machine is made of good quality stainless steel,easy to clean and is in accordance with food hygiene regulations,transparent door and built-in tungsten lamp for the user is designed to ensure even heating the barbecue food.
- Electronic temperature controller is fixed for automatic control of temperature.
- Easy to operate,safe and energy-saving

Shawarma



Electric Smokeless Barbecue Oven

Model: **HBO-70**
Dimension: 655x350x200mm
Volts: 220-240V/50-60Hz
Power: 3KW



Gas Smokeless Barbecue Oven

Model: **HBQ-4B**
Dimension: 575x600x200mm
Power: 6KW



Electric Smokeless Barbecue Oven

Model: **HBO-110**
Dimension: 1100x380x200mm
Volts: 220-240V/50-60Hz
Power: 6KW



Gas Smokeless Barbecue Oven

Model: **HBQ-6B**
Dimension: 800x425x200mm
Power: 9KW



Gas Shawarma

Model: **HGS-R2**
Dimensions: 510x670x895mm
Gas: LPG or Natural Gas
Power: 9KW/Hour
N/W: 27Kg



Gas Shawarma

Model: **HGS-R3**
Dimension: 520x625x935mm
Gas: LPG or Natural Gas
Power: 9.9KW/Hour
N/W: 31Kg



Gas Shawarma

Model: **HGS-R4**
Dimension: 520x625x1035mm
Gas: LPG or Natural Gas
Power: 14.8KW/Hour
N/W: 34Kg



Kebab Slicer

Model: **KS-100E**
Size: 280x240x190mm
Blade: Dia.100mm
Volts: 110~220V/50~60Hz
Power: 80W
Two Blade changeable



Electric Shawarma

Model: **HES-E2**
Dimension: 520x625x935mm
Volts: 220V/380V~50Hz
Power: 8.1KW
N/W: 31Kg



Gas Shawarma

Model: **HGS-R5**
Dimension: 520x625x1205mm
Gas: LPG or Natural Gas
Power: 19.7KW/Hour
N/W: 40Kg

Rotisserie



Electric/Gas Chicken Rotisserie

Model: HEJ-266
 Dimension: 810x600x610mm
 Volts: 220~240V/50~60Hz
 Power: 4.6KW
 N/W: 65Kg
 4 basket for 8~12 chickens

Model: HGJ-366
 Dimension: 810x660x610mm
 Volts: 220~240V/50~60Hz
 Gas: LPG or Natural Gas
 Power: 8.2KW
 N/W: 63Kg
 4 basket for 8~12 chickens



Electric/Gas Chicken Rotisserie

Model: HEJ-268
 Dimension: 1030x600x800mm
 Volts: 220~240V/50~60Hz
 Power: 6.2KW
 N/W: 81Kg
 4 basket for 12~16 chickens

Model: HGJ-368
 Dimension: 1030x660x825mm
 Volts: 220~240V/50~60Hz
 Gas: LPG or Natural Gas
 Power: 8.2KW
 N/W: 74Kg
 4 basket for 12~16 chickens



Electric/Gas Chicken Rotisserie

Model: HEJ-206
 Dimension: 670x550x1610mm
 Volts: 220~240V/50~60Hz
 Power: 6.7KW
 N/W: 106kg
 12 Hangers for 12~24 chickens

Model: HGJ-306
 Dimension: 670x550x1610mm
 Volts: 220~240V/50~60Hz
 Gas: LPG or Natural Gas
 Power: 9.2KW
 N/W: 91kg
 12 Hangers for 12~24 chickens




Electric Chicken Rotisserie

Model: HEJ-201
 Dimension: 1000x900x1060mm
 Volts: 3N~380V
 Power: 9.3KW
 N/W: 134kg
 Capacity: 30 chickens

Model: HEJ-202
 Dimension: 1000x900x2020mm
 Volts: 3N~380V
 Power: 18.6KW
 N/W: 270kg
 Capacity: 60 chickens

- Vertical broilling function,high efficient heating element.
- The process of rotating can be seen at a glance. the machine is made of good quality stainless steel,easy to clean and is in accordance with food hygiene regulations,transparent door and built-in tungsten lamp for the user is designed to ensure even heating the barbecue food.
- Electronic temperature controller is fixed for automatic control of temperature.
- Easy to operate,safe and energy-saving

Rotisserie



Rotisserie (3-Rod)

Model: HGJ-3P
 Dimensions: 1180x490x830mm
 Volts: 220V-240V/50-60Hz
 Power: 10KW/Hour + 0.2KW

Model: HEJ-3P
 Dimensions: 1180x490x830mm
 Volts: 380V
 Power: 6KW

3 Rods for 12-15 Chickens.



Rotisserie (6-Rod)

Model: HGJ-6P
 Dimensions: 1180x490x1380mm
 Volts: 220V-240V/50-60Hz
 Power: 20KW/Hour + 0.3KW

Model: HEJ-6P
 Dimensions: 1180x490x1380mm
 Volts: 380V
 Power: 12.3KW

6 Rods for 24-30 Chickens.

Rotisserie (9-Rod)

Model: HGJ-9P
 Dimensions: 1180x490x1880mm
 Volts: 220V-240V/50-60Hz
 Power: 30KW/Hour + 0.4KW

Model: HEJ-9P
 Dimensions: 1180x490x1880mm
 Volts: 380V
 Power: 18.4KW

9 Rods for 36-45 Chickens.



Pizza Oven

Pizza Oven

GAS PIZZA OVEN



Model:	HGP-1	HGP-2
Dimension:	910x780x430mm	910x780x760mm
Volts:	220V~50Hz	220V~50Hz
Gas:	LPG	LPG
Power:	6KW/Hour+0.1KW	8.4KW
Inner size:	600x600x150mm	600x600x150mm
N/W:	48Kg	90Kg



Electric Pizza Oven

Model: HEP-1
Dimension: 890x790x430mm
Volts: 220V~50Hz
Power: 4.2KW
N/W: 48kg



Electric Pizza Oven

Model: HEP-2
Dimension: 890x790x750mm
Volts: 220V/380V~50Hz
Power: 8.4KW
N/W: 90Kg



Electric Pizza Oven

Model: HEP-01-1
Temperature: 0-350°C
Pizza Stone Size: 638x430mmx1pcs
Machine Size: 870x600x345mm
Volts: 220-240V/380V
Power: 4.2KW



Electric Pizza Oven

Model: HEP-2PR
Temperature: 0-350°C
Pizza Stone Size: 400x400mmx2pcs
Machine Size: 560x570x440mm
Packing Size: 610x570x480mm
Volts: 220-240V
Power: 3KW
N/W: 33Kg



Electric Pizza Oven

Model: HEP-1ST
Temperature: 0-350°C
Pizza Stone Size: 400x400mmx1pcs
Machine Size: 560x570x280mm
Packing Size: 610x570x320mm
Volts: 220-240V/50-60Hz
Power: 2KW
N/W: 24Kg



Electric Pizza Oven

Model: HEP-2ST
Temperature: 0-350°C
Pizza Stone Size: 400x400mmx2pcs
Machine Size: 560x570x440mm
Packing Size: 610x570x480mm
Volts: 220-240V/50-60Hz
Power: 3KW
N/W: 33Kg



Electric Conveyor Pizza Oven

Model: HEP-12
Dimension: 1100x570x360mm
Volts: 220V-240V/50-60Hz
Power: 6.7KW
Work Station Dimension: 350x1000mm
N/W: 60Kg

Gas Conveyor Pizza Oven

Model: HGP-12
Dimension: 1100x570x430mm
Power: 12KW/Hour + 0.1KW
Work Station Dimension: 350x1000mm
N/W: 60Kg

Electric Conveyor Pizza Oven

Model: HEP-18
Dimension: 1560x750x360mm
Volts: 380V
Power: 10.3KW
Work Station Dimension: 500x1450mm
N/W: 96Kg

Gas Conveyor Pizza Oven

Model: HGP-18
Dimension: 1560x750x430mm
15KW/Hour + 0.1KW
Work Station Dimension: 500x1450mm
N/W: 96Kg



Electric Conveyor Pizza Oven

Model: HEP-32
Dimension: 2500x1060x450mm
Volts: 380V
Power: 25.5KW
Work Station Dimension: 850x1800mm
N/W: 140Kg

Gas Conveyor Pizza Oven

Model: HGP-32
Dimension: 2200x1060x430mm
30KW/Hour + 0.2KW
Work Station Dimension: 850x1800mm
N/W: 140Kg



Baking Oven



Electric Oven

Model: HEO-12
Machine Size: 1220x815x580mm
Packing Size: 1270x890x590mm
Volts: 220-240V/50Hz
Power: 6.6KW
N/W: 83Kg

Model: HEO-13
Machine Size: 1650x815x580mm
Packing Size: 1670x890x590mm
Volts: 220-240V/380V
Power: 8KW
N/W: 120Kg



Rack needs to be ordered separately

Electric Oven

Model: HEO-24
Machine Size: 1220x815x1260mm
Packing Size: 1270x890x1290mm
Volts: 220-240V/380V
Power: 13.2KW
N/W: 140Kg

Model: HEO-26
Machine Size: 1650x815x1260mm
Packing Size: 1670x890x1290mm
Volts: 3N-380V/50Hz
Power: 16KW
N/W: 250 Kg



Electric Oven

Model: HEO-36
Machine Size: 1220x815x1530mm
Packing Size: 1270x890x1550mm
Volts: 3N-380V/50Hz
Power: 19.5KW
N/W: 202Kg

Model: HEO-39
Machine Size: 1650x815x1530mm
Packing Size: 1670x890x1550mm
Volts: 3N-380V/50Hz
Power: 25KW
N/W: 268Kg



Electric Oven

Model: HEO-11
Machine Size: 880x580x350mm
Packing Size: 930x650x420mm
Volts: 220-240V/50Hz
Power: 3.2KW
N/W: 40Kg



Electric Oven

Model: HEO-22
Machine Size: 880x580x770mm
Packing Size: 930x650x790mm
Volts: 220-240V/50Hz
Power: 6.4KW
N/W: 60Kg



Baking Oven



HGO-11/12/13/14
Gas Oven



Rack needs to be ordered separately

HGO-24/26
Gas Oven



HGO-36/39/312
Gas Oven

Model	Machine Size	Power	Volts	Packing Size	N/W
HGO-11	810x890x650mm	0.05KW	220-240V/50Hz	850x950x680mm	48Kg
HGO-12	1330x890x650mm	0.05 KW	220-240V/50Hz	1380x950x680mm	109Kg
HGO-13	1760x890x650mm	0.05KW	220-240V/50Hz	1800x950x680mm	150Kg
HGO-14	1760x1140x650mm	0.1KW	220-240V/50Hz	-	-
HGO-24	1330x890x1430mm	0.1 KW	220-240V/50Hz	1380x950x1750mm	196Kg
HGO-26	1760x890x1430mm	0.1KW	220-240V/50Hz	1800x950x1750mm	310Kg
HGO-36	1330x890x1660mm	0.15KW	220-240V/50Hz	1380x950x1750mm	267Kg
HGO-39	1760x890x1660mm	0.15KW	220-240V/50Hz	1800x950x1750mm	330Kg
HGO-312	1760x1140x1720mm	0.3KW	220-240V/50Hz	-	-



Gas Oven

Model: HGO-412
Machine Size: 1780x950x2210mm
Gas Type: LPG/NG
Volts: 220V
Power: 0.3KW
Temperature: 20-400°C

Model: HGO-416
Machine Size: 1780x1190x2210mm
Gas Type: LPG/NG
Volts: 220V
Power: 0.3KW
Temperature: 20-400°C

Baking Oven

Baking Oven



Electric Oven

Model: **HEO-11D**
Machine Size: 880x580x390mm
Volts: 220-240V/50Hz
Power: 4KW



Electric Oven

Model: **HEO-12D**
Machine Size: 1220x840x600mm
Volts: 220-240V/380V/50Hz
Power: 7KW



Electric Oven

Model: **HEO-26D**
Machine Size: 1650x840x1260mm
Volts: 220-240V/380V/50Hz
Power: 16KW



Electric Oven

Model: **HEO-12A**
Machine Size: 1220x815x580mm
Packing Size: 1270x890x590mm
Volts: 220-240V/50Hz
Power: 6.6KW
N/W: 85Kg



Electric Oven

Model: **HEO-24A**
Machine Size: 1220x815x1260mm
Packing Size: 1270x890x1290mm
Volts: 220-240V/380V
Power: 13.2KW / N/W: 144Kg
Rack need to be order separate



Electric Oven

Model: **HEO-36A**
Machine Size: 1220x815x1530mm
Packing Size: 1270x890x1550mm
Volts: 3N-380V/50Hz
Power: 19.5KW
N/W: 208Kg



Gas Oven

Model: **HGO-11D**
Machine Size: 990x652x613mm
Volts: 220-240V/50Hz
Power: 0.1KW



Gas Oven

Model: **HGO-24D**
Machine Size: 1290x890x1450mm
Volts: 220-240V/50Hz
Power: 0.2KW



Gas Oven

Model: **HGO-36D**
Machine Size: 1290x890x1690mm
Volts: 220-240V/50Hz
Power: 0.3KW



Gas Oven

Model: **HGO-12A**
Machine Size: 1330x890x650mm
Packing Size: 1380x950x680mm
Volts: 220-240V/50Hz
Power: 0.05KW
N/W: 111Kg



Gas Oven

Model: **HGO-24A**
Machine Size: 1330x890x1430mm
Packing Size: 1380x950x1750mm
Volts: 220-240V/50Hz
Power: 0.1KW / N/W: 200Kg
Rack need to be order separate



Gas Oven

Model: **HGO-36A**
Machine Size: 1330x890x1660mm
Packing Size: 1380x950x1750mm
Volts: 220-240V/50Hz
Power: 0.15KW
N/W: 273Kg

Model: **HGO-12D**
Machine Size: 1290x890x690mm
Volts: 220-240V/50Hz
Power: 0.1KW

Model: **HGO-26D**
Machine Size: 1720x900x1400mm
Volts: 220-240V/50Hz
Power: 0.2KW

Model: **HGO-39D**
Machine Size: 1690x890x1690mm
Volts: 220-240V/50Hz
Power: 0.4KW

Model: **HGO-13A**
Machine Size: 1760x890x650mm
Packing Size: 1800x950x680mm
Volts: 220-240V/50Hz
Power: 0.05KW
N/W: 152Kg

Model: **HGO-26A**
Machine Size: 1760x890x1430mm
Packing Size: 1800x950x1750mm
Volts: 220-240V/50Hz
Power: 0.1KW / N/W: 314Kg
Rack need to be order separate

Model: **HGO-39A**
Machine Size: 1330x890x1660mm
Packing Size: 1380x950x1750mm
Volts: 220-240V/50Hz
Power: 0.15KW
N/W: 339Kg

Baking Oven

Baking Oven



HEO-11Q/HEO-12Q/HEO-13Q
Digital Control Electric Oven



HEO-22Q/HEO-24Q/HEO-26Q
Digital Control Electric Oven



HEO-36Q/HEO-39Q
Digital Control Electric Oven

Model	Volts	Power	Capacity	Dimensions
HEO-11Q	220V/50Hz	4KW	1-Deck 2-Tray	940x580x390mm
HEO-12Q	220V/380V/50Hz	7KW	1-Deck 2-Tray	1220x840x600mm
HEO-13Q	220V/50Hz	8KW	1-Deck 2-Tray	1650x840x600mm
HEO-22Q	220V/50Hz	8KW	2-Deck 2-Tray	940x580x780mm
HEO-24Q	380V/50Hz	14KW	2-Deck 4-Tray	1220x840x1250mm
HEO-26Q	380V/50Hz	16KW	2-Deck 4-Tray	1650x840x1250mm
HEO-36Q	380V/50Hz	21KW	3-Deck 6-Tray	1220x840x1550mm
HEO-39Q	380V/50Hz	28KW	3-Deck 9-Tray	1640x840x1550mm
HEO-416Q	220V/50Hz	25.2KW	4-Deck 9-Tray	1740x1140x2100mm



HGO-11Q/HGO-12Q/HGO-13Q
Digital Control Gas Oven



HGO-24Q/HGO-26Q
Digital Control Gas Oven



HGO-36Q/HGO-39Q
Digital Control Gas Oven

Model	Volts	Power	Capacity	Dimensions
HGO-11Q	220V/50Hz	0.1KW	1-Deck 2-Tray	990x750x690mm
HGO-12Q	220V/50Hz	0.1KW	1-Deck 2-Tray	1290x890x650mm
HGO-13Q	220V/50Hz	0.1KW	1-Deck 2-Tray	1730x890x690mm
HGO-24Q	220V/50Hz	0.3KW	2-Deck 4-Tray	1290x890x1450mm
HGO-26Q	220V/50Hz	0.2KW	2-Deck 4-Tray	1730x890x1450mm
HGO-36Q	220V/50Hz	0.3KW	3-Deck 6-Tray	1290x890x1690mm
HGO-39Q	220V/50Hz	0.4KW	4-Deck 9-Tray	1690x890x1690mm
HGO-416Q	220V/50Hz	0.4KW	4-Deck 9-Tray	1740x1140x2100mm



HEA-5C
Electric Convection oven



HEA-10C
Electric Convection oven

Model	Voltage	Power	Capacity	Tray Size	Dimensions
HEA-5C	220V/380V/50Hz	9KW	5 trays	400x600mm	1160x900x880mm
HEA-10C	380V/50Hz	18KW	10 trays	400x600mm	1160x900x1430mm



HEO-210D
1-Deck 2-Trays Baking Oven with 10 Trays Prover



HEO-408D
2-Deck 4-Trays Baking Oven with 8 Trays Prover

Model	Voltage	Power	Tray Size	Dimensions
HEO-210D	380V	8.6KW	400x600mm	1220x9820x1490mm
HEO-408D	380V	15.2KW	400x600mm	1220x820x1880mm

Electric Prover



● FJ-6T



● FJ-10T



● FJ-6C

Electric Prover

Model	Voltage	Power	Tray	Dimensions
FJ-6T	220-240V/50-60Hz	1.4KW	6 Trays	590x690x910mm
FJ-10T	220-240V/50-60Hz	2.8KW	10 Trays	1200x815x940mm
FJ-6C	220-240V/50-60Hz	1.9KW	6 Trays	500x700x970mm



● FJ-8T



● FJ-8D



● FJ-13/FJ16



● FJ-26/FJ32

Electric Prover

Model	Voltage	Power	Tray	Dimensions	Tray size
FJ-8T	220-240V/50-60Hz	0.45KW	8 Trays	640x630x900mm	436x315mm
FJ-8D	220-240V/50-60Hz	0.45KW	8 Trays	840x730x900mm	600x400mm
FJ-13	220-240V/50-60Hz	2.6KW	13 Trays	490x690x1660mm	Production: 20Kg/Hour
FJ-16	220-240V/50-60Hz	2.6KW	16 Trays	490x690x1880mm	Production: 40Kg/Hour
FJ-26	220-240V/50-60Hz	2.8KW	26 Trays	1000x690x1660mm	Production: 60Kg/Hour
FJ-32	220-240V/50-60Hz	2.8KW	32 Trays	1000x690x1880mm	Production: 120Kg/Hour

Convection Oven



Electric Convection Oven

Model: **HEB-4F**
 Dimension: 595x600x580mm
 Volts: 220V/50Hz
 Power: 2.6KW
 N/W: 39Kg



Electric Convection Oven

Model: **HEB-8F**
 Dimension: 835x800x580mm
 Volts: 220V/50Hz
 Power: 6.4KW
 N/W: 56Kg



Electric Convection Oven

Model: **HE0-07**
 Dimension: 680x650x620mm
 Volts: 220V/50Hz
 Power: 3.15KW
 N/W: 45Kg



Electric Convection Oven

Model: **HE0-08**
 Dimension: 880x800x600mm
 Volts: 220V/50Hz
 Power: 6.8KW
 N/W: 65Kg



Electric Convection Oven

Model: **HE0-07A**
 Dimension: 715x660x575mm
 Volts: 220V/50Hz
 Power: 3.7KW



Electric Convection Oven

Model: **HE0-08A**
 Dimension: 920x810x585mm
 Volts: 220V/50Hz
 Power: 6KW

Convection Oven

Electric Convection Oven



Model	Dimensions(mm)	Inner Size(mm)	Rack Size(mm)	Voltage	Power	Packing Size(mm)	Weight
HEA-3	930x890x670	700x500x340	465x600x337/90	220V/50Hz	4.4KW	1060x1080x780	80/90Kg
HEA-5	930x890x830	700x500x500	465x600x498/90	380V/50Hz	7.4KW	1060x1080x950	110/120Kg
HEA-8	930x890x1100	700x500x775	465x600x768/90	380V/50Hz	9.4KW	980x1080x1200	160/180Kg
HEA-12	930x890x1550	700x500x1225	465x600x1218/95	380V/50Hz	12.8KW	1060x1080x1880	220/240Kg
HEA-16	930x890x1550	700x500x1225	465x600x1218/73	380V/50Hz	16.2KW	1060x1080x1880	220/240Kg


Gas Convection Oven



Model	Dimensions(mm)	Inner Size(mm)	Rack Size(mm)	Power(V/Hz/KW)	Heat Flux	Packing Size(mm)	Weight
HGA-3	930x900x670+130	465x600x337	465x600x337/90	220/50/0.4	5KW/H	1050x1070x770	97/119Kg
HGA-5	930x890x830+130	700x500x500	465x600x498/90	220/50/0.6	10KW/H	1060x1080x950	110/120Kg
HGA-8	930x890x1100+130	700x500x775	465x600x768/90	220/50/0.6	12KW/H	980x1080x1200	160/180Kg
HGA-12	930x890x1550+130	700x500x1225	465x600x1218/95	220/50/1	16KW/H	1060x1080x1880	220/240Kg
HGA-16	930x890x1550+130	700x500x1225	465x600x1218/73	220/50/1.2	20KW/H	1060x1080x1880	220/240Kg

Combi Oven Series

COMBI OVEN SERIES



Rack

Model: YNT-11-DJ-H
Dimension: 800x730x636mm
Packing Size: 830x760x670mm




10-Tray Combi Digital-Steamer

Model: YNT-1001-E
Dimension: 845x795x1050mm
Rated Power: 18.5 KW
Oven Power: 18 KW
Steam Power: 12KW
Capacity: 10 X1/1 GN
Each Layer: 65mm
Water Intake: R3/4"
Water Outlet: f32
Water Press: 150-600Kpa or 0.15-0.6Mpa



6-Tray Combi Digital-Steamer

Model: YNT-601-E (without Rack)
Dimension: 845x795x815mm
Rated Power: 11 KW
Oven Power: 10.3 KW
Steam Power: 9KW
Capacity: 6X1/1 GN
Each Layer: 70mm
Water Intake: R3/4"
Water Outlet: f32
Water Press: 150-600Kpa or 0.15-0.6Mpa



Rack

Model: YNT-6-DJ-H
Dimension: 800x730x636mm
Packing Size: 830x760x670mm

Salamander

- Perfect for restaurants, pubs, coffee shops, etc.
- These salamanders are ideal for: toasting, defrosting of ready-made dishes, reheating food, like: fish, pizzas, croissants, sausage rolls, fried eggs, cheese sandwiches, and so on.
- All stainless steel body with adjustable layers.
- Attenuator inside, safety and improve thermal efficiency.
- Electric models and gas models are available.



Electric Hanging Salamander

Model: **HES-936**
 Dimension: 610x310x280mm
 Volts: 220V-240V/50-60Hz
 Power: 2KW
 N/W: 10.8kg

Electric Hanging Salamander

Model: **HES-937**
 Dimension: 790x450x490mm
 Volts: 220V-240V/50-60Hz
 Power: 4KW
 N/W: 23.6Kg

Electric Lift Salamander

Model: **HES-450**
 Dimension: 450x510x530mm
 Volts: 220V-240V/50-60Hz
 Power: 2.8KW
 N/W: 36Kg

Model: **HES-600**
 Dimension: 600x520x530mm
 Volts: 220-240V
 Power: 4KW
 N/W: 45Kg



Gas Salamander

Model: **HGS-14**
 Dimension: 610x460x610mm
 Power: 24TU/hr
 N/W: 31.6Kg



Gas Salamander

Model: **HGS-16**
 Dimension: 860x460x610mm
 Power: 42TU/hr
 N/W: 47.2Kg



Electric Salamander

Model: **HES-360B**
 Dimension: 470x270x420mm
 Packing Size: 500x300x450mm
 Volts: 220V-240V/50-60Hz
 Power: 3.15KW


Model: **HES-370B**
 Dimension: 460x250x280mm
 Packing Size: 490x280x310mm
 Volts: 220V-240V/50-60Hz
 Power: 2KW

Char Grill



Electric Lava Rock Grill

Model: **HEL-928**
 Dimension: 460x620x410mm
 Volts: 220V/50Hz
 Power: 5KW



Gas Char Grill

Model: **HGL-82**
 Dimension: 360x770x370mm
 Gas: LPG or Natural Gas
 Heating: 8KW/Hour

Model: **HGL-84**
 Dimension: 620x770x370mm
 Gas: LPG or Natural Gas
 Heating: 16KW/Hour



Gas Char Grill

Model: **HGL-86**
 Dimension: 880x770x370mm
 Gas: LPG or Natural Gas
 Heating: 24KW/Hour

Model: **HGL-88**
 Dimension: 1140x770x370mm
 Gas: LPG or Natural Gas
 Heating: 32KW/Hour



Gas Lava Rock Grill

Model: **HGL-978**
 Dimension: 760x590x410mm
 Gas: LPG or Natural Gas
 Heating: 16KW/Hour



Gas/Electric Lava Rock Grill

Model: **HGL-741**
 Dimension: 760x650x500mm
 Gas: LPG or Natural Gas
 Heating: 16KW/Hour



Gas/Electric Lava Rock Grill

Model: **HEL-841**
 Dimension: 760x650x490mm
 Volts: 220V/50Hz
 Power: 7.2KW

Gas Stove



Gas Stove

Model: **HGS-1**
Dimension: 445x570x500mm
Gas: LPG or Natural Gas
Heating: 24.7KW/84280BTU
N/W: 47Kg



Gas Stove

Model: **HGS-2**
Dimension: 305x770x375mm
Gas: LPG or Natural Gas
Heating: 15.5KW/53000BTU
N/W: 34Kg



Gas Stove

Model: **HGS-4**
Dimension: 610x770x375mm
Gas: LPG or Natural Gas
Heating: 25.2KW/86000BTU
N/W: 59Kg



Gas Stove

Model: **HGS-6**
Dimension: 915x770x375mm
Gas: LPG or Natural Gas
Heating: 46.6KW/159000BTU
N/W: 84Kg



Hot-dog Grill



Hot Dog Grill

Model: **HHD-05 (5-Roller)**
Dimension: 560x255x178mm
Volts: 220V/50Hz
Power: 1KW
N/W: 8kg



Hot Dog Grill

Model: **HHD-07 (7-Roller)**
Dimension: 560x330x178mm
Volts: 220V/50Hz
Power: 1.05KW
N/W: 9kg



Hot Dog Grill

Model: **HHD-09 (9-Roller)**
Dimension: 560x410x178mm
Volts: 220V/50Hz
Power: 1.35KW
N/W: 13kg

Model: **HHD-11 (11-Roller)**
Dimension: 560x485x178mm
Volts: 220V/50Hz
Power: 1.65KW
N/W: 16kg



Food Warmer

Model: **HW-81 (1-Drawer)**
Dimension: 750x580x400MM
Volts: 220-240V/50-60Hz
Power: 1KW

Model: **HW-82 (2-Drawer)**
Dimension: 750x580x650mm
Volts: 220-240V/50-60Hz
Power: 2KW

Model: **HW-83 (3-Drawer)**
Dimension: 750x580x900mm
Volts: 220-240V/50-60Hz
Power: 3KW



Hot Dog Grill & Food Warmer

Model: **SHG-09A**
Dimension: 562x406x260mm
Volts: 220V/50Hz
Power: 1.65KW



Hot Dog Grill & Food Warmer

Model: **SHG-11A**
Dimension: 562x482x260mm
Volts: 220V/50Hz
Power: 1.8KW



Hot Dog Steamer

Toaster



Hot Dog Warmer

Model: HDS-01
Dimension: 250x310x415mm
Volts: 220-240V/50-60Hz
Power: 0.45KW



Hot Dog Steamer

Model: HHD-02
Dimension: 430x310x450mm
Volts: 220V/50Hz
Power: 0.45KW+0.165KW
Carton Size: 460x375x435mm



Hot Dog Steamer

Model: HHD-03
Dimension: 480x310x415mm
Volts: 220V/50Hz
Power: 0.7KW
N/W: 9kg



Hot Dog Steamer

Model: HHD-04
Dimension: 480x310x415mm
Volts: 220V/50Hz
Power: 0.8KW
N/W: 10kg



Hot Dog Steamer

Model: HHD-06
Dimension: 635x310x415mm
Volts: 220V/50Hz
Power: 0.95KW
Carton Size: 660x375x435mm



4-Slice Toaster

Model: HET-4
Dimension: 330x260x220mm
Volts: 220-240V/50-60Hz
Power: 2.24KW
N/W: 4.4Kg



6-Slice Toaster

Model: HET-6
Dimension: 420x260x220mm
Volts: 220-240V/50-60Hz
Power: 3.24KW
N/W: 5.9Kg



9-Slice Toaster(San Blast Finish)

Model: HT-01
Dimension: 535x395x285mm
Volts: 220-240V/50-60Hz
Power: 2.2KW
N/W: 12Kg



Electric Conveyor Toaster

Model: HET-150
Dimension: 418x288x387mm
Volts: 220-240V/50-60Hz
Power: 1.34KW
N/W: 12Kg G.W: 14Kg

Model: HET-450
Dimension: 418x428x387mm
Volts: 220-240V/50-60Hz
Power: 2.6KW
N/W: 30.5Kg G.W: 33.5Kg

Model: HET-300
Dimension: 418x368x387mm
Volts: 220-240V/50-60Hz
Power: 2.2KW
N/W: 13.2Kg G.W: 16Kg

Crepe Maker



1-Plate Electric Crepe Maker

Model: **HCM-1**
Dimension: 450x470x230mm
Volts: 220V/50Hz
Power: 3KW
N/W: 23Kg



1-Plate Gas Crepe Maker

Model: **HCM-1G**
Dimension: 450x470x230mm
Gas: LPG
Power: 4KW/Hour
N/W: 23Kg



2-Plate Electric Crepe Maker

Model: **HCM-2**
Dimension: 860x470x230mm
Volts: 220V/50Hz
Power: 6KW
N/W: 44Kg



2-Plate Gas Crepe Maker

Model: **HCM-2G**
Dimension: 860x470x230mm
Gas: LPG
Power: 8KW/Hour
N/W: 44Kg



1-Plate Electric Crepe Maker

Model: **HCM-400**
Dimension: 400x400x190mm
Volts: 220V/50Hz
Power: 2.2KW
N/W: 20Kg



1-Plate Gas Crepe Maker

Model: **HCM-400G**
Dimension: 400x400x200mm
Gas: LPG
Power: 4KW/Hour
N/W: 20Kg

Contact Grill



Electric Contact Grill

Model: **HEG-811**
Dimension: 305x400x210mm
Volts: 220V/50Hz
Power: 1.8KW
N/W: 14Kg

Model: **HEG-811E**
Dimension: 425x400x210mm
Volts: 220V/50Hz
Power: 2.2KW
N/W: 21Kg



Electric Contact Grill

Model: **HEG-813**
Dimension: 580x400x210mm
Volts: 220V/50Hz
Power: 1.8+1.8KW
N/W: 26Kg

Model: **HEG-813E**
Dimension: 845x400x210mm
Volts: 220V/50Hz
Power: 4.4KW
N/W: 37Kg



Electric Contact Grill

Model: **HEG-811A (Down Flat)**
Dimension: 305x400x210mm
Volts: 220V/50Hz
Power: 1.8KW
N/W: 14Kg

Model: **HEG-811EA (Down Flat)**
Dimension: 425x400x210mm
Volts: 220V/50Hz
Power: 2.2KW
N/W: 21Kg



Electric Contact Grill

Model: **HEG-813A (Down Flat)**
Dimension: 580x400x210mm
Volts: 220V/50Hz
Power: 1.8+1.8KW
N/W: 26Kg

Model: **HEG-813EA (Down Flat)**
Dimension: 845x400x210mm
Volts: 220V/50Hz
Power: 4.4KW
N/W: 37Kg



Single Electric Contact Grill (Full Flat)

Model: **HEG-811B (Full Flat)**
Dimension: 410x310x210mm
Packing Size: 420x395x245mm
Volts: 220-240V/50-60Hz
Power: 1.8KW
N.W.: 13.54kg G.W.: 14.56kg
Upper Board Size: 214x214mm
Down Board Size: 235x225mm

Model: **HEG-811EB (Full Flat)**
Dimension: 435x410x210mm
Packing Size: 510x420x245mm
Volts: 220-240V/50-60Hz
Power: 2.2KW
N.W.: 19.4kg G.W.: 20kg
Upper Board Size: 338x235mm
Down Board Size: 345x235mm



Double Electric Contact Grill (Full Flat)

Model: **HEG-813B (Full Flat)**
Dimension: 570x410x210mm
Packing Size: 670x420x245mm
Volts: 220-240V/50-60Hz
Power: 3.6KW
N.W.: 25.5kg G.W.: 27kg
Upper Board Size: 214x214mm
Down Board Size: 485x235mm

Model: **HEG-813EB (Full Flat)**
Dimension: 845x400x210mm
Volts: 220-240V/50-60Hz
Power: 4.4KW
N.W.: 37kg G.W.: 39kg
Upper Board Size: 338x235mm x2pcs
Down Board Size: 345x240mm x2pcs



HWB-1
1-Plate Waffle Baker

HWB-2
2-Plate Waffle Baker

HCB-1
1-Plate Cone Baker

HCB-2
2-Plate Cone Baker

Model	Dimension	Volts	Power
HWB-1	250x350x260mm	220-240V/50-60Hz	1.2KW
HWB-2	500x350x260mm	220-240V/50-60Hz	2.4KW
HCB-1	250x350x260mm	220-240V/50-60Hz	1.2KW
HCB-2	500x350x260mm	220-240V/50-60Hz	2.4KW



HWB-4041
Waffle Maker

HWB-1S
1-Plate Waffle Baker

HWB-3
1-Plate Waffle Baker

HWB-2S
2-Plate Waffle Baker

Model	Dimension	Volts	Power
HWB-4041	420x310x200mm	220-240V/50-60Hz	2KW
HWB-1S	290x355x245mm	220-240V/50-60Hz	1.6KW
HWB-3	290x355x245mm	220-240V/50-60Hz	1.6KW
HWB-2S	550x355x245mm	220-240V/50-60Hz	3.2KW



HWB-007
Waffle Maker

HWB-2214
4 Pieces Waffle Furnace (3*4 Teeth)

HWB-2216
New 6-Piece Waffle Furnace (3*5 Teeth)

HWB-10
Ten Piece Waffle Oven

Model	Dimension	Volts	Power
HWB-007	250x460x230mm	220-240V/50-60Hz	1.2KW
HWB-2214	300x400x230mm	220-240V/50-60Hz	1.75KW
HWB-2216	300x400x230mm	220-240V/50-60Hz	1.75KW
HWB-10	390x360x220mm	220-240V/50-60Hz	1.55KW



HX-2206E

Computer Cellular Waffle
(Full Sheet)

HX-2207

Single Head 4 Heart
Waffle Furnace

HX-12A

Single Head 5 Heart
Waffle Furnace

HX-6

Hong Kong Egg
Waffle Maker

Model	Dimension	Volts	Power
HX-2206E	320x430x260mm	220-240V/50-60Hz	2.2KW
HX-2207	250x360x270mm	220-240V/50-60Hz	1.2KW
HX-12A	250x360x270mm	220-240V/50-60Hz	1.2KW
HX-6	225x420x290mm	220-240V/50-60Hz	1.415KW



HX-2205

Single Head Rotary
Waffle Furnace

HX-2205B

Droplet Shaped Rotary
Waffle Furnace

HX-2205E

Computer Version Of The
Ice Cream Burger Machine

HX-2205C

Ice Cream Burger Machine

Model	Dimension	Volts	Power
HX-2205	250x400x300mm	220-240V/50-60Hz	1.3KW
HX-2205B	250x450x300mm	220-240V/50-60Hz	1.3KW
HX-2205E	250x450x300mm	220-240V/50-60Hz	1.3KW
HX-2205C	250x400x300mm	220-240V/50-60Hz	1.3KW



HX-2205G

Computer Version Of The
Cross Waffle Stove

HX-2218

8 Hole Cruller Machine

HX-2206

Four-compartment Square
Waffle Furnace (7*7 Teeth)

HX-2209

Square Ice Cream Wrappers

Model	Dimension	Volts	Power
HX-2205G	250x450x300mm	220-240V/50-60Hz	1.3KW
HX-2218	300x400x230mm	220-240V/50-60Hz	1.75KW
HX-2206	300x400x230mm	220-240V/50-60Hz	1.75KW
HX-2209	300x400x230mm	220-240V/50-60Hz	1.75KW



HX-2208E

Computer Version Of
Pine Cake Maker



HX-2209E

Computer Square Ice Cream Skin
Machine (Egg Roll Machine)



HX-2206-2D

Large Single Cell And Large Deep
Tooth Waffle Furnace (Full Plate)



HX-4042

Electric Cake Pop Maker

Model	Dimension	Volts	Power
HX-2208E	300x400x230mm	220-240V/50-60Hz	1.75KW
HX-2209E	300x400x230mm	220-240V/50-60Hz	1.75KW
HX-2206-2D	320x430x260mm	220-240V/50-60Hz	2.2KW
HX-4042	420x310x200mm	220-240V/50-60Hz	2KW



HX-227

7 Square And 8 Round
Egg Tart Skin Machine



HX-228

8-Hole Egg Tart
Wrapper Machine



HX-2240A

25 Well top and bottom
plate muffin



HX-2240B

25 Well top and bottom
plate muffin

Model	Dimension	Volts	Power
HX-227	390x360x220mm	220-240V/50-60Hz	1.55KW
HX-228	390x360x220mm	220-240V/50-60Hz	1.55KW
HX-2240A	300x400x230mm	220-240V/50-60Hz	1.75KW
HX-2240B	300x400x230mm	220-240V/50-60Hz	1.75KW



HX-117

5 Sticks Waffle Stick
Maker



HX-119

6 Sticks Waffle Stick
Maker



HX-210

5 Grid Plum Cake



HX-12

5 Grid Plum Cake

Model	Dimension	Volts	Power
HX-117	335x300x245mm	220-240V/50-60Hz	1.6KW
HX-119	335x300x245mm	220-240V/50-60Hz	1.6KW
HX-210	330x360x220mm	220-240V/50-60Hz	1.55KW
HX-12	330x360x245mm	220-240V/50-60Hz	1.55KW



HX-012

12 Grid Coffee Bean Machine



HX-002

Four Squares Of Donuts



HX-116

Lolly Waffle Maker



HX-112

Korean Mini Taiyaki Maker

Model	Dimension	Volts	Power
HX-012	255x470x180mm	220-240V/50-60Hz	1.2KW
HX-002	255x470x160mm	220-240V/50-60Hz	-
HX-116	335x300x245mm	220-240V/50-60Hz	1.6KW
HX-112	335x300x245mm	220-240V/50-60Hz	1.6KW



HX-2204

Sunflower Shaped Waffle Maker



HX-2211

The Butterfly Machine



HX-2218

Hello Kitty Waffle Maker



HX-4A

Mini Donut Maker

Model	Dimension	Volts	Power
HX-2204	410x305x240mm	220-240V/50-60Hz	1.75KW
HX-2211	410x305x240mm	220-240V/50-60Hz	1.75KW
HX-2218	410x305x240mm	220-240V/50-60Hz	1.75KW
HX-4A	485x250x210mm	220-240V/50-60Hz	1.2KW



HX-229

Five Corn Waffle Maker



HX-111

Six Corn Waffle Maker



HX-216

Corn&Hot Dog Waffle Maker



HX-2208

Lolly Waffle Maker

Model	Dimension	Volts	Power
HX-229	335x300x245mm	220-240V/50-60Hz	1.6KW
HX-111	335x300x245mm	220-240V/50-60Hz	1.6KW
HX-216	335x300x245mm	220-240V/50-60Hz	1.6KW
HX-2208	330x365x235mm	220-240V/50-60Hz	1.75KW



HDM-5
Donut Maker



HDM-6
Donut Maker



HDM-12
Donut Maker

Model	Dimension	Volts	Power
HDM-5	335x300x245mm	220-240V/50-60Hz	1.6KW
HDM-6	335x300x245mm	220-240V/50-60Hz	1.6KW
HDM-12	335x300x245mm	220-240V/50-60Hz	1.6KW



HX-005-2
5 Lattice mirror milk bar machine



HX-113
Large triangle sandwich machine



HX-113A
A square sandwich machine

Model	Dimension	Volts	Power
HX-005-2	500x470x160mm	220-240V/50-60Hz	1.25KW
HX-113	390x360x220mm	220-240V/50-60Hz	1.55KW
HX-113A	390x360x220mm	220-240V/50-60Hz	1.55KW



HX-1102B
Electric One Board Yaki Machine



HX-1104B
Electric Two Board Yaki Machine



HX-1103F
3 Rhomboid Ice Cream Waffle Ovens

Model	Dimension	Volts	Power
HX-1102B	360x350x205mm	220-240V/50-60Hz	1.6KW
HX-1104B	820x427x295mm	220-240V/50-60Hz	4.0KW
HX-1103F	380x380x260mm	220-240V/50-60Hz	1.5KW



EES-10
Electric Egg-Sausage Fryer



HX-2290
9 Hole round muffin maker



HX-1103B
3 Ice cream snapper yaki



HX-1103A
3 Snappers yaki without opening

Model	Dimension	Volts	Power
EES-10	410x200x230mm	220-240V/50-60Hz	1.6KW
HX-2290	320x320x180mm	220-240V/50-60Hz	0.85KW
HX-1103B	440x390x260mm	220-240V/50-60Hz	2.0KW
HX-1103A	380x380x260mm	220-240V/50-60Hz	1.5KW



HX-1101A
6 Snappers yaki without opening



HX-1101C
Five ice cream fishing strips



HX-1101E
6 Squares omelette



HX-1101F
6 Panels cat claw burn

Model	Dimension	Volts	Power
HX-1101A	380x550x260mm	220-240V/50-60Hz	3.0KW
HX-1101C	380x550x260mm	220-240V/50-60Hz	3.0KW
HX-1101E	380x550x260mm	220-240V/50-60Hz	3.0KW
HX-1101F	380x550x260mm	220-240V/50-60Hz	3.0KW



HX-1103D
Three on a string



HX-1105A
Five portions of tiger's head



HX-300D
Single Head Computer Souffle Machine



HX-600D
Dual-head Computer Souffle Machine

Model	Dimension	Volts	Power
HX-1103D	380x380x260mm	220-240V/50-60Hz	1.5KW
HX-1105A	380x550x260mm	220-240V/50-60Hz	3.0KW
HX-300D	320x460x180mm	220-240V/50-60Hz	1.5KW
HX-600D	620x460x180mm	220-240V/50-60Hz	3.0KW


Model: NP-H25

25 Holes heart shape poffertjes grill pancake maker


Model: NP-H50

50 Holes Heart Shape Poffertjes Grill Pancake

Model:	Volts:	Dimensions:	Power:	Material:	N/W:	G/W:
NP-H25	220-240V/50-60Hz	340x310x200mm	0.8KW	Stainless Steel 201	7Kg	9Kg
NP-H50	220-240V/50-60Hz	620x310x200mm	1.6KW	Stainless Steel 201	11Kg	15Kg


Model: NP-H50-2

50 holes heart shape Poffertjes grill pancake


Model: NP-H100

100 Holes Heart Shape Poffertjes Grill Pancake

Model:	Volts:	Waffle Size:	Dimensions:	Power:	Material:	N/W:	G/W:
NP-H50-2	220-240V/50-60Hz	-	620x310x200mm	1.6KW	SS 201	11Kg	15Kg
NP-H100	220-240V/50-60Hz	45x45x10mm	620x310x200mm	1.6KW	SS 201	13Kg	-


Model: NP-Q25

Poffertjes Grill


Model: NP-Q50

Poffertjes Grill


Model: NP-Q25-2

Poffertjes Grill

Model:	Dimensions(mm):	Volts:	Power:	Material:	Net Weight:	Gross Weight:
NP-Q25	350x300x200	220-240V/50-60Hz	1.0KW	Stainless Steel 201	7Kg	12Kg
NP-Q50	620x310x200	220-240V/50-60Hz	1.6KW	Stainless Steel 201	13Kg	20Kg
NP-Q25-2	620x310x200	220-240V/50-60Hz	1.5KW	Stainless Steel 201	13Kg	20Kg


Model: HVC-002

Lettuce cutter


Model: HVC-105

Easy vegetable Slicer


Model: HVC-104

Easy Vegetable Chopper/Vetical Chips cutter

Model: HVC-002	Model: HVC-105	Model: HVC-104
balde: 1"x1", 1"x1/2"	Cutting size: 1/4" or 3/16"	Equipped with stainless steel blades that
Dimensions: Length: 18" Width: 13" Height: 20"	Product Dimensions	Stay super- sharp 3/8", 1/2", 1/4"
Generally only come with one blade,	Width: 10" Depth: 19" Height: 30"	Generally only come with one blade,
Same style with NEMCO'S	Generally only come with one blade,	extra blade is USD9.0/PC
	Same style with NEMCO'S	Same style with NEMCO'S


Model: HVC-106

Easy fruit Wedger


Model: HVC-25

Wave Cutter Slitting Machine

WAVE FRIES CUTTER

* Quick clipping is more convenient.
* Safety, environmental protection stainless steel,
easy slicing, cutting, creative modeling

Model: HVC-106	Model: HVC-25
Cutting: 6 or 8 Sections	Dimension: 500x130x190mm
Overall Dimensions: Length: 8" ,Width: 8" ,Height: 18"	Net Weight: 2.5Kg
Generally only come with one blade,	Gross Weight: 3Kg
Same style with NEMCO'S	


Model: QTJ-J002XE

Model: QTJ-J002XF

Model: SYQPJ-J006

Model:	QTJ-J002XE	QTJ-J002XF	SYQPJ-J006
Dimensions:	350x210x480mm	350x210x360mm	370x280x430mm
Packing Size:	490x220x240mm	300x200mm	460x320x420mm
N.W.:	3.9Kg	3.6Kg	6.5Kg
G.W.:	5Kg	4.5Kg	7.5Kg
Specifications:	1/2, 3/8, 1/4 inches, 4/6/8 open	1/2, 3/8, 1/4 inches, 4/6/8 open	1-8mm

Fast Food Equipment



Chipper

Model: **HC-01**
Dimension: 330x140x641mm
Remark: 6x6 or 7x7 Holes
N/W: 4.5Kg



Chipper

Model: **HC-02**
Dimension: 430x220x330mm
N/W: 5Kg



Vegetable & Fruit Cutter

Model: **HC-03**
Dimension: 380x195x240mm



Tornado Potato Cutter

Model: **HSP-01**
Dimension: 450x150x180mm
N/W: 2.5Kg

Low cost and high profile, can be used forever, handshaking only by 1 people, easy to operate & clean
Raw: Stainless Steel (offer one blade extra)



Wrapping Machine

Model: **HW-450**
Dimension: 450x600x130mm
Volts: 220V/50Hz
Power: 0.27KW
N/W: 5Kg



Wrapping Machine

Model: **HW-450E**
Dimension: 470x440x150mm
Volts: 220V/50Hz
Power: 0.23KW
N/W: 6Kg



Hamburger Machine

Model: **HMM-212**
Dimension: 405x680x250mm
Volts: 220-240V/50-60Hz
Power: 2.4KW
N/W: 28Kg



Wrapping Machine

Model: **HWM-430**
Dimension: 430x660x155mm
Volts: 220V/50Hz
Power: 0.75KW
N/W: 5Kg



Wrapping Machine

Model: **HWM-550**
Dimension: 550x660x155mm
Volts: 220V/50Hz
Power: 0.21KW
N/W: 7Kg

Fast Food Equipment



Counter Top French Fries Display Warmer

Model: **HCW-8**
Dimension: 800x710x685mm
Volts: 220-240V/50-60Hz
Power: 0.75KW
N/W: 30Kg



Chip Dump

Model: **HCW-620**
Dimension: 342x605x550mm
Volts: 220-240V/50-60Hz
Power: 1KW
N/W: 7Kg



Portable Food Warmer

Model: **HW-819**
Dimension: 335x575x465mm
Volts: 220-240V/50-60Hz
Power: 0.75KW
N/W: 8Kg



Cup Dispenser

Model: **HCW-2**
Dimension: 200x700x350mm

Model: **HCW-3**
Dimension: 200x700x500mm

Model: **HCW-4**
Dimension: 200x700x650mm



Cup Dispenser with Ice Storage

Model: **HCS-02-A**
Dimension: 1500x760x810mm
Volts: 220-240V/50-60Hz
Power: 0.65KW
N/W: 50Kg

Model: **HCS-02-B**
Dimension: 1200x760x810mm
Volts: 220-240V/50-60Hz
Power: 0.65KW
N/W: 57.3Kg



Pedestal Fries Display Warmer

Model: **HCW-833**
Dimension: 1000x700x1580mm
Volts: 220-240V/50-60Hz
Power: 1KW
N/W: 90Kg



Fishball Grill



Hamburger Patty Press

Model: **WF-A100/130/150**(Aluminum)
Dimension: 275x230x300mm
Patty Dia: 100/130/150mm
Packing Size : 280x230x310mm
N/W : 5Kg / 6Kg / 6.5Kg



Meat Salting Machine

Model: **HML-900**
Dimension: 875x430x945mm
Volts: 220-240V/50-60Hz
Power: 0.38KW
N/W: 59Kg



Vacuum Meat Salting Machine

Model: **HML-809**
Dimension: 905x405x945mm
Volts: 220-240V/50-60Hz
Power: 0.3KW
N/W: 75Kg



Breasting Table

Model: **HBT-1000**
Dimension: 1000x700x800(950)mm



Electric Breasting Table

Model: **HBT-1200**
Dimensions: 1150x450x890mm
Volts: 220-240V/50Hz
Power: 0.18KW
N/W: 60Kg



Shortening Filter Cart

Model: **HSC-20**
Dimension: 450x330x350mm
Volts: 220-240V/50-60Hz
Power: 0.55KW
N/W: 42Kg
Oil filtering capacity: 5 Liters / min
Pump flow: 20 Liters / min
Discharge pressure: 0.33 Mpa



Electric 1-Head Fish Grill

Model: **HX-34**
Dimension: 265x500x190mm
Volts: 220V/50Hz
Power: 2KW
N/W: 14Kg



Gas 1-Head Fish Grill

Model: **HX-34R**
Dimension: 265x500x190mm
Gas: LPG
Heating: 12053BTU/Hour
N/W: 14Kg



Electric 2-Head Fish Grill

Model: **HX-56**
Dimension: 465x500x190mm
Volts: 220V/50Hz
Power: 4KW
N/W: 28Kg



Gas 2-Head Fish Grill

Model: **HX-56R**
Dimension: 465x500x210mm
Gas: LPG
Heating: 26700BTU/Hour
N/W: 28Kg



Electric 3-Head Fish Grill

Model: **HX-65**
Dimension: 665x500x190mm
Volts: 220V/50Hz
Power: 6KW
N/W: 42Kg



Gas 3-Head Fish Grill

Model: **HX-65R**
Dimension: 665x500x210mm
Gas: LPG
Heating: 36160BTU/Hour
N/W: 42Kg

Induction Cooker



Single Electric Cooker

Model: **HSC-2203**
Dimension: 520x360x250mm
Volts: 220-240V/50-60Hz
Power: 2.6KW
N/W: 6.5Kg



Double Electric Cooker

Model: **HSC-2205**
Dimension: 610x520x250mm
Volts: 220-240V/50-60Hz
Power: 2+2.6KW
N/W: 10Kg



1-Head Induction Oven

Model: **HP-2000**
Dimension: 350x420x100mm
Volts: 220V/50Hz
Power: 2KW
N/W: 5Kg



2-Head Induction Oven

Model: **HP-4500**
Dimension: 600x420x100mm
Volts: 220V/50Hz
Power: 2+2KW
N/W: 8Kg

Rice Cooker



GF20Y-10L-A



GF20Y-30L-A



Gas Rice Cooker

Model	Packing Size	Gas Type	Service People	Rice Volume	N.W	G.W
GF20Y-7L-A	475x475x415mm	LPG/Natural	35	3~6Kg	12Kg	14Kg
GF20Y-10L-A	510x505x422mm	Gas	50	4.5~8.5Kg	14Kg	16Kg
GF20Y-15L-A	525x520x430mm	Pipelined	80	6~11Kg	15Kg	17Kg
GF20Y-23L-A	605x600x452mm	Gas	120	8~16Kg	20Kg	23Kg
GF20Y-30L-A	645x645x465mm	Methane	200	13~21Kg	23Kg	26Kg



ERC-8L/ERC-10L



ERC-13L/ERC-15L/ERC-19L



ERC-23L/ERC-33L/ERC-38L

Electric Rice Cooker

Model	Volts	Power	Capacity	N.W	G.W
ERC-8L	220V/50Hz	1.3KW	8L	-	-
ERC-10L	220V/50Hz	1.6KW	10L	-	-
ERC-13L	220V/50Hz	2.0KW	13L	-	-
ERC-15L	220V/50Hz	2.5KW	15L	-	-
ERC-19L	220V/50Hz	2.8KW	19L	-	-
ERC-23L	220V/50Hz	3.0KW	23L	-	-
ERC-33L	220V/50Hz	3.65KW	33L	-	-
ERC-38L	220V/50Hz	4.35KW	38L	-	-

Rice Cooker

Digital Control Rice Cooker

- ☆ 4 Digital display
- ☆ Stainless steel outer shell
- ☆ Single painting non-stick aluminum innerpot
- ☆ Can be cooked rice, porridge, soup



HF-D16 / HF-D19

Model:	Volts:	Power:	Capacity:	Liner:	Liner Diameter:
HF-D16	220V/50Hz	2200W	16L	1.9kg Non-Stick	355mm
HF-D19	220V/50Hz	2200W	19L	2.25kg Non-Stick	355mm

COMMERCIAL ELECTRIC RICE WARMER



HF-B19



HF-B26

Model:	Volts:	Power:	Capacity:	Liner:	Liner Diameter:	Temperature:
HF-B19	220V/50Hz	100W	19L	Non-Stick	355mm	45-65°C
HF-B26	220V/50Hz	100W	26L	Non-Stick	355mm	45-65°C

Commercial Dish Washer

DISH WASHER



HX-700S

Dimension: 625x725x1490mm
 Volts: 3N~380V/50Hz
 Power: 12.8KW
 Wash Cycle: 60/90/120s per basket(adjustable)
 Wash Tank Capacity: 42L
 Rinse tank Capacity: 10L
 Main Wash Temperature: 65°C
 Rinsing Temperature: 80-95°C
 Water Consumption for Rinsing: 2-2.5L/Basket
 Motor Brand: Americlean
 N.W.: 126kg



Safe and reliable:

- * Unique design of the door, can stay at different heights, suitable for different types of tableware;
- * Sensitive door control switch, wash immediately after closing the door, safe and convenient.



Commercial Dish Washer



Bell Type Washing Machine

Model: HX-C88
 Dimensions(mm): 687x750x1470mm
 Power Supply(KW): 14KW
 High Temperature Tank Power(KW): 15KW
 Average Hourly Capacity(L): 60 Basket / Hour
 Voltage(V): 380V/50Hz



Channel Type Dish Washer

Model: HX-180
 Dimensions: 1500x810x1630mm
 Power Supply: 36KW
 High Temperature Tank Power: 27KW
 Wash Tank Power: 9KW
 Average Hourly Capacity: 185 Basket / Hour
 High Temperature Tank Capacity: 30L
 Wash Tank Capacity: 98L
 Voltage: 380V/50Hz

Model: HX-250
 Dimensions: 2200x810x1630mm
 Power Supply: 40KW
 High Temperature Tank Power: 27KW
 Wash Tank Power: 9KW
 Average Hourly Capacity: 250 Basket / Hour
 High Temperature Tank Capacity: 30L
 Wash Tank Capacity: 140L
 Voltage: 380V/50Hz

STICK BLENDER



GENERAL FEATURE:

Professional equipment Particularly suited for ice cream shops, confectioner's, restaurants, hotels

Exclusive body design made from plastic
 Heavy duty hand mixer available in 3 motor sizes to meet the demands of any Kitchens

220W, 350W and 500W ventilated motor
 Thermal overload protection included
 Variable speed control switch

Ergonomic handle for comfortable use

Fully detachable stainless steel shafts available in 5 lengths, 200mm, 250mm, 300mm, 400mm and 500mm, and 250mm and 350mm whisk attachments also available

Bayonet attachments clutch, and double sealed shafts for hygienic use

Full stainless steel, high performance blade. All food contact parts in stainless steel



Model:	Power:	Speed:	Voltage:	Blender Tube:	Whisk For Blender:	N/W:	Dimension:
IB220MF	220W	15000rpm	100-120V/60Hz 220V-240V/50Hz	BLD160	WIK185	1.1Kg	304x75mm
IB220MV	220W	2000-15000rpm		BLD160	WIK185	1.1Kg	304x75mm
IB350CF	350W	15000rpm		BLD200/ BLD250/ BLD300/ BLD400/ BLD500	WIK250/ WIK350	2.5Kg	359x91mm
IB350CV	350W	2000-13000rpm				2.8Kg	359x91mm
IB500LF	500W	16000rpm				3.1Kg	359x91mm
IB500LV	500W	2000-14000rpm				3.1Kg	359x91mm

IMMERSION BLENDER (HAND MIXER)

SERIES

GENERAL FEATURE:

- Professional equipment Particularly suited for ice cream shops, confectioner's, restaurants, hotels etc.
- Elegant body design made from plastic, heavy duty hand mixer available in 4 motor sizes to meet the demands of any kitchens
- 280W, 450W, 650W and 850W ventilated motor, thermal overload protection and variable speed control switch
- Ergonomic handle for comfortable use
- Fully stainless steel, high performance blade, all food contact parts in stainless steel



IB280AF/IB280AV

IB280AF/IB280AV

TECHNIC PARAMETERS:

POWER:	280W	450W
VOLTAGE:	220V-240V~50/60Hz / 115V~60Hz	220V-240V~50/60Hz / 115V~60Hz
SPEED:	20000rpm / 6000-20000rpm	16000rpm / 4000-16000rpm
INNER BOX SIZE:	46.5x17.5x9.5cm	55.5x29x11cm
MASTER BOX SIZE:	49.5x48.5x37cm (10PCS)	57x57x31cm (5PCS)



WALL HANGER FOR IMMERSION BLENDER



WB-1



WB-3



BLD160-U
Use for
IB280AF/IB280AV only

WIK 185-U
Use for IB280AV only



Emulsifying Blade
optional



Food Mixer

CAKE MIXER

Color is optional



white



yellow



green



black



red



blue



Stainless steel

Model	Dimensions	Power	Volts	Capacity	Dough Mixing Quantity	Egg Mixing Quantity	Speed	Weight
B5S	380x240x375mm	0.5KW	110V/220-240V/50-60Hz	5L	500g	500g	0-1000r/min	13
B7S	380x240x405mm	0.5KW	110V/220-240V/50-60Hz	7L	500g	500g	0-1000r/min	13.3
B10S	390x260x445mm	0.5KW	110V/220-240V/50-60Hz	10L	500g	500g	0-1000r/min	15

Food Mixer

Food Mixer



B10S/B15S



B20S/B30S

Food Mixer

Model	Dimensions	Bowl Volume	Rated Voltage	Power	Max. Kneading Capacity	Mixing Speed	Weight
B10S	450x366x606mm	10L	220-240V	0.37KW	5Kg	110/178/139r/min	56Kg
B15S	474x372x676mm	15L	220-240V	0.37KW	6Kg	110/178/355r/min	65Kg
B20S	520x420x760mm	20L	220-240V	1.1KW	7Kg	110/200/420r/min	82Kg
B30S	545x440x882mm	30L	220-240V	1.5KW	10Kg	80/163/310 r/min	148Kg



B25S/B40S



B50S



B60S

Food Mixer

Model	Dimensions	Bowl Capacity	Voltage	Motor Power	Max. Kneading Capacity	Mixing Speed	Weight
B25S	515x440x860mm	25L	220-240V	1.5KW	8Kg	110/200/422 r/min	84Kg
B40S	620x630x1011mm	40L	220-240V	2KW	12Kg	80/160/310 r/min	150Kg
B50S	690x622x1200mm	50L	3N~380V	2KW	15Kg	74/150/288 r/min	195Kg
B60S	724x652x1300mm	60L	3N~380V	2.2KW	20Kg	74/150/288 r/min	230Kg



B10B/B15B/B20B



B30B

Food Mixer

Model	Dimensions	Bowl Volume	Rated Voltage	Power	Max. Kneading Capacity	Mixing Speed	Weight
B10B	450x366x606mm	10L	220-240V	0.72KW	5Kg	110/178/390r/min	56Kg
B15B	474x372x676mm	15L	220-240V	0.75KW	6Kg	110/178/390r/min	58Kg
B20B	520x420x760mm	20L	220-240V	1.1KW	6Kg	105/180/408r/min	78Kg
B30B	545x440x882mm	30L	220-240V	1.5KW	10Kg	105/180/408r/min	86Kg



B25F/B40F/B50F/B60F



B80F

Food Mixer

Model	Dimensions	Bowl Capacity	Voltage	Motor Power	Max. Kneading Capacity	Mixing Speed	Weight
B25F	515x440x860mm	25L	220-240V	1.3KW	6Kg	110/200/420r/min	84Kg
B40F	620x630x1011mm	40L	220-240V	2.0KW	12Kg	80/160/310r/min	150Kg
B50F	690x622x1200mm	50L	3N~380V	1.8KW	15Kg	74/150/288r/min	195Kg
B60F	724x652x1300mm	60L	3N~380V	2.5KW	20Kg	74/150/288r/min	230Kg
B80F	1205x740x1620mm	80L	3N~380V	4.0KW	25Kg	75/111/147/220r/min	550Kg

Food Mixer

FOOD MIXER



Model	Voltage/Frequency	Power	Capacity	N/W(Kg)	Speed	Machine Size(mm)	Packing Size (mm)
B10	220V/50Hz	500W	10L	54	360/164RPM	440x370x625	530x440x740
B15	220V/50Hz	600W	15L	55	360/164RPM	450x370x645	540x440x760
B20	220V/50Hz	1100W	20L	65	360/166/100RPM	530x425x775	590x485x880
B30	220V/50Hz	1250W	30L	69	360/166/100RPM	550x445x765	630x515x870



Model	Voltage/Frequency	Power	Capacity	N/W(Kg)	Speed	Machine Size(mm)	Packing Size (mm)
B10C	220V/50Hz	500W	10L	54	360/164RPM	440x370x625	530x440x740
B15C	220V/50Hz	600W	15L	55	360/164RPM	450x370x645	540x440x760
B20C	220V/50Hz	1100W	20L	65	360/166/100RPM	530x425x775	590x485x880
B30C	220V/50Hz	1250W	30L	69	360/166/100RPM	550x445x765	630x515x870



Food Mixer

Model	Dimensions	Bowl Capacity	Voltage	Power	Max.kneading capacity	Mixing speed	Weight
B10K	450x366x606mm	10L	220-240V	0.45KW	5Kg	110/178/390r/min	56Kg
B15K	474x372x676mm	15L	220-240V	0.50KW	6Kg	110/178/390r/min	58Kg
B20K	520x420x760mm	20L	220-240V	1.1KW	6Kg	105/180/408r/min	78Kg
B30K	545x440x882mm	30L	220-240V	1.5KW	10Kg	105/180/408r/min	86Kg
B40K	620x630x1011mm	40L	3N~380V	1.5KW	12Kg	80/160/288r/min	150Kg



Model	Dimensions	Bowl Volume	Rated Voltage	Power	Mixing Speed	Capacity	Weight
B20GS	620x400x820mm	20L	220/380V	1.1KW	110/170/420r/min	3Kg	75Kg
B20AS	620x430x920mm	20L	220/380V	1.5KW	142/234/492r/min	3-4Kg	120Kg
B30AS	630x490x1010mm	30L	220/380V	1.5KW	142/234/492r/min	4-5Kg	125Kg
B50AS	630x490x1010mm	30L	220/380V	1.5KW	142/234/492r/min	5-8Kg	130Kg

Model	Volts	Motor Power	Kneading Capacity	Kneading Time	Bowl Speed	Mixing Speed
THS-10	220V/50Hz	1.1KW	≤5Kg	10 to 12 min	18rpm	156rpm
THS-20	220V/50Hz	1.5KW	≤8Kg	10 to 12 min	18rpm	156rpm
THS-30	220V/50Hz	2KW	≤12Kg	12 to 18 min	18rpm	156rpm
THS-40	220V/50Hz	2.2KW	≤15Kg	12 to 18 min	18rpm	156rpm
THS-20A	380V/50Hz	0.65KW/0.85KW	≤8kg	10 to 12 min	12/18rpm	100/156rpm
THS-30A	380V/50Hz	1.3KW/1.8KW	≤12Kg	12 to 18 min	12/18rpm	100/156rpm
THS-40A	380V/50Hz	1.5KW/2.2KW	≤15Kg	12 to 18 min	12/18rpm	100/156rpm

Spiral Mixer

Users may select mixing tools and speed according to operating styles and the following requirements.

A.Snake-shaped beater:suitable for flour mixing and food with high glutinosity.Capacity and water added is 45%~50% of the flour weighe.Select low speed mode.(See Figure a)

B.Chequer-shaped beater:suitable for mixing crushed,powdered and pasty food,such as stuffing.Select medium speed mode.(See Figure b)

C.Bud-shaped beater:suitable for mixing liquid food,such as cream,egg etc.Select high speed mode.(See Figure c)



HD20S / HD30S



HD20D / HD30D



H20 / H30 / H40 / H50 / H60



H80

Model	Dimension	Packing Size	Voltage	Power	Flour Capacity	Bowl	Mixing Speed	Bowl Speed	Weight
HD20S	400x730x900mm	-	220/230/380V/50-60Hz	1.5KW	8~16kg	20L	115/900r/min	100/220r/min	80Kg
HD30S	450x800x1000mm	-	220/230/380V/50-60Hz	1.8KW	10~24kg	30L	115/900r/min	100/220r/min	95Kg
HD20D	680x360x840mm	780x450x980mm	220/230/380V/50-60Hz	1.1KW	8kg	20L	220/120r/min	18/10r/min	103Kg
HD30D	760x430x900mm	840x500x1040mm	220/230/380V/50-60Hz	1.8KW	12kg	30L	220/120r/min	18/10r/min	111Kg
H20	730x390x900mm	810x510x1030mm	110/220/230/380V/50-60Hz	1.5KW	12.5kg	21L	112/198r/min	12/20r/min	90Kg
H30	750x435x900mm	810x510x1030mm	110/220/230/380V/50-60Hz	1.5KW	16kg	35L	112/198r/min	12/20r/min	100Kg
H40	840x480x1000mm	960x570x1130mm	110/220/230/380V/50-60Hz	3KW	20kg	40L	112/198r/min	12/20r/min	155Kg
H50	840x480x1000mm	960x570x1130mm	110/220/230/380V/50-60Hz	3KW	25kg	54L	112/198r/min	12/20r/min	170Kg
H60	840x480x1000mm	960x570x1130mm	110/220/230/380V/50-60Hz	3KW	32kg	64L	112/198r/min	12/20r/min	180Kg
H80	1000x560x1380mm	1080x850x1570mm	220/230/380V/50-60Hz	2.95KW	-	80L	100/200r/min	12r/min	300Kg



Color is optional

Model	Machine Size	Packing Size	Volts	Power	Capacity	Bowl	Hook Speed	Bowl Speed	Weight
H100	1160x700x1400mm	1280x860x1540mm	380V/50-60Hz	1.5/2.4KW	40kg	100L	210/107r/min	16 r/min	530Kg
H130	1250x830x1580mm	1330x860x1650mm	380V/50-60Hz	2.8/5.6KW	50kg	130L	210/107r/min	16 r/min	567Kg
H200	1400x970x1580mm	1510x1190x1820mm	380V/50-60Hz	4/9KW	75kg	200L	210/107r/min	16 r/min	735kg
H260	1665x1110x1816mm	1760x1540x1910mm	380V/50-60Hz	7/11KW	100kg	260L	210/107r/min	16 r/min	1025kg

Horizontal mixer



HR-J7.5
Horizontal mixer



HR-J15
Horizontal mixer



HR-J25
Horizontal mixer



HR-J50
Horizontal mixer

Model	Dimensions	Power	Voltage	Capacity	N/W	G/W	Packing Size
HR-J7.5	570x455x600mm	750W	220V/50Hz	7.5L	45Kg	55Kg	650x590x750mm
HR-J15	650x540x690mm	1500W	220V/50Hz	15L	63Kg	75Kg	770x630x820mm
HR-J25	770x600x730mm	2200W	220V/50Hz	25L	75Kg	94Kg	870x710x830mm
HR-J50	900x700x900mm	2200W	380V/50Hz	50L	110Kg	125Kg	1000x820x1000mm



HR-JZ7.5
Horizontal mixer



HR-JZ15
Horizontal mixer



HR-JZ25
Horizontal mixer



HR-JZ50
Horizontal mixer

Model	Dimensions	Power	Voltage	Capacity	N/W	G/W	Packing Size
HR-JZ7.5	550x410x570mm	750W	220V/50Hz	7.5L	43Kg	50Kg	650x580x670mm
HR-JZ15	650x540x690mm	1500W	220V/50Hz	15L	63Kg	68Kg	770x630x820mm
HR-JZ25	780x610x740mm	2200W	220V/50Hz	25L	78Kg	83Kg	870x700x850mm
HR-JZ50	930x760x920mm	2200W	380V/50Hz	50L	110Kg	125Kg	1000x820x1000mm

Noodle Machine



HNM-160S
Noodle Machine

HNM-180S
Noodle Machine

HNM-200S
Noodle Machine

HNM-220S/HNM-240S
Noodle Machine

Model	Dimensions	Power	Voltage	G/W
HNM-160S	370x325x405mm	550W	220V	18.5Kg
HNM-180S	390x325x405mm	550W	220V	19.3Kg
HNM-200S	410x325x405mm	550W	220V	19.8Kg
HNM-220S	430x325x405mm	750W	220V	21.2Kg
HNM-240S	450x325x405mm	750W	220V	22.5Kg



HNM-160
Noodle Machine

HNM-180
Noodle Machine

HNM-200
Noodle Machine

HNM-220/HNM-240
Noodle Machine

Model	Dimensions	Power	Voltage	G/W
HNM-160	328x341x400mm	550W	220V	21Kg
HNM-180	348x341x400mm	550W	220V	22.4Kg
HNM-200	368x341x400mm	550W	220V	23Kg
HNM-220	388x341x400mm	750W	220V	23.5Kg
HNM-240	408x341x400mm	750W	220V	24Kg

Dough sheeter



Dough Sheeter

Model: **LSP520**

Dimensions: 2550x880x1180mm
Packing Size: 960x730x1650mm
Conveyor Belt Size: 500x2000mm
Power: 0.55KW
Volts: 220V/380V/50Hz
Working Position Width/Height: 2550/1180mm
Resting Position Width/Height: 750/1600mm
Roller Adjustable Gap: 1~35mm
Maximum Rolling Weight: 5Kg
N/W: 190Kg

Model: **LSP650**

Dimensions: 2950x1100x1180mm
Packing Size: 1180x1130x1650mm
Conveyor Belt Size: 630x2400mm
Power: 0.75KW
Volts: 220V/380V/50Hz
Working Position Width/Height: 2950/1180mm
Resting Position Width/Height: 1200/1780mm
Roller Adjustable Gap: 1~35mm
Maximum Rolling Weight: 6.5Kg
N/W: 225Kg

Dough Sheeter

Model: **TSP520**

Dimensions: 2080x880x620mm
Packing Size: 960x660x1060mm
Conveyor Belt Size: 500x2000mm
Power: 0.55KW
Volts: 220V/380V/50Hz
Working Position Width/Height: 2080/620mm
Resting Position Width/Height: 750/840mm
Roller Adjustable Gap: 1~35mm
Maximum Rolling Weight: 5Kg
N/W: 125Kg

Model: **TSP650**

Dimensions: 2950x1100x620mm
Packing Size: 1180x1130x1060mm
Roller Adjustable Gap: 1~35mm
Conveyor Belt Size: 630x2400mm
Power: 0.75KW
Volts: 220V/380V/50Hz
Working position width/Height: 2950/620mm
Resting position width/Height: 1200/840mm
Maximum Rolling Weight: 6.5Kg
N/W: 190Kg

Dough sheeter



**E520/E520L/E630
E680/P520**

P520L/P630/P680

**TSP380A/TSP450A
TSP520A**

Model	Voltage	Frequency	Motor power	Roller diameter	Roller range	Dimension(mm)	Conveyor belt size	N/W
E520	220V/380V	50/60Hz	0.75KW	73	1~45	2550x1000x1280	500x1980mm	220Kg
E520L	220V/3~380V	50/60Hz	0.75KW	73	1~45	2950x1000x1280	500x2400mm	230Kg
E630	220V/3~380V	50/60Hz	0.75KW	80	1~40	3480x1110x1280	610x2800mm	260Kg
E680	220V/380V	50/60Hz	0.75KW	80	1~40	3480x1610x1280	660x2800mm	300Kg
P520	220V/380V	50/60Hz	0.75KW	73	1~45	2550x1000x1280	500x1980mm	220Kg
P520L	220V/380V	50/60Hz	0.75KW	73	1~45	2950x1000x1280	500x2400mm	230Kg
P630	220V/380V	50/60Hz	0.75KW	73	1~40	3480x1110x1280	610x2800mm	260Kg
P680	220V/380V	50/60Hz	0.75KW	73	1~40	3480x1610x1280	660x2800mm	300Kg
TSP380A	220V/380V	50/60Hz	0.4KW	89	1~40	2000x780x650	360x1600mm	110Kg
TSP450A	220V/380V	50/60Hz	0.4KW	89	1~40	2100x820x650	420x1700mm	120Kg
TSP520A	220V/380V	50/60Hz	0.4KW	89	1~40	2400x920x650	500x1980mm	160Kg

Dough Series



APD30 (Automatic)

PIZZA DOUGH SHEETER

Model: **APD30 (Automatic)**
 Dimensions: 530x480x560mm
 Power: 0.37KW
 Volts: 220V/50Hz
 Dough Weight: 50~500g
 Pizza Diameter: 30cm
 N/W: 37Kg



APD40 (Semi-Automatic)

PIZZA DOUGH SHEETER

Model: **APD40 (Semi-Automatic)**
 Size: 530x530x650mm
 Power: 0.37KW
 Volts: 220V/50Hz
 Dough Weight: 50~500g
 Pizza Diameter: 40cm
 N/W: 39Kg



TR31

BREAD SLICER

Model: **TR31**
 Machine Size: 650x770x770mm
 Volts: 220-240V/50-60Hz
 Power: 0.37KW
 Thickness: 31pcs, 1.2cm
44pcs, 0.8cm / 50pcs, 0.7cm
 can be made too



BREAD SLICER

Model: **TR31A**
 Machine Size: 650x770x770mm
 Volts: 220-240V/50-60Hz
 Power: 0.37KW
 Thickness: 31pcs, 1.2cm
44pcs, 0.8cm / 50pcs, 0.7cm
 can be made too

Dough Series



Semi-auto Rounder & Divider

Model: **FK-30**
 Dimensions: 650x540x2100mm
 Voltage: 380V
 Motor Power: 1KW
 Weight: 345Kg



Fully-auto Rounder & Divider

Model: **FK-30A**
 Dimensions: 650x730x1440mm
 Voltage: 380V
 Motor Power: 2KW
 Weight: 440Kg



Dough Divider

Model: **DD36**
 Dimensions: 520x420x1230mm
 Voltage: 220-240V/50-60Hz
 Motor Power: 0.75KW
 Weight: 220Kg



Dough Divider

Model: **YB-36**
 Voltage: 220/380V
 Power: 750W
 Pieces: 36
 Dividing Weight: 30~180g
 Weight: 180Kg
 Dimensions: 500x400x1300mm



Dough Moulder

Model: **CG-38**
 Dimensions: 1300x500x1050mm
 Voltage: 220V/380V
 Motor Power: 0.75KW
 Weight: 208Kg

Meat Mincer



TC-42

Meat Mincer (All SS Body)

Model	Dimensions	Power	Voltage	Productivity	Weight
TC-42	530x1020x950mm	4KW	3~380V,50Hz	650Kg/h	107Kg
TC-52	800x1350x1220mm	5.5KW	3~380V,50Hz	1300Kg/h	438Kg



TC-12



TC-22



TC-32

Meat Mincer (All SS Body)

Model	Dimensions	Power	Voltage	Productivity	Weight
TC-12	400x190x410mm	0.55KW	220V,50Hz	120Kg/h	27Kg
TC-22	410x240x450mm	0.75KW	220V,50Hz	220Kg/h	35Kg
TC-32	530x270x500mm	1.5KW	220V,50Hz	320Kg/h	76Kg



TT-12



TT-22



TT-32

Meat Mincer (SS Body, Chroming T-branch Pipe)

Model	Dimensions	Power	Voltage	Productivity	Weight
TT-12	400x190x410mm	0.55KW	220V,50Hz	120Kg/h	27Kg
TT-22	410x240x450mm	0.75KW	220V,50Hz	220Kg/h	35Kg
TT-32	530x270x500mm	1.5KW	220V,50Hz	320Kg/h	76Kg
TT-8	400x190x410mm	0.55KW	220V,50Hz	120Kg/h	-

Meat Mincer



Meat Mincer

Model	Dimensions	HP	Voltage	Mincer Speed	Slicer Speed	Slicer Output	Mincer Output	Shred Output	Slicer Thickness	N/W	G/W
HX128B	345x340x455mm	1.1KW	220V	190r/min	228r/min	120Kg/h	240-280Kg/h	80Kg/h	3.5-4.0Kg/h	42Kg	45Kg
HX128S	345x340x455mm	1.1KW	220V	190r/min	228r/min	120Kg/h	240-280Kg/h	80Kg/h	3.5-4.0Kg/h	42Kg	45Kg
HX228B	345x340x455mm	1.1KW	220V	190r/min	228r/min	120Kg/h	280-320Kg/h	80Kg/h	3.5-4.0Kg/h	42Kg	45Kg
HX228S	345x340x455mm	1.1KW	220V	190r/min	228r/min	120Kg/h	280-320Kg/h	80Kg/h	3.5-4.0Kg/h	42Kg	45Kg



MG12MD/MG22MD/MG32MD
Compact Commercial Meat Grinder



CG55SH/CG22DM
Cheese Grater& Chopper

Model	Dimensions	Power	Voltage	Capacity	N/W	G/W
MG12MD	500x315x550mm	0.75HP/0.55KW	220V/50Hz	100Kg/hr	21Kg	24Kg
MG22MD	500x315x550mm	1HP/0.735KW	220V/50Hz	180Kg/hr	23.5Kg	26.5Kg
MG32MD	550x330x580mm	1.2HP/0.9KW	220V/50Hz	200Kg/hr	29Kg	31.6Kg
CG55SH	490x320x485mm	0.75HP/0.55KW	220V/50Hz	40Kg/hr	16Kg	18Kg
CG22DM	680x335x580mm	1.2HP/0.90KW	220V/50Hz	60Kg/hr	28Kg	32Kg

Meat Slicer

Bone Saw



300ES-F
Semi-Automatic Meat Slicer

300ES-A
Automatic Meat Slicer

Model	Dimensions	Slicing Motor Power	Reciprocating Motor Power	Voltage	Blade Dia	Cutting Thickness	Slicing Speed
300ES-F	600x540x600mm	420W	/	220V,50Hz	300mm, 12"	0-13mm	/
300ES-A	595x561x581mm	300W	400W	220V,50Hz	300mm, 12"	0-13mm	37 times/min



220ES-8
Meat Slicer



250ES-10
Meat Slicer



300ES-12
Meat Slicer

Model	Dimensions	Power	Voltage	Blade diameter	N/W
220ES-8	440x380x340mm	0.32KW	220V,50Hz	Ø220mm	14.3Kg
250ES-10	490x390x380mm	0.32KW	220V,50Hz	Ø250mm	15.5Kg
300ES-12	530x460x460mm	0.42KW	220V,50Hz	Ø300mm	24.3Kg



J210
Bone Saw



J210S (stainless steel body)
Bone Saw



J310
Bone Saw

Model:	J210
Dimension:	470x480x850mm
Size of Bench:	465x440mm
Volts:	220V/50Hz
Power:	750W
Length of Blade:	1650mm
Largest Cutting Height:	270mm
Cutting Thickness:	180mm
Saw Blade Speed:	15m/s

Model:	J210S
Dimension:	550x460x950mm
Size of Bench:	550x400mm
Volts:	220V/50Hz
Power:	1100W
Length of Blade:	1650mm
Largest Cutting Height:	220mm
Largest Cutting Thickness:	160mm
Saw Blade Speed:	/

Model:	J310
Dimension:	700x600x900mm
Size of Bench:	690x550mm
Volts:	220V/50Hz
Power:	1500W
Length of Blade:	2000mm
Largest Cutting Height:	310mm
Largest Cutting Thickness:	200mm
Saw Blade Speed:	18m/s



J210A
Bone Saw



J210AC
Bone Saw



J250A
Bone Saw

Model:	J210A
Dimension:	490x460x870mm
Size of Bench:	380x460mm
Volts:	220V/50Hz
Power:	1100W
Length of Blade:	1650mm
Cutting Height:	250mm
Largest Cutting Thickness:	4-180mm
Saw Blade Speed:	19m/s

Model:	J210AC
Dimension:	490x460x870mm
Size of Bench:	380x460mm
Volts:	220V/50Hz
Power:	1100W
Length of Blade:	1650mm
Largest Cutting Height:	250mm
Cutting Thickness:	4-180mm
Saw Blade Speed:	19m/s

Model:	J250A
Dimension:	430x495x880mm
Size of Bench:	490x440mm
Volts:	220V/50Hz
Power:	1500W
Length of Blade:	1650mm
Largest Cutting Height:	220mm
Cutting Thickness:	4-180mm
Saw Blade Speed:	19m/s

Manual Sausage Filler



Model	Dimensions	Power	Voltage	Bowl Volume	Productivity	N/W	G/W
TV-3L	500x290x230mm	/	/	3L	/	11Kg	/
TV-5L	620x290x230mm	/	/	5L	/	12Kg	/
TV-7L	770x290x230mm	/	/	7L	/	13Kg	/
TV-10L	650x360x250mm	/	/	10L	/	20Kg	/
TV-12L	710x360x250mm	/	/	12L	/	21Kg	/
TV-15L	780x360x250mm	/	/	15L	/	22Kg	/



Model	Dimensions	Packing Size	N/W	G/W
TG3L	450x210x160mm	450x320x300mm	9.5Kg	10.5Kg
TG5L	580x210x160mm	570x320x300mm	11Kg	12Kg
TG7L	710x210x160mm	700x320x300mm	12Kg	13Kg

Electric Sausage Filler



Model	Barrel Diameter	Funnel Size	Capacity	Packing Size	Power	Voltage	N/W	G/W
TV-10LE	285x219mm	16/19/25/38mm	10L	770x430x330mm	120W	220V/50Z	33Kg	36Kg
TV-15LE	410x219mm	16/19/25/38mm	15L	890x430x330mm	120W	220V/50Z	36Kg	39Kg
TV-20LE	380x260mm	16/19/25/38mm	20L	880x460x360mm	250W	220V/50Z	46Kg	49Kg



Model	Barrel Diameter	Funnel Size	Capacity	Packing Size	Power	Voltage	N/W	G/W
TV-25LE	470x260mm	16/19/25/38mm	25L	990x460x360mm	250W	220V/50Hz	49Kg	52Kg
TV-30LE	570x260mm	16/19/25/38mm	30L	1100x460x360mm	250W	220V/50Hz	51Kg	54Kg
SF-150	600x400x1240mm	Productivity: 300Kg/h	15L	-	750W	220V/380V	120Kg	140Kg
SF-260	640x485x1240mm	Productivity: 400Kg/h	26L	-	1100W	220V/380V	160Kg	180Kg
SF-350	735x460x1240mm	Productivity: 600Kg/h	35L	-	1100W	220V/380V	180Kg	210Kg

Food Cut Up Machine



VC-60MS



VC-65MS

Multi-Purpose Electric Vegetable Cutter

Model	Dimensions	Power	Voltage	N/W	G/W
VC-60MS	490x210x490mm	550W	220-240V/50-60Hz, 110V/60Hz	25Kg	27Kg
VC-65MS	650x325x535mm	1HP/0.75KW	220V/50Hz	25Kg	30Kg

FOOD CUTTER



QS805
Food Cutter

QS807
Food Cutter

QS810
Food Cutter

QS815
Food Cutter

Model	Dimensions	Power	Capacity	Net Weight	Gross Weight
QS805	405x395x540mm	950W	5L	28Kg	29.2Kg
QS807	405x395x540mm	950W	5L	28Kg	29.2Kg
QS810	435x410x585mm	1100W	10L	31.2Kg	33Kg
QS815	500x460x690mm	1800W	15L	35.2Kg	39.4Kg

Food Cut Up Machine



Food Cut Up Machine

Model: TQ-5/TQ-5A (Painting/ SS body)
Size: 530x420x540mm
Volts: 220V/50Hz
Power: 0.37KW
Productivity: 80Kg/Hour
Weight: 62Kg



Food Cut Up Machine

Model: TQ-8/TQ-8A (Painting/ SS body)
Size: 800x550x550mm
Volts: 220V/50Hz
Power: 0.75KW
Productivity: 120Kg/Hour
Weight: 90Kg



Food Cut Up Machine

Model: QS-620/QS-620A (Painting/ SS body)
Size: 775x710x940mm
Volts: 220V/50Hz
Power: 1.1KW
Capacity: 20L
Productivity: 120Kg/Hour
Weight: 126Kg



Food Cut Up Machine

Model: QS650 (SS body)
Size: 1200x1000x1138mm
Volts: 220V/50Hz
Knife Motor Power: 2.2/2.8KW
Bowl Motor Power: 1.1KW
Capacity: 50L
Productivity: 1000Kg/Hour
Weight: 360Kg



Food Cut Up Machine

Model: QS630 (SS body)
Size: 990x810x980mm
Volts: 220V/50Hz
Knife motor power: 2.2/2.8kw
Bowl motor power: 1.1kw
Capacity: 25L
Productivity: 300kg/Hour
Weight: 318kg

Potato Peeler



PP8



PP15



PP30

Potato Peeler

Model	Dimensions	Power	Voltage	Frequency	Efficiency	Capacity	N.W
PP8	460x460x785mm	0.55KW	110/220/230V	50/60Hz	240-480Kg/h	10Kg	42Kg
PP15	520x520x850mm	0.75KW	110/220/230V	50/60Hz	490-900Kg/h	15Kg	53Kg
PP30	600x580x1020mm	1.5KW	110/220/230/380V	50/60Hz	1080-2160Kg/h	30Kg	72Kg

POTATO PEELER



QP-350/500/800

Model	Dimensions	Power	Voltage	Frequency	Efficiency	Capacity	N.W
QP-350	400x450x800mm	0.75KW	110/220/230V	50/60Hz	350Kg/h	10Kg	65Kg
QP-500	480x500x900mm	1.1KW	110/220/230V	50/60Hz	500Kg/h	15Kg	85Kg
QP-800	800x700x1050mm	2.2KW	110/220/230/380V	50/60Hz	800Kg/h	30Kg	110Kg

Ice Cream Machine



HIM-01
Soft Ice Cream Machine



HIM-03
Soft Ice Cream Machine



HIM-02
Soft Ice Cream Machine



HIM18 / HIM-28
Hard Ice Cream Machine

Model	Dimensions	Volts	Power	Output	Refrigerant	N/W
HIM-01	570x740x750mm	110V/60Hz, 220/50Hz, 220V/60Hz	0.9KW	8-11Kg/Hour(13-18L)	R22/R404A	59Kg
HIM-03	900x700x840mm	110V/60Hz, 220/50Hz, 220V/60Hz	1.7KW	11-16Kg/Hour(18-25L)	R22/R404A	108Kg
HIM-02	700x900x1435mm	110V/60Hz, 220/50Hz, 220V/60Hz	1.7KW	11-16Kg/Hour(18-25L)	R22/R404A	135Kg
HIM18	900x700x1435mm	110V/60Hz, 220/50Hz, 220V/60Hz	1.7KW	28-38L	R22	138Kg
HIM-28	900x700x1435mm	110V/60Hz, 220/50Hz, 220V/60Hz	3.4KW	43-52L	R404A	168Kg



HIM-25C
Soft Ice Cream Machine



HIM-32C
Soft Ice Cream Machine



HIM-25DB
Soft Ice Cream Machine

Model	Dimensions	Volts	Power	Output	Refrigerant	N/W
HIM-25C	715x560x1380mm	110V/60Hz, 220V/50Hz, 220V/60Hz	1.8KW	25L/H	R22/R404A/R410A	115Kg
HIM-32C	715x560x1380mm	110V/60Hz, 220/50Hz, 220V/60Hz	2.35KW	28~32L/H	R22/R404A	-
HIM-25DB	715x560x1380mm	110V/60Hz, 220V/50Hz, 220V/60Hz	1.8KW	25L/H	R22/R404A/R410A	115Kg

Ice Cream Machine

Fried Ice Cream Machine



HIM-S12
Soft Ice Cream Machine



HIM-25CT
Soft Ice Cream Machine



HIM-25CTB
Soft Ice Cream Machine



HIM-618CTB
Soft Ice Cream Machine



HIM-620CTB
Soft Ice Cream Machine



HIM-622CTB
Soft Ice Cream Machine

Model	Dimensions	Volts	Power	Output	Refrigerant	N/W
HIM-S12	655x210x780mm	110V/60Hz, 220V/50Hz, 220V/60Hz	1KW	12-16L/h	R22/R404a/R410a	60Kg
HIM-25CT	715x560x800mm	110V/60Hz, 220V/50Hz, 220V/60Hz	1.8KW	25L/h	R22/R404a/R410a	105Kg
HIM-25CTB	715x560x800mm	110V/60Hz, 220V/50Hz, 220V/60Hz	1.8KW	25L/h	R22/R404a/R410a	105Kg
HIM-618CTB	480x770x690mm	110V/60Hz, 220V/50Hz, 220V/60Hz	1.6KW	18-22L/h	R22/R404a/R410a	95Kg
HIM-620CTB	480x770x690mm	110V/60Hz, 220V/50Hz, 220V/60Hz	1.6KW	18-22L/h	R22/R404a/R410a	95Kg
HIM-622CTB	480x770x690mm	110V/60Hz, 220V/50Hz, 220V/60Hz	1.6KW	18-22L/h	R22/R404a/R410a	95Kg



HIM-618DB
Soft Ice Cream Machine



HIM-620DB
Soft Ice Cream Machine



HIM-622DB
Soft Ice Cream Machine

Model	Dimensions	Volts	Power	Output	Refrigerant	N/W
HIM-618DB	480x770x1266mm	110V/60Hz, 220V/50Hz, 220V/60Hz	1.6KW	18-22L/h	R22/R404a/R410a	100Kg
HIM-620DB	480x770x1266mm	110V/60Hz, 220V/50Hz, 220V/60Hz	1.6KW	18-22L/h	R22/R404a/R410a	100Kg
HIM-622DB	480x770x1266mm	110V/60Hz, 220V/50Hz, 220V/60Hz	1.6KW	18-22L/h	R22/R404a/R410a	100Kg



Fried Ice Cream Machine

Model: **FIM-A15**
Dimension: 535x535x700mm
Volts: 220V/50Hz
Power: 1.5KW
Output: 13Kg/hour
N/W: 38Kg



Fried Ice Cream Machine

Model: **FIM-A30**
Dimension: 830x440x700mm
Volts: 220V/50Hz
Power: 1.8KW
Output: 25Kg/hour
N/W: 60Kg



Roller Ice Cream Machine

Model: **FIR-PF1R(Round Type)**
Dimension: 65x65x88cm
Packing Size: 70x70x93cm
Volts: 220V/50HZ
Power: 2.2KW
N.W.: 48KGS
G.W.: 53KGS



Roller Ice Cream Machine

Model: **FIR-PF1R(Square Type)**
Dimension: 65x65x88cm
Packing Size: 70x70x93cm
Volts: 220V/50HZ
Power: 2.2KW
N.W.: 48KGS
G.W.: 53KGS

Fried Ice Cream Machine

Ice Maker



Roller Ice Cream Machine

Model: **FIR-PF2R(Round Type)**
 Dimension: 130x65x88cm
 Packing Size: 135x70x93cm
 Volts: 220V/50HZ
 Power: 4KW
 N.W.: 88KGS
 G.W.: 98KGS



Roller Ice Cream Machine

Model: **FIR-PF2R-6C**
 Dimension: 156x65x88cm
 Packing Size: 161x70x93cm
 Volts: 220V/50HZ
 Power: 4.2KW
 N.W.: 106KGS
 G.W.: 122KGS



Roller Ice Cream Machine

Model: **FIR-PF1R-6C(Round Type)**
 Dimension: 100x65x88cm
 Packing Size: 105x70x93cm
 Volts: 220V/50HZ
 Power: 2.4KW
 N.W.: 68KGS
 G.W.: 76KGS



Roller Ice Cream Machine

Model: **FIR-PF1R-6C(Square Type)**
 Dimension: 100x65x88cm
 Packing Size: 105x70x93cm
 Volts: 220V/50HZ
 Power: 2.4KW
 N.W.: 68KGS
 G.W.: 76KGS



Roller Ice Cream Machine

Model: **FIR-PF1R-6C(With Cover)**
 Dimension: 100x65x88cm
 Packing Size: 105x70x93cm
 Volts: 220V/50HZ
 Power: 2.4KW
 N.W.: 73KGS
 G.W.: 84KGS



SD-80/SD-100



SD-150/SD-210



SD-260



SD-300/SD-400



SD-500/SD-600



SD-700/SD-800/SD-1000

Model	Dimensions	Daily Production(kg/24h)	Bin Capacity	Volts	Power
SD-80	500x580x760	36Kg	15Kg	220V	390W
SD-100	500x580x760	45Kg	15Kg	220V	460W
SD-150	660x680x823	68Kg	40Kg	220V	650W
SD-210	660x680x823	95Kg	45Kg	220V	720W
SD-260	660x680x823	118Kg	50Kg	220V	800W
SD-300	560x810x1520	136Kg	120Kg	220V	900W
SD-400	560x810x1520	181Kg	120Kg	220V	950W
SD-500	760x810x1520	227Kg	150Kg	220V	1180W
SD-600	760x810x1520	272Kg	150Kg	220V	1280W
SD-700	760x810x1640	318Kg	150Kg	220V	1380W
SD-800	760x810x1640	363Kg	150Kg	220V	1620W
SD-1000	760x810x1760	454Kg	150Kg	220V	1680W

Ice Maker



HX-GQ40 / HX-GQ60



HX-GQ90 / HX-GQ120



Model	Dimensions(mm)	Packing Size(MM)	Capacity	Size of the ice
HX-GQ40	500x390x800	570x460x890	40Kg	45 the ice: 5x9
HX-GQ60	500x505x800	570x575x890	60Kg	60 the ice: 5x12
HX-GQ90	660x610x920	740x680x1010	90Kg	108 the ice: 6x18
HX-GQ120	660x610x920	740x680x1010	120Kg	126 the ice: 7x18



Model	Dimensions(mm)	Packing Size(MM)	Capacity	Size of the ice
HX-GQ150	565x820x1560	640x665x660 / 640x890x1060	150Kg	156 the ice: 12x13
HX-GQ250	765x820x1770	840x705x660 / 840x890x1060	250Kg	234 the ice: 13x18
HX-GQ380	765x820x1770	840x705x825 / 840x890x1100	380Kg	380 the ice: 19x20
HX-GQ500	765x820x1770	840x705x825 / 840x890x1100	500Kg	500 the ice: 20x25

Sauce Warmer & Sauce Pump



HSW-310
Electric Sauce Warmer



HSW-311
Electric Sauce Warmer



HSW-312
Electric Sauce Warmer

Model	Dimensions	Volts	Power	Bottle Size
HSW-310	220x150x315mm	220-240V/50-60Hz	0.5KW	225x70mm
HSW-311	270x220x315mm	220-240V/50-60Hz	1KW	225x70mm
HSW-312	400x220x315mm	220-240V/50-60Hz	1.5KW	225x70mm



HSP-4L
Sauce Pump



HSP-8L
Sauce Pump



HSP-12L
Sauce Pump

Model	Dimensions	Capacity
HSP-4L	184x186x255mm	4L
HSP-8L	364x186x255mm	4Lx2
HSP-12L	544x186x255mm	4Lx3

Juice Dispenser



LSP50L
Juice Dispenser



CH5L
CH10L Hot Chocolate Machine



CH10L
CH10L Hot Chocolate Machine

Model	Dimensions	Packing Size	Volts	Power	Capacity	N/W	G/W
LSP50L	500x500x720mm	540x540x750mm	220V/50Hz	0.38KW	50L	25Kg	28Kg
CH5L	400x320x470mm	420x360x500mm	220V/50Hz	0.44KW	5L	8Kg	10Kg
CH10L	400x320x570mm	420x360x600mm	220V/50Hz	0.44KW	10L	10Kg	12Kg



JD-81



JD-82



JD-83

Model	Dimensions	Capacity
JD-81	260x345x575mm	8L
JD-82	560x345x575mm	8Lx2
JD-83	860x345x575mm	8Lx3



JD-81A



JD-82A



JD-83A

Model	Dimensions	Capacity
JD-81A	260x345x575mm	8L
JD-82A	560x345x575mm	8Lx2
JD-83A	860x345x575mm	8Lx3

Cereal Dispenser



CR-71R
Cereal Dispenser



CR-42R
Cereal Dispenser



CR-36R
Cereal Dispenser

Model	Dimensions	Capacity
CR-71R	240x330x640mm	7L
CR-42R	305x284x605mm	4Lx3
CR-36R	540x540x600mm	3Lx6



U20-1000
Cereal Dispenser



U13-1100
Cereal Dispenser



U13-1200
Cereal Dispenser



U13-1300
Cereal Dispenser

Model	Dimensions	Capacity
U20-1000	325x260x570mm	3L
U13-1100	185x240x605mm	4L
U13-1200	360x240x605mm	4Lx2
U13-1300	540x240x605mm	4Lx3

Juice Dispenser



JD-161

JD-162

JD-163

JD-164

Model	Dimensions	Type	Volts	Power	Capacity
JD-161A	265x375x700mm	Cooling, Stirring type	220-240V/50Hz	145W(cooling)	16L
JD-161B		Cooling, Spraying type		175W(cooling)	
JD-161C		Cooling&heating, stirring type		145W(cooling), 605W(heating)	
JD-161D		Cooling&heating, Spraying type		175W(cooling), 650W(heating)	
JD-162A	420x450x680mm	Cooling, Stirring type	220-240V/50Hz	235W(cooling)	16Lx2
JD-162B		Cooling, Spraying type		285W(cooling)	
JD-162C		Cooling&heating, stirring type		235W(cooling), 1210W(heating)	
JD-162D		Cooling&heating, Spraying type		285W(cooling), 1270W(heating)	
JD-163A	820x450x680mm	Cooling, Stirring type	220-240V/50Hz	330W(cooling)	16Lx3
JD-163B		Cooling, Spraying type		450W(cooling)	
JD-163C		Cooling&heating, stirring type		330W(cooling), 1830W(heating)	
JD-163D		Cooling&heating, Spraying type		450W(cooling), 1860W(heating)	
JD-164A	820x450x680mm	Cooling, Stirring type	220-240V/50Hz	425W(cooling)	16Lx4
JD-164B		Cooling, Spraying type		615W(cooling)	
JD-164C		Cooling&heating, stirring type		425W(cooling), 2400W(heating)	
JD-164D		Cooling&heating, Spraying type		615W(cooling), 2580W(heating)	



LSP10Lx1

LSP10Lx2

LSP10Lx3

LSP10Lx4

Model	Dimensions	Packing Size	Volts	Power	Capacity	N/W	G/W
LSP10Lx1	210x360x670mm	240x400x700mm	220V/50Hz	0.18KW	10L	13Kg	15Kg
LSP10Lx2	430x360x670mm	440x400x700mm	220V/50Hz	0.28KW	10Lx2	22Kg	24Kg
LSP10Lx3	430x360x670mm	490x400x700mm	220V/50Hz	0.32KW	10Lx3	27Kg	30Kg
LSP10Lx4	550x360x670mm	580x400x700mm	220V/50Hz	0.38KW	10Lx4	33Kg	36Kg

Slush Machine

- INDEPENDENT TEMPERATURE CONTROL
- AMPER&VOLTAGE OVERLOAD PROTECTION
- EXTRA THICK FOOD GRADE BOWLS



SM-112
Slush Machine

SM-212
Slush Machine

SM-312
Slush Machine

Model	Dimensions	Carton size	Volts	Power	Temperature	Volume	Coolant	Compressor
SM112	230x550x800mm	295x600x860mm	220V/110V/50/60Hz	570W	0~-8℃	12L	R404	Embraco
SM212	430x550x800mm	490x600x860mm	220V/110V/50/60Hz	850W	0~-8℃	12Lx2	R404	Embraco
SM312	630x550x800mm	650x600x860mm	220V/110V/50/60Hz	900W	0~-8℃	12Lx3	R404	Embraco



SM-101
Slush Machine

SM-102
Slush Machine

SM-103
Slush Machine

SM-151
Slush Machine

Model	Dimensions	Volts	Power	Capacity	Weight
SM-101	350x620x840mm	220V-240V/50Hz	0.3KW	10Lx1	40Kg
SM-121	350x550x870mm	220V-240V/50Hz	0.3KW	12Lx1	43Kg
SM-102	470x620x840mm	220V-240V/50Hz	0.4KW	10Lx2	55Kg
SM-122	470x550x870mm	220V-240V/50Hz	0.5KW	12Lx2	68Kg
SM-103	620x670x840mm	220V-240V/50Hz	0.5KW	10Lx3	74Kg
SM-123	660x550x870mm	220V-240V/50Hz	0.6KW	12Lx3	78Kg

• 15L is available

Ice Shaver

Ice Crusher

SNOW CONE MACHINE



Model No.:	HCC-A299
Product Name:	Ice Shaver, Snow Cone Machine
Surface Treatment:	plastic+aluminum+ice protect mask
Main Material:	plastic body+aluminum blade plate
Product capacity:	80kg/hr
Frequency:	50/60Hz
Motor Power:	250W
Voltage:	110/220v
Speed:	1440r/min
N.W./G.W.:	19.5/21.5KGS
Product Size:	42x34x72cm
Single Package:	49x36x74cm

SNOW CONE MACHINE



Model No.:	HCC-A288
Product Name:	Ice Shaver, Snow Cone Machine
Surface Treatment:	plastic+aluminum
Main Material:	plastic body+aluminum blade plate
Product capacity:	80kg/hr
Frequency:	50/60Hz
Motor Power:	250W
Voltage:	110/220v
Speed:	1440r/min
N.W./G.W.:	17/20KGS
Product Size:	42x34x72cm
Single Package:	51x44x75cm



Model	Capacity	Power	Speed	Gross Weight	Packing Size
HCC-B08	120Kg/H	180W	1400R/M	7Kg	430x230x290mm
HCC-B108P	120Kg/H	180W	1400R/M	8Kg	400x300x380mm
HCC-B108	120Kg/H	180W	1400R/M	8Kg	400x300x380mm
HCC-6S	65Kg/H	150W	1450R/M	5.5Kg	425x200x305mm
HCC-6P	65Kg/H	300W	1450R/M	5.5Kg	425x200x305mm



Model	Capacity	Power	Speed	Gross Weight	Packing Size
HCC-B118	200Kg/H	180W	1400R/M	9Kg	440x300x440mm
HCC-B118L	200Kg/H	180W	1400R/M	8.5Kg	440x300x440mm
HCC-B128	200Kg/H	200W	1400R/M	17Kg	480x420x580mm
HCC-B128L	200Kg/H	200W	1400R/M	16Kg	400x490x620mm

Ice Crusher



yellow
Ice Crusher



blue
Ice Crusher



orange
Ice Crusher



pink
Ice Crusher

Model	Capacity	Power	Voltage	Frequency	Speed	N/W	Product Size
HCC-A168	100Kg/H	300W	110/220V	50/60Hz	1440R/M	5.5Kg	360x220x280mm



HCC-A188
Ice Shaver, Snow Cone Machine



HCC-B188
Ice Shaver, Snow Cone Machine



HCC-A268
Ice Shaver, Snow Cone Machine



HCC-A266
Ice Shaver, Snow Cone Machine

Model	Capacity	Power	Voltage	Frequency	Speed	N/W	Product Size
HCC-A188	60Kg/H	250W	110/220V	50/60Hz	1440R/M	15Kg	350x290x430mm
HCC-B188	80Kg/H	250W	110/220V	50/60Hz	1440R/M	16Kg	370x290x560mm
HCC-A268	120Kg/H	300W	110/220V	50/60Hz	1440R/M	18Kg	435x300x720mm
HCC-A266	20Kg/H	80W	110/220V	50/60Hz	1440R/M	7Kg	285x210x545mm



HJC-205
Commercial Juicers



HJC-206
Commercial Juicers



YTZ-001
Juicer



1000KP/2000KP
Centrifugal Juicer

Model	Power	Voltage	Speed	Output	N/W	Product Size
HJC-205	180W	220V/50Hz	-	-	-	340x230x365mm
HJC-206	180W	220V/50Hz	-	-	-	300x190x340mm
YTZ-001	700W	220V/50Hz	17000~20000r/min	-	4Kg	295x195x405mm
1000KP	370W	220V/50Hz	2800r/min	5Kg/min	15Kg	345x32x380mm
2000KP	550W	220V/50Hz	2800r/min	10Kg/Min	28Kg	420x360x510mm

Milk Shaker & Coffee Machine



HBL-015
Milk Shaker (1-Head)



HBL-018
Milk Shaker (2-Head)



HBL-11
Milk Shaker (1-Head)



HBL-22
Milk Shaker (2-Head)

Milk Shaker (1-Head)

Model: HBL-015
Dimension: 185x185x530mm
Volts: 220-240V/50-60Hz
Power: 180W

Milk Shaker (2-Head)

Model: HBL-018
Dimension: 230x185x530mm
Volts: 220-240V/50-60Hz
Power: 180W+180W

Milk Shaker (1-Head)

Model: HBL-11
Dimension: 190x160x530mm
Volts: 220V/50Hz
Hp: 1.5KW

Milk Shaker (2-Head)

Model: HBL-22
Dimension: 230x230x530mm
Volts: 220V/50Hz
Hp: 1.5+1.5KW



HCM-61
Coffee Brewer



HCM-112
Coffee Machine



HCB-A
Coffee Brewer

Coffee Brewer

Model: HCM-61
Machine Size: 430x545x520mm
Packing Size: 530x645x680mm
Capacity: 6L
Volts: 220-240V
Power: 2KW
N/W: 57Kg

Coffee Machine

Model: HCM-112
Machine Size: 670x545x520mm
Packing Size: 770x645x680mm
Capacity: 11L
Volts: 220-240V
Power: 3.75KW
N/W: 79Kg

Coffee Brewer

Model: HCB-A
Dimension: 210x345x430mm
Volts: 220-240V/50-60Hz
Power: 2.6KW
N/W: 4.5Kg

Auto Orange Juicer



2000E-1
Auto Orange Juicer



2000E-2
Auto Orange Juicer



2000E-3
Auto Orange Juicer

Model	Dimensions	Power	Voltage	Output	Size of Orange	Yield	N/W
2000E-1	400x330x780mm	120W	220V/50Hz	20/Min	40-80mm (Diameter)	40%~50%	45Kg
2000E-2	400x300x770mm	120W	220V/50Hz	20/Min	40-80mm (Diameter)	40%~50%	40Kg
2000E-3	400x330x780mm	120W	220V/50Hz	20/Min	40-80mm (Diameter)	40%~50%	44Kg



2000E-4
Auto Orange Juicer



2000E-5
Auto Orange Juicer

Model	Dimensions	Power	Voltage	Output	Size of Orange	Yield	N/W
2000E-4	640x450x900mm	120W	220V/50Hz	20/Min	40-80mm (Diameter)	40%~50%	50Kg
2000E-5	665x500x1760mm	370W	220V/50Hz	20/Min	40-80mm (Diameter)	40%~50%	90Kg



HAND JUICER



HWF-HJ001
Cast Iron



HWF-HJ002
Zinc Alloy



HWF-A655
Stainless Steel Body

Model	Dimensions	Single Pack	2pcs/ctn Package	HS CODE	N/W	G/W
HWF-HJ001	405x200x180mm	295x190x440mm	460x400x290mm	8210000000	12Kg	13Kg
HWF-HJ002	405x200x180mm	295x190x440mm	460x400x290mm	8210000000	12Kg	13Kg
HWF-A655	-	520x200x250mm	530x400x500mm	8210000000	6.9Kg	7.2Kg

SPICE GRINDER

ALUMINUM+STAINLESS STEEL

Aluminum body+stainless steel

- * Stainless Steel Thread Series.
- * Adopt German Technology.
- * 100% Pure Copper Wire.
- * Energy-saving And Environmental Protection Machine



HWF-02A



HWF-04A



HWF-06B/HWF-10B



HWF-20B/HWF-40B

Model	Product capacity	Power	Voltage	Frequency	Speed	N.W./G.W.	Ctn Package
HWF-02A	100g	650W	110/220V	50/60Hz	28000r/min	21KGS / 22KGS(8pcs)	58x30x35cm
HWF-04A	200g	1200W	110/220V	50/60Hz	28000r/min	26KGS / 27KGS(6pcs)	62x53x51cm
HWF-06B	300g	1500W	110/220V	50/60Hz	28000r/min	25KGS / 26KGS(4pcs)	47x47x41cm
HWF-10B	500g	2000W	110/220V	50/60Hz	25000r/min	34KGS / 35KGS(4pcs)	47x47x42cm
HWF-20B	1000g	3000W	110/220V	50/60Hz	25000r/min	18KGS / 19KGS(2pcs)	51.5x26x43cm
HWF-40B	2000g	4000W	110/220V	50/60Hz	25000r/min	24KGS / 25KGS(2pcs)	55.5x30x46cm

Commercial Blender



CB-767 Commercial Blender **CB-986** Commercial Blender **CB-999** Commercial Blender **CB-333** Commercial Blender **CB-888** Commercial Blender

Model	Dimensions	Volts	Power	Rotation Speed	Weight	Capacity	Juicing Capacity
CB-767	170x235x530mm	220-240V	1.6KW	23000-26000R/M	4Kg	2L	80cup/h
CB-986	270x220x560mm	220V/50Hz	2.2KW	23000-26000R/M	-	2.5L	-
CB-999	195x215x490mm	220-240V	1.8KW	26000-28000R/M	5.4Kg	2.7L	90cup/h
CB-333	270x235x530mm	220-240V	1.8KW	26000-28000R/M	4.6Kg	3L	96cup/h
CB-888	220x265x610mm	220V/50Hz	2.8KW	23000-26000R/M	-	3.9L	-



CB-888S Commercial Blender **CB-878** Commercial Blender **CB-1000** Commercial Blender **CB-999z** Commercial Blender

Model	Dimensions	Volts	Power	Rotation Speed	Weight	Capacity	Juicing Capacity
CB-888S	220x265x610mm	220V/50Hz	1.6KW	23000-26000R/M	-	3.9L	-
CB-878	220x260x680mm	220V/50Hz	2.8KW	23000-26000R/M	-	6L	-
CB-1000	220x220x490mm	220V/50Hz	1.8KW	28000R/M	-	2L	-
CB-999z	200x220x500mm	220-240V	1.8KW	12000-28000R/M	7.3Kg	2.7L	90cup/h

Water Boiler



Model	Capacity	Real capacity	Inner height	Outer height	Inner diameter	Outer diameter	Power	Voltage
WB-08A	8L	6.5L	23.0cm	34.5cm	19.0cm	20.5cm	1.8KW	220-240V/50Hz/60Hz
WB-10A	10L	7.1L	25.0cm	39.0cm	19.0cm	20.5cm	1.8KW	220-240V/50Hz/60Hz
WB-12A	12L	12L	25.0cm	39.0cm	25.5cm	26.5cm	1.8KW	220-240V/50Hz/60Hz
WB-15A	15L	15L	34.5cm	46.5cm	25.5cm	26.5cm	1.8KW	220-240V/50Hz/60Hz
WB-25A	25L	20L	39.0cm	52.0cm	25.5cm	26.5cm	1.8KW	220-240V/50Hz/60Hz
WB-35A	35L	25L	34.5cm	46.5cm	30.5cm	31.5cm	2.8KW	220-240V/50Hz/60Hz
WB-45A	45L	29L	39.0cm	52.0cm	30.5cm	31.5cm	2.8KW	220-240V/50Hz/60Hz

Temperature Range: 30-110°C

SINGLE-LAYER WATER BOILER




WB-28B/WB-38B/WB-48B/WB-58B/WB-68B

WB-30P/WB-40P/WB-50P/WB-60P/WB-70P

Model	Capacity	Real capacity	Power	Voltage	Frequency	Height	Diameter
WB-28B	28L	19L	1.8KW / 1.2KW	220-240V/110V~120V	50Hz/60Hz	40cm	31cm
WB-38B	38L	26L	2.8KW / 1.2KW	220-240V/110V~120V	50Hz/60Hz	49cm	31cm
WB-48B	48L	40L	2.8KW / 1.5KW	220-240V/110V~120V	50Hz/60Hz	53cm	36cm
WB-58B	58L	54L	2.8KW / 1.5KW	220-240V/110V~120V	50Hz/60Hz	53cm	42cm
WB-68B	68L	60L	2.8KW / 1.5KW	220-240V/110V~120V	50Hz/60Hz	58cm	42cm
WB-30P	30L	23L	1.8KW / 1.2KW	220-240V/110V~120V	50Hz/60Hz	45cm	31cm
WB-40P	40L	27L	1.8KW / 1.2KW	220-240V/110V~120V	50Hz/60Hz	50cm	31cm
WB-50P	50L	45L	2.8KW / 1.5KW	220-240V/110V~120V	50Hz/60Hz	50cm	41cm
WB-60P	60L	56.5L	2.8KW / 1.5KW	220-240V/110V~120V	50Hz/60Hz	55cm	41cm
WB-70P	70L	61L	2.8KW / 1.5KW	220-240V/110V~120V	50Hz/60Hz	60cm	41cm

Water Boiler



WB-10/15
Double-Layer Water Boiler
(Heat&Warm)



WB-25/30/35/40
Double-Layer Water Boiler
(Heat&Warm)



WA-20A/30A/40A/55A
Single-Layer Water Boiler
(Heat)



WB-30B/40B/50B
Single-Layer Water Boiler
(Heat)

Model	Dimensions	Power	Voltage	Weight
WB-10	Ø24.5x42.5cm	2.0KW	220V~240V	3.20Kg
WB-15	Ø24.5x49.5cm	2.0KW	220V~240V	3.50Kg
WB-25	Ø31.5x49cm	2.0KW	220V~240V	4.23Kg
WB-30	Ø31.5x54cm	2.0KW	220V~240V	4.70Kg
WB-35	Ø31.5x62cm	2.0KW	220V~240V	5.10Kg
WB-40	Ø31.5x67cm	2.5KW	220V~240V	5.60Kg
WB-20A	Ø27x55cm	2.0KW	220V~240V	2.13Kg
WB-30A	Ø32x55cm	2.0KW	220V~240V	2.75Kg
WB-40A	Ø32x60cm	2.5KW	220V~240V	3.33Kg
WB-30B	Ø30.5x44cm	2.0KW	220V~240V	3.75Kg
WB-40B	Ø36.5x46.5cm	2.0KW	220V~240V	4.30Kg
WB-55B	Ø41.5x54cm	2.5KW	220V~240V	4.43Kg



HB-10L
Microcomputer Water Boiler



HB-5L/20L/30L
Microcomputer Water Boiler



HB-30LA/40LA/60LA
Microcomputer Water Boiler

Model	Dimensions	Output	Power	Water Pressure	Voltage	Weight
HB-5L	190X240X520mm	22L/Hour	2.5KW	0.2-0.6MPa	220V-240V	8L
HB-10L	190x240x630mm	35L/Hour	2.5KW	0.2-0.6MPa	220V-240V	10L
HB-20L	190x280x690mm	60L/Hour	3KW	0.2-0.6MPa	220V-240V	20L
HB-30L	190x340x740mm	90L/Hour	3KW	0.2-0.6MPa	220V-240V	30L
HB-30LA	450x280x570mm	90L/Hour	3KW	0.2-0.6MPa	220V-240V	30L
HB-40LA	450x300x680mm	120L/Hour	3KW	0.2-0.6MPa	220V-240V	40L
HB-60LA	450x340x780mm	180L/Hour	6KW	0.2-0.6MPa	380V	60L

Chocolate Fountain & Soup Kettle



Chocolate Fountains

Model: CF-8060
Packing Size: 380x380x690mm
Layers: 4
Material: SS304
Max. Dia: 33cm
Max. Height: 60cm
Weight: 6/8KgS
Motor Power: 0.065KW (screw)
Heating Power: 0.2KW
Machine Consumption Power: 0.265KW
Volts: 220V,50Hz/110V,60Hz
Temperature: 0-110°C (Manual)
Working Capacity: 2KgS
Max.Capacity: 5KgS



Chocolate Fountains

Model: CF-8086
Packing Size: 280x520x680mm
Layers: 5
Material: SS304
Max. Dia: 37cm
Max. Height: 80cm
Weight: 8/10KGS
Motor Power: 0.095KW (screw)
Heating Power: 0.215KW
Machine Consumption Power : 0.31KW
Volts: 220V,50Hz/110V,60Hz
Temperature: 0-150°C (Manual)
Working Capacity: 2.5KgS
Max.Capacity: 8KgS



Stainless Steel Electric Soup Kettle

Model: 81010SP
Dimension: 10L
Volts: 220V AC 50Hz
Power: 400W



Electric Soup Kettle

Model: 83013SP
Dimension: 13L
Volts: 220V AC/50Hz
Power: 600W



Electric Soup Kettle

Model: 83010SP
Dimension: 10L
Volts: 220V AC/50Hz
Power: 400W

Electric Soup Kettle



Electric Soup Kettle

Model: **81010SA**
Capacity: 10L
Real Capacity: 8.1L
Power: 400W
Voltage: 220~240V/50Hz, 110~120V/60Hz
H 35cm / Ø: 27cm



Electric Soup Kettle

Model: **81010SB**
Capacity: 10L
Real Capacity: 8.1L
Power: 400W
Voltage: 220~240V/50Hz, 110~120V/60Hz
H 35cm / Ø: 27cm



Electric Soup Kettle

Model: **81010SC**
Capacity: 10L
Real Capacity: 8.1L
Power: 400W
Voltage: 220~240V/50Hz, 110~120V/60Hz
H 35cm / Ø: 27cm



Electric Soup Kettle

Model: **83013SA**
Capacity: 13L
Real Capacity: 12.6L
Power: 400W
Voltage: 220~240V/50Hz, 110~120V/60Hz
H 44.5cm / Ø: 36cm



Electric Soup Kettle

Model: **83013SB**
Capacity: 13L
Real Capacity: 12.6L
Power: 400W
Voltage: 220~240V/50Hz, 110~120V/60Hz
H 44.5cm / Ø: 36cm



Electric Soup Kettle

Model: **81010SF**
Capacity: 10L
Real Capacity: 8.1L
Power: 400W
Voltage: 220~240V/50Hz, 110~120V/60Hz
H 40cm / Ø: 30.2cm



MOQ: 20pcs

Electric Soup Kettle

Model: **81010SD**
Capacity: 10L
Real Capacity: 8.1L
Power: 400W
Voltage: 220~240V/50Hz, 110~120V/60Hz
H 40cm / Ø: 30.2cm



Electric Soup Kettle

Model: **81010SE**
Capacity: 10L
Real Capacity: 8.1L
Power: 400W
Voltage: 220~240V/50Hz, 110~120V/60Hz
H 40cm / Ø: 30.2cm



Chafing Dish



Chafing Dish

Model: **HCD-01**
Straight leg full flip cover-square
Chafing Dish with: 1 X 1/1x6.5 or
2X 1/2x6.5 pots



Chafing Dish

Model: **HCD-01V**
Straight leg visible full clamshell-square
Chafing Dish with: 1 1/1x6.5 or
2 1/2x6.5 pots



Chafing Dish

Model: **HCD-03**
Tiger leg Full Flip Cover-Square Chafing
Dish Match: 1 1/1x6.5 or
2 1/2x6.5 pots



Chafing Dish

Model: **HCD-03V**
Tiger leg Visible Full Flip Cover-Square
Chafing Dish Match: 1 1/1x6.5 or
2 1/2x6.5 pots



Chafing Dish

Model: **HCD-04V**
Tiger leg Visible Full Flip Cover-Round
Dining Pot With: 36cm 6.8L Basin



Chafing Dish

Model: **HCD-05**
New lamb's leg full clamshell-square
Chafing Dish with: 1 1/1x6.5 or
2 1/2x6.5 pots



Chafing Dish

Model: **HCD-05V**
New lamb leg visible full clamshell-square
Chafing dish with: 1 1/1x6.5 or
2 1/2x6.5 pots



Chafing Dish

Model: **HCD-06**
New lamb's leg full clamshell-round dining
pot with: 36cm 6.8L pot



Chafing Dish

Model: **HCD-06A**
New lamb leg full clamshell-round soup
pot With: 1 soup pot

Chafing Dish



Chafing Dish

Model: **HCD-06V**
New lamb's leg visible full clamshell-round meal pot with: 36cm 6.8L pot



Chafing Dish

Model: **HCD-07**
Straight leg full flip cover-oval dining pot with: 1 food pot



Chafing Dish

Model: **HCD-08**
Straight Leg-Rectangular Dining Pot
Match: 1 1/1x6.5 or 2 1/2x6.5 pots
Capacity:9L



Chafing Dish

Model: **HCD-09**
Straight Leg-Square Dining Pot
Match: 1 2/3x6.5
Capacity:6L



Chafing Dish

Model: **HCD-10**
6L Straight Leg-Circular Visual Dining Pot
With: 1 36cm Basin
Capacity:6L



Chafing Dish

Model: **HCD-11**
Straight leg B-type generous dining Pot
(foldable) Match: 1 1/1x6.5cm
or 2 1/2x6.5cm



Chafing Dish

Model: **HCD-12**
Bar type straight leg dining Pot
(not foldable) Match: 1 1/1x6.5cm
or 2 1/2x6.5cm



Chafing Dish

Model: **HCD-13**
Economical straight leg double soup stove with: 2 soup stoves



Chafing Dish

Model: **HCD-14**
Straight-leg older furnace with a generous meal: 1 1/1 x 6.5cm or 2 1/2 x 6.5cm

Cup Sealing Machine



HCS-203
Manual Cup Sealing Machine



HCS-303
Manual Cup Sealing Machine

MANUAL CUP SEALING MACHINE



Model	Dimensions	Power	Voltage	Gross Weight	Output	Cup Diameter
HCS-203	285x250x445mm	300W	220V/50Hz	9Kg	300-500cups/Hour	65/70/90/95(MM)
HCS-303	288x238x470mm	300W	220V/50Hz	9Kg	300-500cups/Hour	65/70/90/95(MM)



HCS-D8
Manual Cup Sealing Machine



HCS-868
Manual Cup Sealing Machine



HCS-208
Manual Cup Sealing Machine

Model	Dimensions	Power	Voltage	Gross Weight	Output	Cup Diameter
HCS-D8	280x225x505mm	400W	220V/50Hz	12Kg	300-500cups/Hour	65/70/90/95(MM)
HCS-868	270x270x600mm	300W	220V/50Hz	10Kg	300-500cups/Hour	65/70/90/95(MM)
HCS-208	285x250x445mm	300W	220V/50Hz	9Kg	300-500cups/Hour	65/70/90/95(MM)

Impulse Sealer

Metal Body



SF200
Impulse Sealer

SF300
Impulse Sealer

SF400 / SF500
Impulse Sealer

Model	Chamber Size	Power	Voltage	Sealing Length	Sealing Width	Max Seal Thickness	Heat Time	Weight
SF200	325x75x225mm	0.28KW	220V/50Hz	200mm	2mm	0.2mm	0.2-1.3seconds	2.2Kg
SF300	440x83x255mm	0.38KW	220V/50Hz	300mm	2mm	0.2mm	0.2-1.3seconds	3.3Kg
SF400	540x85x280mm	0.6KW	220V/50Hz	400mm	2mm	0.2mm	0.3-2.5seconds	4.7Kg
SF500	550x85x280mm	0.75KW	220V/50Hz	500mm	2mm	0.3mm	0.3-2.5seconds	5.9Kg

IMPULSE SEALER (Pistic Body)



SF200P / SF300P / SF400P
Impulse Sealer

Local Show

Local Show

Model	Dimension	Power	Voltage	Packing Size	Gross Weight
SF200P	300x75x85mm	300W	220V/50Hz	330x100x170mm	1.26Kg
SF300P	400x78x85mm	400W	220V/50Hz	430x102x175mm	1.68Kg
SF400P	530x83x95mm	550W	220V/50Hz	575x105x190mm	2.82Kg

Vacuum Packing Machine

VACUUM PACKING MACHINE



DZ400/2C DZ500/2C DZ600/2C



Model	Chamber Size	Power	Voltage	Sealing Length	Sealing Width	Max Seal Thickness	Sealing Width	Weight
DZ400/2C	490x445x40mm	0.75KW	220V/50Hz	400mm	10mm	0.1-0.5mm	10mm	162Kg
DZ500/2C	570x550x45mm	1.5KW	380V/50Hz	500mm	10mm	0.1-0.5mm	10mm	205Kg
DZ600/2C	670x545x45mm	2.2KW	380V/50Hz	600mm	10mm	0.1-0.5mm	10mm	252Kg

Sealing Time Range:10-35sec / 10-35sec / 10-40sec Package Dimension:105x107x75cm / 110x135x75cm / 115x165x80cm



DZ260T DZ300T DZ400T



DZ400S DZ500S DZ600S

Model	Chamber Size	Power	Voltage	Sealing Length	Sealing Width	Max Seal Thickness	Package Dimension	Weight
DZ260T	280x380x55mm	0.75KW	220V/50Hz	260mm	10mm	0.1-0.5mm	42x50x46cm	37Kg
DZ300T	320x380x55mm	0.75KW	380V/50Hz	300mm	10mm	0.1-0.5mm	42x50x46cm	37Kg
DZ400T	440x420x75mm	0.75KW	380V/50Hz	400mm	10mm	0.1-0.5mm	55x64x60cm	75Kg
DZ400S	440x420x75mm	0.75KW	220V/50Hz	400mm	10mm	0.1-0.5mm	105x54x60cm	90Kg
DZ500S	520x520x75mm	0.85KW	380V/50Hz	500mm	10mm	0.1-0.5mm	110x65x70cm	115Kg
DZ600S	660x660x75mm	1.5KW	380V/50Hz	600mm	10mm	0.1-0.5mm	110x75x80cm	150Kg

Sealing Time Range:10-20sec / 10-20sec / 10-20sec / 10-20sec / 15-30sec / 15-30sec



HX143-01
British Smoke Hood

Model	Dimensions
HX143-01	1200x600mm



HX143-02
British Smoke Hood

Model	Dimensions
HX143-02	1200x800mm



HX143-03
British Smoke Hood

Model	Dimensions
HX143-03	2000x800mm



HX143-04
British Smoke Hood

Model	Dimensions
HX143-04	1800x600mm



HX143-05
British Smoke Hood

Model	Dimensions
HX143-05	1800x800mm



HX143-06
British Smoke Hood

Model	Dimensions
HX143-06	1500x600mm



Single bowl wash sink

Model	SPEC(mm)	Sink Dimensions(mm)
SS-6060	600x600x800	450x410x250
SS-7070	700x700x800	550x500x250
SS-1070	1000x700x800	850x500x250
SS-1260	1200x600x800	1050x410x250
SS-1270	1200x700x800	1050x500x250



Double bowl wash sink with drain board

Model	SPEC(mm)	Sink Dimensions(mm)
DS-1260	1200x600x800	500x410x250
DS-1270	1200x700x800	500x500x250
DS-1470	1400x700x800	600x500x250
DS-1570	1500x700x800	650x500x250



Double bowl wash sink with drain board

Model	SPEC(mm)	Sink Dimensions(mm)
TS-1756	1750x600x800	500x410x250
TS-1860	1800x600x800	500x410x250
TS-1456	1450x600x800	400x410x250
TS-1870	1800x700x800	500x500x250



Single Sink Bench

Model	SPEC(mm)	Sink Dimensions(mm)
01819	630x670x800+150	450x450x280
01820	680x720x800+150	500x500x280



Binary Wash Dish Even Things

Model	SPEC(mm)	Sink Dimensions(mm)
01821	1100x650x950	-
01822	1200x750x950	-
01823	1500x750x950	-



Triple Sink Bench

Model	SPEC(mm)	Sink Dimensions(mm)
01824	1930x670x800+150	450x450x280
01825	2080x720x800+150	500x500x280



Single bowl wash sink with drain board

Model	SPEC(mm)	Sink Dimensions(mm)
SSB-1070L/R	1000x700x800	600x500x250
SSB-1260L/R	1200x600x800	500x410x250
SSB-1270L/R	1200x700x800	500x500x250
SSB-1470L/R	1400x700x800	600x500x250
SSB-1570L/R	1500x700x800	650x500x250



Double bowl wash sink with drain board

Model	SPEC(mm)	Sink Dimensions(mm)
DSB-1756L/M/R	1750x600x800	500x410x250
DSB-1456L/M/R	1450x600x800	400x410x250
DSB-1860L/M/R	1800x600x800	500x410x250
DSB-1470L/M/R	1400x700x800	500x500x250
DSB-1570L/M/R	1500x700x800	500x500x250
DSB-1870 L/M/R	1800x700x800	500x500x250



Wash sink cabinet

Model	SPEC(mm)
WSG-1260	1200x600x800
WSG-1270	1200x700x800
WSG-1470	1400x700x800
WSG-1570	1500x700x800

Assembly working table cabinet
(with sliding door)

Model	SPEC(mm)
WSG-1260	1200x600x800
WSG-1270	1200x700x800
WSG-1470	1400x700x800
WSG-1570	1500x700x800



Wash sink cabinet

Model	SPEC(mm)
WC-1040	1000x400x600
WC-1240	1200x400x600
WC-1540	1500x400x600



Assembly food cabinet (with four sliding door)

Model	SPEC(mm)
SFC-1050	1000x500x1800
SFC-1250	1200x500x1800
SFC-1550	1500x500x1800



Assembly shelves

Model	SPEC(mm)
SL-1050	1000x500x1550
SL-1250	1200x500x1550
SL-1550	1500x500x1550
SL-1850	1800x500x1550



Assembly perforated shelves

Model	SPEC(mm)
SLP-1050	1000x500x1550
SLP-1250	1200x500x1550
SLP-1550	1500x500x1550
SLP-1850	1800x500x1550



Assembly Round legs worktable

Model	SPEC(mm)
TB-1060	1000x600x800
TB-1260	1200x600x800
TB-1560	1500x600x800
TB-1860	1800x600x800
TB-1070	1000x700x800
TB-1270	1200x700x800
TB-1570	1500x700x800
TB-1870	1800x700x800
TB-1580	1500x800x800
TB-1880	1800x800x800



Assembly back-splash worktable

Model	SPEC(mm)
TBB-1060	1000x600x800+90
TBB-1260	1200x600x800+90
TBB-1560	1500x600x800+90
TBB-1860	1800x600x800+90
TBB-1070	1000x700x800+90
TBB-1270	1200x700x800+90
TBB-1570	1500x700x800+90
TBB-1870	1800x700x800+90
TBB-1580	1500x800x800+90
TBB-1880	1800x800x800+90



Assembly double layers perforated worktable

Model	SPEC(mm)
TBP-1060	1000x600x800
TBP-1260	1200x600x800
TBP-1560	1500x600x800
TBP-1860	1800x600x800
TBP-1070	1000x700x800
TBP-1270	1200x700x800
TBP-1570	1500x700x800
TBP-1870	1800x700x800
TBP-1580	1500x800x800
TBP-1880	1800x800x800




Assembly square legs worktable

Model	SPEC(mm)
TBS-1060	1000x600x800
TBS-1260	1200x600x800
TBS-1560	1500x600x800
TBS-1860	1800x600x800
TBS-1070	1000x700x800
TBS-1270	1200x700x800
TBS-1570	1500x700x800
TBS-1870	1800x700x800
TBS-1580	1500x800x800
TBS-1880	1800x800x800



Assembly three layers worktable

Model	SPEC(mm)
TB3-1060	1000x600x800
TB3-1260	1200x600x800
TB3-1560	1500x600x800
TB3-1860	1800x600x800
TB3-1070	1000x700x800
TB3-1270	1200x700x800
TB3-1570	1500x700x800
TB3-1870	1800x700x800
TB3-1580	1500x800x800
TB3-1880	1800x800x800



Over table shelf

Model	SPEC(mm)
OS-1230	1200x300x600/750
OS-1530	1500x300x600/750
OS-1830	1800x300x600/750

Stainless Steel Two-layers Dining Cart
(Square Tube)

Model	SPEC(mm)
X1004	950x500x950
X1005	850x450x900
X1006	750x400x835

Stainless Steel Three-layers Dining Cart
(Square Tube)

Model	SPEC(mm)
X1001	950x500x950
X1002	850x450x900
X1003	750x400x835

Stainless Steel Four-layers Dining Cart
(Square Tube)

Model	SPEC(mm)
X1007	950x500x1220

Stainless Steel Two-layers Dining Cart
(round tube)

Model	SPEC(mm)
X1104	860x540x940
X1105	810x460x850

Stainless Steel Three-layers Dining Cart
(round tube)

Model	SPEC(mm)
X1101	860x540x940
X1102	810x460x850

Stainless Steel Four-layers Dining Cart
(round tube)

Model	SPEC(mm)
X1116	860x540x1170

Stainless Steel Five-layers Dining Cart
(round tube)

Model	SPEC(mm)
X1118	860x540x1230

Stainless Steel Dining Cart
(Round Tube)

Model	SPEC(mm)
X1122	1120x620x1000
X1123	1120x620x1000

Stainless Steel Dining Cart
(Square Tube)

Model	SPEC(mm)
X1126	1160x610x1020
X1127	1160x610x1020



Stainless Steel Bowl-Collected Cart

Model	SPEC(mm)
X1201	950x500x950
X1202	850x450x900
X1203	750x400x835



Stainless Steel Square Drinking Cart

Model	SPEC(mm)
X1204	950x500x950
X1205	850x450x900
X1206	750x400x835



Stainless Steel Square Drinking Cart

Model	SPEC(mm)
X1215	500x500x950
X1216	500x450x900
X1217	450x400x835



Stainless Steel Saucing Cart

Model	SPEC(mm)
X1209	850x450x900



Stainless Steel Kettle Cart

Model	SPEC(mm)
X1211	850x450x900



Stainless Steel Hotpot Trolley(square tube)

Model	SPEC(mm)
X1111	630x320x790
X1112	550x320x790
X1113	470x320x790
X1111-1	630x320x790
X1112-1	550x320x790
X1113-1	470x320x790

Round Tube Stainless Steel Collecting Cart
(Round Tube)

Model	SPEC(mm)
X1212	805x430x890
X1214	870x480x910

Square Tube Stainless Steel
Collecting Cart

Model	SPEC(mm)
X1213	820x435x920

Square Tube Stainless Steel
Collecting Cart

Model	SPEC(mm)
X1220	870x480x910

Gray Color Plastic Board Three-layers
Trolley (Round Pipe)

Model	SPEC(mm)
X1509	1040x500x970
X1510	800x420x950

Black Color Plastic Board Three-layers
Trolley(Triangle Pipe)

Model	SPEC(mm)
X1511	960x500x960
X1512	780x430x950



Dissamble Plastic Collecting Cart

Model	SPEC(mm)
X1515	1040x460x910



Plastic Service Cart Residue Bin

Model	SPEC(mm)
X1513	330x230x560



Plastic Service Cart Cutlery Container

Model	SPEC(mm)
X1514	330x230x175



Plastic Board Hand Trolley(Folding Style)

Model	SPEC(mm)
X1516	900x590x880
X1517	730x490x820



Stainless Steel Platform handcart(Model A)

Model	SPEC(mm)
X1402	820x530x860
X1404	740x480x860
X1406	650x430x860



Stainless Steel Platform handcart(Model B)

Model	SPEC(mm)
X1407	740x480x870
X1408	900x580x900



Stainless Steel Platform handcart(Model C)

Model	SPEC(mm)
X1409	900x550x870
X1410	900x550x870
X1411	1000x600x870
X1412	1000x600x870



Wire Shelf (Chroming)

Model	SPEC(mm)	Model	SPEC(mm)
X5901	609 x 355 x 1800	X5917	609 x 533 x 1800
X5902	757 x 355 x 1800	X5918	757 x 533 x 1800
X5903	907 x 355 x 1800	X5919	907 x 533 x 1800
X5904	1060 x 355 x 1800	X5920	1060 x 533 x 1800
X5905	1215 x 355 x 1800	X5921	1215 x 533 x 1800
X5906	1370 x 355 x 1800	X5922	1370 x 533 x 1800
X5907	1518 x 355 x 1800	X5923	1518 x 533 x 1800
X5908	1822 x 355 x 1800	X5924	1822 x 533 x 1800
X5909	609 x 457 x 1800	X5925	609 x 609 x 1800
X5910	757 x 457 x 1800	X5926	760 x 609 x 1800
X5911	907 x 457 x 1800	X5927	907 x 609 x 1800
X5912	1060 x 457 x 1800	X5928	1060 x 609 x 1800
X5913	1215 x 457 x 1800	X5929	1215 x 609 x 1800
X5914	1370 x 457 x 1800	X5930	1370 x 609 x 1800
X5915	1518 x 457 x 1800	X5931	1518 x 609 x 1800
X5916	1822 x 457 x 1800	X5932	1822 x 609 x 1800



X1301 / X1302



X1304 / X1305 / X1306

Stainless Steel Single-line Gn Pan Trolley

Model	SPEC(mm)	Note
X1301	380x550x1000	1/1 GN (6 pan)
X1302	590x670x1000	2/1 GN (6 pan)
X1304	380x550x1735	1/1 GN (15 pan)
X1305	380x550x1735	1/1 GN (16 pan)
X1306	590x670x1735	2/1 GN (15 pan)



X1308 / X1309 / X1310 / X1311



X1312-1 / X1312 / X1313

Stainless Steel Single-Line Cake Pan Trolley

Model	SPEC(mm)	Note
X1308	470x620x1000	AL.plate 60x40(6 pan)
X1309	470x620x1735	AL.plate 60x40(15 pan)
X1310	470x620x1735	AL.plate 60x40(16 pan)
X1311	515x665x1735	American pan (46.3x66)

Stainless Steel Double-Container Cake Pan Trolley

Model	SPEC(mm)	Note
X1312-1	670x820x1000	12 pans
X1312	670x820x1735	30 pans
X1313	670x820x1735	32 pans



X1303



X1307 / X1307-1

Stainless Steel Double-line Gn Pan Trolley

Model	SPEC(mm)	Note
X1303	740x550x1000	1/1 GN (6 pan)
X1307	550x740x1735	1/1 GN (15x2 pan)
X1307-1	550x740x1735	1/1 GN (16x2 pan)



X1318



X1320

Stainless Steel Single-Line Cake Pan Trolley With Top Board

Model	SPEC(mm)	Note
X1318	470x620x1000	AL.plate 60x40(6 pan)

Stainless Steel Double-Line Cake Pan Trolley

Model	SPEC(mm)	Note
X1320	460x785x1735	Pan Size:45x35x28cm(12x2pan)

GN Pans



Model	Size (W/H/W)(mm)	Dimensions(mm)	Thickness(mm)
H5401	530x325x20	1/1x20	0.7
H5402	530x325x40	1/1x40	0.7
H5403	530x325x65	1/1x65	0.7
H5404	530x325x100	1/1x100	0.7
H5405	530x325x150	1/1x150	0.7
H5406	530x325x200	1/1x200	1.0
H5407	325x265x20	1/2x20	0.7
H5408	325x265x40	1/2x40	0.7
H5409	325x265x65	1/2x65	0.7
H5410	325x265x100	1/2x100	0.7
H5411	325x265x150	1/2x150	0.7
H5412	325x265x200	1/2x200	1.0
H5413	325x176x20	1/3x20	0.7
H5414	325x176x40	1/3x40	0.7



Model	Size (W/H/W)(mm)	Dimensions(mm)	Thickness(mm)
H5415	325x176x65	1/3x65	0.7
H5416	325x176x100	1/3x100	0.7
H5417	325x176x150	1/3x150	0.7
H5444	325x176x200	1/3x200	0.7
H5445	265x162x20	1/4x20	0.7
H5418	265x162x40	1/4x40	0.7
H5419	265x162x65	1/4x65	0.7
H5420	265x162x100	1/4x100	0.7
H5421	265x162x150	1/4x150	0.7
H5422	265x162x200	1/4x200	0.7
H5423	176x162x65	1/6x65	0.7
H5424	176x162x100	1/6x100	0.7
H5425	176x162x150	1/6x150	0.7
H5426	176x162x200	1/6x200	0.7

Model	Size (W/H/W)(mm)	Dimensions(mm)	Thickness(mm)
H5427	176x108x65	1/9x65	0.7
H5428	176x108x100	1/9x100	0.7
H5429	176x108x150	1/9x150	0.7
H5432	353x325x65	2/3x65	1.0
H5433	353x325x100	2/3x100	1.0
H5434	353x325x150	2/3x150	1.0
H5435	353x325x200	2/3x200	1.0
H5501	530x325x30	1/1Cover	0.7
H5502	325x265x30	1/1Cover	0.7
H5503	325x176x30	1/1Cover	0.7
H5504	265x162x30	1/1Cover	0.7
H5505	176x162x30	1/1Cover	0.7
H5506	176x108x30	1/1Cover	1.0
H5507	353x325x30	1/1Cover	1.0



Model	Dimensions	Unit/Carton	N.W/Carton	G.W/Carton	Packing Size(cm)
VIC-PGNQ1/1-65	530x325x65	24	0.75Kg	19.00Kg	67x53.5x41
VIC-PGNQ1/1-100	530x325x100	24	0.90Kg	22.60Kg	66x53.5x55
VIC-PGNQ1/1-150	530x325x150	24	0.97Kg	24.30Kg	66x53.5x62
VIC-PGNQ1/1-200	530x325x200	24	1.25Kg	31.00Kg	66x53.5x67
VIC-PGNW1/2-65	325x265x65	40	0.23Kg	16.40Kg	54x33x57
VIC-PGNW1/2-100	325x265x100	24	0.50Kg	13.00Kg	54x33x57
VIC-PGNW1/2-150	325x265x150	24	0.60Kg	15.40Kg	54x33x64.5
VIC-PGNW1/2-200	325x265x200	24	0.73Kg	18.52Kg	54x33x64.5
VIC-PGNE1/3-65	325x175x65	36	0.28Kg	7.72Kg	54x33x37.5
VIC-PGNE1/3-100	325x175x100	36	0.37Kg	14.14Kg	54x33x47.5
VIC-PGNE1/3-150	325x175x150	24	0.49Kg	18.46Kg	54x33x44
VIC-PGNE1/3-200	325x175x200	24	0.55Kg	14.08Kg	54x33x50
VIC-PGNR1/4-65	265x160x65	48	0.25Kg	13.00Kg	54x33x37.5
VIC-PGNR1/4-100	265x160x100	36	0.28Kg	10.90Kg	54x33x34.5
VIC-PGNR1/4-150	265x160x150	32	0.36Kg	12.52Kg	54x33x44
VIC-PGNT1/6-65	175x160x65	72	0.15Kg	11.80Kg	54x33x37.5
VIC-PGNT1/6-100	175x160x100	48	0.19Kg	10.26Kg	54x33x34.5
VIC-PGNT1/6-150	175x160x150	48	0.24Kg	12.62Kg	54x33x44
VIC-PGNY1/9-65	175x110x65	72	0.11Kg	8.92Kg	54x33x26.5
VIC-PGNY1/9-100	175x110x100	72	0.14Kg	11.08Kg	54x33x34.5

Model	Dimensions	Unit/Carton	N.W/Carton	G.W/Carton	Packing Size(cm)
VIC-PGNQ1/1Lid	530x325	24	0.57Kg	15.68Kg	54x33x44
VIC-PGNW1/2Lid	325x265	48	0.27Kg	14.96Kg	54x33x50
VIC-PGNE1/3Lid	325x175	72	0.18Kg	14.96Kg	54x33x26.5
VIC-PGNR1/4Lid	265x160	96	0.13Kg	14.48Kg	54x33x26.5
VIC-PGNT1/6Lid	175x160	108	0.09Kg	11.72Kg	54x33x26.5
VIC-PGNY1/9Lid	175x110	90	0.06Kg	7.40Kg	54x33x26.5
VIC-PGNTA1/6Lid	175x160	100	0.11Kg	11.40Kg	54x33x27