

Catálogo de Refrigeración



Upright glass door chiller and freezer
SD/SC series----- Page 1~12



Backbar
BC series----- Page 13~16



Chest freezer foamed/glass door
BD series foamed door----- Page 17
BG/BQ/SQ series glass door----- Page 18~19



Supermarket freezer/four-side showcase
SI series----- Page 21-23
SW series----- Page 24
SF series----- Page 25

SD series

Upright Glass Door Freezer - Canopy

Features

- Light: vertical LED light
- Defrosting type: frost-free
- Temperature range: ≤ -18 ℃
- Refrigerant: R290
- Thermostat: digital
- hinged door
- Cooling system: ventilated
- Self-closing doors
- Self-evaporating water tray
- Colors: black, white, light grey
- Lock&Key
- Voltage/Frequency:
220-240V/50Hz, 100-115V/60Hz
- Customized stickers



Model	SD-C200	SD-C400	SD-C500	SD-C1000	SD-C1500
Volume/L	216	418	488	955	1496
Door types	1/hinged door	1/hinged door	1/hinged door	2/hinged doors	3/hinged doors
No. of shelves	4	4	4	8	12
Width/mm	460	600	680	1215	1830
Depth/mm	610	730	730	730	730
Height/mm	1820	2020	2020	2020	2020
40HC/sets	82	54	48	27	19

SC series

Upright Glass Door Chiller - Canopy

Features

- Light: vertical LED light
- Defrosting type: frost-free
- Temperature range: 1 - 10 ℃
- Refrigerant: R600a/R290
- Thermostat: digital / mechanical
- Door type: hinged door / sliding doors
- Cooling system: ventilated
- Self-closing doors
- Self-evaporating water tray
- Colors: black, white, light grey
- Lock&Key
- Voltage/Frequency: 220-240V/50Hz,
100-115V/60Hz
- Customized stickers



Model	SC-C327	SC-C367	SC-C387	SC-C517	SC-C817	SC-C1127	SC-C1727
Volume/L	324	368	392	509	739	1023	1587
Door types	1/hinged door	1/hinged door	1/hinged door	1/hinged door	2/hinged doors	2/hinged doors	3/hinged doors
No. of shelves	4	4	4	4	8	8	12
Width/mm	580	580	680	680	1050	1215	1830
Depth/mm	560	660	560	660	640	730	730
Height/mm	1930	1930	1930	1930	2020	2020	2020
40HC/sets	57+18	57	57+16	48	36	27	19

SD series

Upright Glass Door Freezer - Top Mounted

Features

- Light: vertical LED light
- Defrosting type: frost-free
- Temperature range: ≤ -18 C
- Refrigerant: R290
- Thermostat: digital
- Door type: hinged door
- Cooling system: ventilated
- Self-closing doors
- Self-evaporating water tray
- Colors: black, white, light grey
- Lock&Key
- Voltage/Frequency: 220-240V/50Hz, 100-115V/60Hz
- Customized stickers



Model	SD-M400	SD-M500	SD-M1000	SD-M1500
Volume/L	418	488	955	1496
Door types	1/hinged door	1/hinged door	2/hinged doors	3/hinged doors
No. of shelves	4	4	8	12
Width/mm	600	680	1215	1830
Depth/mm	730	730	730	730
Height/mm	2070	2070	2070	2070
40HC/sets	54	48	27	19

SC series

Upright Glass Door Chiller - Top Mounted

Features

- Light: vertical LED light
- Defrosting type: frost-free
- Temperature range: 1 - 10 C
- Refrigerant: R290
- Thermostat: digital / mechanical
- Door type: hinged door / sliding doors
- Cooling system: ventilated
- Self-closing doors
- Self-evaporating water tray
- Colors: black, white, light grey
- Lock&Key
- Voltage/Frequency: 220-240V/50Hz, 100-115V/60Hz
- Customized stickers



Model	SC-M400	SC-M500	SC-M600	SC-M817	SC-M1127	SC-M1727
Volume/L	418	488	552	739	1023	1587
Door types	1/hinged door	1/hinged door	1/hinged door	2/hinged doors	2/hinged doors	3/hinged doors
No. of shelves	4	4	4	8	8	12
Width/mm	600	680	800	1050	1215	1830
Depth/mm	730	730	660	640	730	730
Height/mm	2070	2070	2070	2070	2070	2070
40HC/sets	54	48	48	36	27	19

SD series

Upright Glass Door Freezer - Decorative Trip

Features

- Light: vertical LED light
- Defrosting type: frost-free
- Temperature range: ≤ -18 °C
- Refrigerant: R290
- Thermostat: digital
- Door type: hinged door
- Cooling system: ventilated
- Self-closing doors
- Self-evaporating water tray
- Colors: black, white, light grey
- Lock&Key
- Voltage/Frequency: 220-240V/50Hz, 100-115V/60Hz
- Customized stickers



Model	SD-T200	SD-T400	SD-T500	SD-T1000	SD-T1500
Volume/L	216	418	488	955	1496
Door types	1/hinged door	1/hinged door	1/hinged door	2/hinged doors	3/hinged doors
No. of shelves	4	4	4	8	12
Width/mm	460	600	680	1215	1830
Depth/mm	610	730	730	730	730
Height/mm	1820	2020	2020	2020	2020
40HC/sets	82	54	48	27	19

SC series

Upright Glass Door Chiller - Decorative Trip

Features

- Light: vertical LED light
- Defrosting type: frost-free
- Temperature range: 1 - 10 °C
- Refrigerant: R290
- Thermostat: digital / mechanical
- Door type: hinged door / sliding doors
- Cooling system: ventilated
- Self-closing doors
- Self-evaporating water tray
- Colors: black, white, light grey
- Lock&Key
- Voltage/Frequency: 220-240V/50Hz, 100-115V/60Hz
- Customized stickers



Model	SC-T327	SC-T367	SC-T387	SC-T517	SC-T817	SC-T1127	SC-T1727
Volume/L	324	368	392	509	739	1023	1587
Door types	1/hinged door	1/hinged door	1/hinged door	1/hinged door	2/hinged doors	2/hinged doors	3/hinged doors
No. of shelves	4	4	4	4	8	8	12
Width/mm	580	580	680	680	1050	1215	1830
Depth/mm	560	660	560	660	640	730	730
Height/mm	1930	1930	1930	1930	2020	2020	2020
40HC/sets	57+18	57	57+16	48	36	27	19

SD series

Upright Glass Door Freezer - Flat Top

Features

- Light: vertical LED light
- Defrosting type: frost-free
- Temperature range: ≤ -18 °C
- Refrigerant: R290
- Thermostat: digital
- hinged door
- Cooling system: ventilated
- Self-closing doors
- Self-evaporating water tray
- Colors: black, white, light grey
- Lock&Key
- Voltage/Frequency: 220-240V/50Hz, 100-115V/60Hz
- Customized stickers



Model	SD-F200	SD-F400	SD-F500	SD-F1000	SD-F1500
Volume/L	216	418	488	955	1496
Door types	1/hinged door	1/hinged door	1/hinged door	2/hinged doors	3/hinged doors
No. of shelves	4	4	4	8	12
Width/mm	460	600	680	1215	1830
Depth/mm	610	730	730	730	730
Height/mm	1820	2020	2020	2020	2020
40HC/sets	82	54	48	27	19

SC series

Upright Glass Door Chiller - Flat Top

Features

- Light: vertical LED light
- Defrosting type: frost-free
- Temperature range: 1 - 10 °C
- Refrigerant: R290
- Thermostat: digital / mechanical
- Door type: hinged door / sliding doors
- Cooling system: ventilated
- Self-closing doors
- Self-evaporating water tray
- Colors: black, white, light grey
- Lock&Key
- Voltage/Frequency: 220-240V/50Hz, 100-115V/60Hz
- Customized stickers



Model	SC-F327	SC-F367	SC-F387	SC-F517	SC-F817	SC-F1127	SC-F1727
Volume/L	324	368	392	509	739	1023	1587
Door types	1/hinged door	1/hinged door	1/hinged door	1/hinged door	2/hinged doors	2/hinged doors	3/hinged doors
No. of shelves	4	4	4	4	8	8	12
Width/mm	580	580	680	680	1050	1215	1830
Depth/mm	560	660	560	660	640	730	730
Height/mm	1930	1930	1930	1930	2020	2020	2020
40HC/sets	57+18	57	57+16	48	36	27	19

SCE series

Upright Glass Door Chiller - Basic

Features

- Light: vertical LED light
- Temperature range: 1 - 10 °C
- Refrigerant: R600a/R290
- Thermostat: digital / mechanical
- Door type: hinged door
- Cooling system: static with fan/ventilated
- Self-closing doors for choice
- Self-evaporating water tray
- Colors: black, white, light grey
- Lock&Key for choice
- Voltage/Frequency: 220-240V/50Hz, 100-115V/60Hz



★ Note: Flat top and canopy available

Model	SCE-227	SCE-277	SCE-767	SCE-1267
Volume/L	199	265	581	862
Door types	1/hinged door	1/hinged door	2/hinged doors	3/hinged doors
No. of shelves	4	4	8	12
Width/mm	530	600	1200	1800
Depth/mm	550	540	600	600
Height/mm	1820	1980	2000	2000
40HC/sets	80+25	72+24	28	19

SC series

Upright Glass Door Chiller - Beverage

Features

- Light: vertical LED light
- Temperature range: 1 - 10 °C
- Refrigerant: R600a/R290
- Thermostat: digital
- Door type: hinged door
- Cooling system: ventilated
- Self-closing doors
- Self-evaporating water tray
- Colors: black, white, light grey
- Lock&Key for choice
- Voltage/Frequency: 220-240V/50Hz, 100-115V/60Hz



Note: Flat top to canopy height add 196mm

Model	SC-F187	SC-F227	SC-F277
Volume/L	180	220	270
Door types	1/hinged door	1/hinged door	1/hinged door
No. of shelves	3	4	4
Width/mm	525	525	525
Depth/mm	550	550	550
Height/mm	1290	1480	1740
40HC/sets	160	80+28	80+24

SC series

Upright Glass Door Chiller - PREMIUM

Features

- Light: vertical LED light
- Defrosting type: frost-free
- Temperature range: 1 - 10 °C
- Refrigerant: R290
- Thermostat: digital
- Door type: hinged door / sliding door
- Cooling system: ventilated
- Self-closing doors
- Self-evaporating water tray
- Colors: black, white, light grey
- Lock&Key for choice
- Voltage/Frequency: 220-240V/50Hz, 100-115V/60Hz



Model	SC-C607	SC-C1207
Volume/L	552	1104
Door types	1/hinged door	2/hinged doors
No. of shelves	4	8
Width/mm	800	1370
Depth/mm	660	730
Height/mm	2020	2020
40HC/sets	36	27

SCD series

Upright Glass Door Dual Temperature Freezer/ Chiller

Features

- Light: vertical LED light
- Temperature range: ≤ -18 °C / 1 - 10 °C
- Refrigerant: R290
- Thermostat: digital
- Door type: hinged door
- Cooling system: static
- Self-closing doors
- Self-evaporating water tray
- Colors: black, white, light grey
- Lock&Key
- Voltage/Frequency: 220-240V/50Hz, 100-115V/60Hz
- Customized stickers



Model	SCD-C550
Volume/L	Freezer 187L + Chiller 317L
Door types	1/hinged door
No. of shelves	4
Width/mm	750
Depth/mm	700
Height/mm	1947
40HC/sets	44

BC series

Backbar Bottle Cooler

Features

- Light: horizontal LED light
- Defrosting type: frost-free
- Temperature range: 2-8 C
- Refrigerant: R600a
- Thermostat: digital
- Door type: hinged door / sliding doors
- Cooling system: Roll bond
- Self-evaporating water tray
- Lock&Key
- Voltage/Frequency: 220-240V/50Hz, 100-115V/60Hz
- Stainless steel available



★ Note: Height 900mm available

Model	BC-135A	BC-235A	BC-S235A	BC-355A	BC-S355A
Volume/L	142	224	224	346	346
Door types	1/hinged door	2/hinged doors	2/sliding doors	3/hinged doors	3/sliding doors
No. of shelves	2	4	4	6	6
Width/mm	600	900	900	1350	1350
Depth/mm	520	520	520	520	520
Height/mm	850	850	850	850	850
40HC/sets	216	144	144	99	99

BC series

Backbar Bottle Cooler - Stainless Steel

Features

- Light: horizontal LED light
- Defrosting type: frost-free
- Temperature range: 2-8 C
- Refrigerant: R600a
- Thermostat: digital
- Door type: hinged door / sliding doors
- Cooling system: Roll bond
- Self-evaporating water tray
- Lock&Key
- Voltage/Frequency: 220-240V/50Hz, 100-115V/60Hz
- Stainless steel available



★ Note: Height 900mm available

Model	BC-SS135A	BC-SS235A	BC-SS355A
Volume/L	142	224	346
Door types	1/hinged door	2/hinged doors	3/hinged doors
No. of shelves	2	4	6
Width/mm	600	900	1350
Depth/mm	520	520	520
Height/mm	850	850	850
40HC/sets	216	144	99

BC series

Backbar Bottle Cooler - High

Features

- Light: vertical LED light
- Defrosting type: frost-free
- Temperature range: 2-8 C
- Refrigerant: R600a / R290
- Thermostat: digital
- Door type: hinged door
- Cooling system: ventilated
- Self-evaporating water tray
- Lock&Key
- Voltage/Frequency: 220-240V/50Hz, 100-115V/60Hz
- Stainless steel available



Model	BC-300G	BC-SS300G	BC-500G	BC-SS500G
Volume/L	300	300	500	500
Door types	1/hinged door	1/SS hinged door	2/hinged doors	2/SS hinged doors
No. of shelves	4	4	8	8
Width/mm	600	600	920	920
Depth/mm	520	520	520	520
Height/mm	1820	1820	1820	1820
40HC/sets	72	72	48	48

BC series

Overall Glass Door Cooler

Features

- Light: vertical LED light
- Defrosting type: frost-free
- Temperature range: 2-8 C
- Refrigerant: R290
- Thermostat: digital
- Door type: hinged door
- Cooling system: ventilated
- Self-evaporating water tray
- Lock&Key
- Voltage/Frequency: 220-240V/50Hz, 100-115V/60Hz



Model	BC-400G	BC-700G
Volume/L	400	700
Door types	1/hinged door	2/hinged doors
No. of shelves	4	8
Width/mm	600	920
Depth/mm	635	635
Height/mm	2000	2000
40HC/sets	54	36

BD series

Chest Freezer

Features

- Temperature range: ≤ -18 °C
- Refrigerant: R290 / R600a
- Thermostat: digital / mechanical
- Cooling system: static
- Voltage/Frequency:
220-240V/50Hz, 100-115V/60Hz
- Customized stickers
- Lock&Key



Model	BD-351	BD-451	BD-551	BD-651	BD-851	BD-1051
Volume/L	299	394	495	605	764	929
Door types	1	2	2	2	2	2
No. of baskets	1	1	1	1	1	1
Width/mm	1030	1270	1530	1815	1980	2150
Depth/mm	745	745	745	745	830	900
Height/mm	855	855	855	855	855	855
40HC/sets	98	79	66	56	39	36

BG series

Chest Freezer-Flat sliding glass doors

Features

- Temperature range: ≤ -18 °C
- Refrigerant: R290 / R600a
- Thermostat: digital / mechanical
- Cooling system: static
- Voltage/Frequency:
220-240V/50Hz, 100-115V/60Hz
- Customized stickers
- Lock&Key



Model	BG-351	BG-451	BG-551	BG-651
Volume/L	299	394	495	605
Door types	1	2	2	2
No. of baskets	1	1	1	1
Width/mm	1030	1270	1530	1815
Depth/mm	745	745	745	745
Height/mm	855	855	855	855
40HC/sets	98	79	66	56

BQ Series

Glass door chest freezer

Features

- Temperature range: ≤ -18 °C
- Refrigerant: R290 / R600a
- Thermostat: digital / mechanical
- Cooling system: static
- Voltage/Frequency: 220-240V/50Hz, 100-115V/60Hz
- Customized stickers
- Lock&Key



Model	BQ-222	BQ-322	BQ-422	BQ-522	BQ-622	BQ-722
Volume/L	214	317	403	495	595	663
Door types	2	2	2	2	2	2
No. of baskets	2	3	4	4	5	5
Width/mm	740	1030	1270	1530	1810	2000
Depth/mm	680	680	680	680	680	680
Height/mm	840	840	840	840	840	840
40HC/sets	134	98	79	66	56	50

SQ series

Ice-cream Freezer - Glass door

Features

- Temperature range: ≤ -18 °C
- Refrigerant: R290
- Thermostat: digital / mechanical
- Cooling system: static
- Voltage/Frequency: 220-240V/50Hz, 100-115V/60Hz
- Customized stickers
- Lock&Key



Model	SQ-166	SQ-326	SQ-406
Volume/L	131	350	427
Door color	grey	grey	grey
No. of baskets	1	4	5
Width/mm	620	1045	1245
Depth/mm	700	700	700
Height/mm	870	865	865
40HC/sets	153	96	81

SI series

Supermarket Freezer - Curved Glass

Features

- Temperature range: ≤ -18 °C
- Refrigerant: R290 / R404
- Thermostat: digital / mechanical
- Cooling system: static
- Voltage/Frequency: 220-240V/50Hz, 100-115V/60Hz



Model	SI-C153 Middle	SI-C183 Middle	SI-C203 Middle	SI-C253 Middle
Volume/L	632	772	865	1097
Door types	2	2	2	2
Temperature	≤ -18 °C	≤ -18 °C	≤ -18 °C	≤ -18 °C
Width/mm	1500	1800	2000	2500
Depth/mm	760	760	760	760
Height/mm	890	890	890	890
40HC/sets	65	56	50	36

SI series

Supermarket Freezer - Flat Glass

Features

- Temperature range: ≤ -18 °C
- Refrigerant: R290 / R404
- Thermostat: digital / mechanical
- Cooling system: static
- Frost free optional
- Voltage/Frequency: 220-240V/50Hz, 100-115V/60Hz



Model	SI-F663 Edge	SI-F763 Middle
Volume/L	806	876
Door types	2	2
Temperature	≤ -18 °C	≤ -18 °C
Width/mm	1865	1865
Depth/mm	830	830
Height/mm	790	850
40HC/sets	39	39

SI series

Supermarket Freezer - Flat Glass

Features

- Temperature range: ≤ -18 C
- Refrigerant: R290
- Thermostat: digital
- Auto defrosting
- Copper evaporator
- Cooling system: static
- Voltage/Frequency: 220-240V/50Hz, 100-115V/60Hz



Model	SI-FF9183 Edge	SI-FF9183 Middle	SI-FF9213 Middle	SI-FF9253 Middle
Volume/L	610	610	735	900
Door types	4	4	4	4
Temperature	≤ -18 C	≤ -18 C	≤ -18 C	≤ -18 C
Width/mm	1860	1860	2065	2500
Depth/mm	875	875	875	875
Height/mm	815	850	850	850
40HC/sets	36	36	36	24

SW series

Chest Freezer - Island freezer

Features

- Temperature range: ≤ -18 C
- Refrigerant: R290
- Thermostat: mechanical
- Cooling system: static
- Voltage/Frequency: 220-240V/50Hz, 100-115V/60Hz
- Customized stickers



Model	SW-160	SW-180	SW-200
Volume/L	561	640	728
Door types	2/sliding doors	2/sliding doors	2/sliding doors
No. of baskets	4	4	6
Width/mm	1600	1800	2000
Depth/mm	800	800	800
Height/mm	850	850	850
40HC/sets	42	39	39

SF series

Upright Glass Door Chiller - Four Sides

Features

- Light: vertical LED light
- Temperature range: 2-12 °C
- Refrigerant: R600a/R290
- Thermostat: digital
- Door type: hinged door
- Cooling system: ventilated
- Lock&Key
- Voltage/Frequency: 220-240V/50Hz, 100-115V/60Hz
- PTC heating available



Model	SF-184	SF-224	SF-264
Volume/L	218	255	293
Doors	1	1	1
No. of shelves	4	4	4
Width/mm	500	500	500
Depth/mm	535	535	535
Height/mm	1325	1500	1685
40HC/sets	154	146	116